

ASX: ANX

7 FEBRUARY 2023

COPPER, ZINC AND GOLD IN RC DRILLING DELIVER RESOURCE GROWTH POTENTIAL WHIM CREEK DFS ON TRACK FOR Q1 2023

- **Strong copper and zinc intercepts in near-mine drilling at Mons Cupri NW including:**
 - 22MCRC003A: 12m @ 2.76 % Zn from 116m
 - 22MCRC004A: 7m at 2.52 % Zn and 51 g/t Ag from 114m (further assays pending)
 - 22MCRC004A: 5m at 1.11 % Cu and 34 g/t Ag from 195m
- **New narrow copper mineralised zone intersected east of Whim Creek Pit**
- **Gold up to 1.67g/t Au in RC drilling at HLF warrants further investigation**
- **Exploration planning ongoing with Evelyn prioritised**
- **Definitive Feasibility Study on track for completion this quarter**

Anax Metals Limited (ASX: ANX, Anax, or the Company) completed 3,010m of reverse circulation (RC) exploration drilling during the 2022 field season at the Whim Creek Project (the Project) in the central Pilbara Region of Western Australia.

The Company's Managing Director, Geoff Laing, commented, *"New copper-zinc intercepts in drilling at Mons Cupri Northwest confirm the potential to extend near-mine resources down dip. A new copper mineralised zone east of Whim Creek also points to new near-mine resource potential. "In addition, we are delighted to have intercepted gold in the first round of drilling at HLF Prospect. Anax has prioritised Evelyn for resource extension drilling in 2023, following the successful 2022 programme, and exploration drilling at Whim Creek will follow."*^{1,2}

Copper and zinc extend down dip of Mons Cupri Northwest Pit

RC drilling at **Mons Cupri NW** intersected **multiple zones of copper and zinc sulphides**. Holes 22MCRC003A and 22MCRC004A were drilled from the same pad and designed to test the down-dip extensions of the mineralisation historically mined in the Mons Cupri Northwest pit (Figures 1 and 2

The best intercepts received to date are from holes 22MCRC003A, which intersected **12m @ 2.76% Zn** from 116m, and 22MCRC004A, which intersected **7m @ 2.52% Zn and 51g/t Ag** from 114m, as well as **5m @ 1.11% Cu and 34g/t Ag** from 195m. These intercepts are outside the current modelled resource envelopes and confirm down-dip extensions to known mineralisation below the pit at Mons Cupri Northwest, which remains **open at depth** (Figures 1 and 2).

All RC chip trays were transported to Perth and scanned using the Minalyzer CS XRF system. The XRF results helped guide the selection of mineralised intervals submitted for assay, with geochemical analysis undertaken at LabWest in Perth. The XRF scan for 22MCRC004A indicates **another mineralised intercept immediately above** the zinc zone reported here (7m @ 2.52% Zn and 51 g/t Ag from 114 m). Further results will be released once they have been received.




Figure 1: 2022 Exploration RC drill holes and section line A-A' in relation to historical drilling and existing open pits at Mons Cupri and Mons Cupri NW

Two RC drillholes 22MCRC001 and 22MCRC002 targeted a gap in historical drilling between Mons Cupri and Mons Cupri NW deposits but intersected only narrow mineralised intervals. Mineralisation was disrupted by faulting. However, VMS style deposits are typically deep rooted and potential for new near-mine extensions remains, discovery of which will be aided by downhole geophysical surveys and deeper drilling.

Figure 2 shows mineralisation transects lithological boundaries, being hosted in both felsic volcanics (green) as well as metasediments (brown), which demonstrates that mineralisation is hydrothermal in origin.

Near-Mine Targets at Whim Creek Open Pit

At **Whim Creek East**, two shallow RC holes were drilled from the haul road targeting extensions along strike to the east of defined resources. Hole 22WCRC005A intersected **3m at 1.2% Zn and 1.3% Pb** from 20m, extending mineralisation defined in historical drilling.

Near the entrance to the open pit, 22WCRC007 intersected **4m at 0.5% Cu** from 79m and **2m at 0.7% Cu** from 96m, clipping potential **new zones of mineralisation** below known resources. Fairly continuous sulphides from 148m downhole represent a sulphide alteration halo common to hydrothermal mineralised systems. Hole 22WCRC004 was drilled near outcropping malachite mineralisation but only patchy sulphides were recorded in drill logs and XRF results. Assay results are pending.




Figure 3: 2022 RC Drillhole locations (red) in relation to UltraFine soil anomalies. Multiple prospects for gold, platinum, nickel-cobalt and copper defined for ongoing exploration

The **Manhattan** Prospect RC drilling aimed to verify polymetallic anomalies in 2021 UltraFine+™ soils, along strike to the west of the Whim Creek copper-zinc oxide open pit. Faulting and foliation made for difficult drilling and significant deviation prevented drilling a second hole from this location (see Figure 3, below). Drilling intersected the alteration signature associated with the ore zone, namely sericitic hangingwall and chloritic footwall alteration.⁷

Calibrated XRF results show low grade zinc (<1% Zn) from 43 to 52m and intermittent sulphides from 69 to 129m downhole. Drill chips from select intervals have been submitted to the lab for assay. Improved access will enable future deep drilling at this exciting prospect.

HLF Gold Prospect

Ten RC holes were drilled in a NW and SE direction along three lines spaced 100m apart, designed to intersect north-east trending, altered felsic volcanic units associated with gold-in-soil anomalies over 200m strike (see Figure 4). High-grade gold in rock chip samples (up to **4g/t Au**)³, fault structures, magnetic anomalies and an historical drill intercept of **1m @ 0.94g/t Au**³ determined the placement of the drill holes.³




Figure 4: HLF RC drilling (green) along three 100m-spaced lines targeted geochemical, structural and aeromagnetic anomalies. 3 X-X' marks the section line in Figure 5. Localised faulting is shown as dashed red lines

Drill intervals showing sulphide mineralisation were assayed as a priority and anomalous gold (>0.1g/t Au) was intercepted along each of the three drill lines, confirming a strike length of 200m.

22HRC006 was drilled directly beneath the high-grade 4g/t Au rock chip sample and intersected multiple anomalous gold zones, up to **1.67g/t Au**. 22HRC007 was drilled parallel to 22HRC006, collared 53m to the SE, intersecting **4m at 0.41g/t Au** from 9m. Similarly, hole 22HRC008, located 123m to the SW, intersected **3m at 0.42g/t Au** from 22m. Infill geochemical analysis is ongoing. All assay results received to date are included in the tables at the end of this announcement.

Drill logging confirmed that gold mineralisation is associated with silicification, veining and sulphides in altered felsic volcanic rocks, similar to what has been described from drilling at De Grey's Hemi Prospect, located 61km due east. See Figures 5 and 6 below.




Figure 5: HLF Prospect drill section X-X', looking NE, shows gold intervals in relation to the dominant NE-trending fault structure. Sulphide mineralisation and veining logged in RC holes at HLF are shown to be associated with gold

The drill section in Figure 5, above, shows gold is supergene enriched near the base of weathering. Multiple low-grade gold intercepts persist at depth suggesting deeper drilling

exploration is warranted. Hole 22HRC007 was drilled parallel to 22HRC006 but stopped short of the targeted structure. Structural complexity was confirmed by the identification of previously unmapped crosscutting structures during the recent drilling programme, (marked with dashed red lines in Figure 4, above) which may impact mineralisation and therefore warrant further investigation. Infill and deeper drilling are required to intersect potential fluid pathways, such as cross-faulting, and better define the controls on mineralisation.

Next Steps

Near-mine, drill-ready targets at Evelyn have been prioritised for drilling in 2023¹, which will be scheduled after the Definitive Feasibility Studies currently underway and nearing completion.




Figure 6: Whim Creek Project encompasses a 16.5km stretch of the highly prospective Whim Creek Greenstone Belt on the edge of the Mallina Basin. De Grey's Hemi Prospect is situated 61km due east

The Whim Creek tenement package encompasses a 16.5km stretch of the Archean Whim Creek Greenstone Belt, which is highly prospective and underexplored due to the historical focus on the known VMS copper deposits. Anax's systematic exploration, using innovative methods, such as UltraFine+™ soil sampling, has generated multiple gold targets across the project which await exploration drilling, including the historically mined **Comstock Hill**, south of Mons Cupri, and **Whim Maar**, north of Whim Creek (see Figure 3, above). These prospects have been prioritised for future exploration drilling in parallel with ongoing near-mine resource growth drilling. In addition, new prospects for platinum and base metals await heritage surveys to extend the exploration drilling pipeline.

This ASX announcement has been approved for release by the Board of the Company.

ENDS

For Enquiries

Mr Geoff Laing
Managing Director
Anax Metals Limited
info@anaxmetals.com.au
+61 8 6143 1840

Mr Lucas Robinson
Managing Director
Corporate Storytime
lucas@corporatestorytime.com
+ 61 408 228 889

References

The information provided in this announcement refers to the following Anax Announcements to the ASX:

1. Evelyn Extended with excellent Cu, Zn & Au Intersection, 4 October 2022
2. Massive Sulphides Intersected at Evelyn as Whim Creek Drilling Programme Concludes, 6 September 2022
3. High-Grade Gold in Rock Chips. Exploration Drilling Begins, 11 July 2022
4. Near-Mine Exploration Drilling at Whim Creek Project, 7 April 2022
5. Whim Creek Project Exploration Update, 8 March 2022
6. Exceptional Value Added to Whim Creek Scoping Study, 17 January 2022
7. Large Near Mine Base Metals Targets at Whim Creek Project, 4 October 2021
8. Extensive Platinum, Nickel-Cobalt and Gold Anomalies Defined, 27 July 2021

Competent Person's Statement

The information in this report that relates to Exploration Results is based on and fairly represents information compiled by Ms Wendy Beets. Ms Beets is a full-time employee and shareholder of Anax Metals Ltd and is a member of the Australian Institute of Geoscientists. Ms Beets has sufficient experience of relevance to the style of mineralisation and types of deposits under consideration, and to the activities undertaken to qualify as a Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Ms Beets consents to the inclusion in this report of the matters based on information in the form and context in which they appear.

Forward Looking Statements

This report contains certain forward-looking statements. These forward-looking statements are not historical facts but rather are based on Anax Metals Ltd's current expectations, estimates and projections about the industry in which Anax Metals Ltd operates, and beliefs and assumptions regarding Anax Metals Ltd's future performance. Words such as "anticipates", "expects", "intends", "plans", "believes", "seeks", "estimates", "potential" and similar expressions are intended to identify forward-looking statements. These statements are not guarantees of future performance and are subject to known and unknown risks, uncertainties and other factors, some of which are beyond the control of Anax Metals Ltd, are difficult to predict and could cause actual results to differ materially from those expressed or forecasted in the forward-looking statements. Anax Metals Ltd cautions shareholders and prospective shareholders not to place undue reliance on these forward-looking statements, which reflect the view of Anax Metals Ltd only as of the date of this report. The forward-looking statements made in this report relate only to events as of the date on which the statements are made. Anax Metals Ltd does not undertake any obligation to report publicly any revisions or updates to these forward-looking statements to reflect events, circumstances or unanticipated events occurring after the date of this report except as required by law or by any appropriate regulatory authority.

Appendix 1: Completed RC Drilling at the Whim Creek Project

Prospect	Hole Number	Easting (m)	Northing (m)	RL (m)	Grid	Tenement	Depth (m)	Azi	Dip	Drill Type	Target
HLF	22-HRC001	587250	7692150	49	MGA94-Z50	M47/237	120	315	-55	RC	GOLD
HLF	22-HRC003	587410	7692030	61	MGA94-Z50	M47/237	150	315	-60	RC	GOLD
HLF	22-HRC004	587475	7692000	53	MGA94-Z50	M47/237	150	315	-60	RC	GOLD
HLF	22-HRC004B	587475	7692000	53	MGA94-Z50	M47/237	150	135	-60	RC	GOLD
HLF	22-HRC006	587365	7691920	57	MGA94-Z50	M47/237	198	315	-60	RC	GOLD
HLF	22-HRC007	587400	7691880	55	MGA94-Z50	M47/237	150	315	-60	RC	GOLD
HLF	22-HRC007B	587400	7691880	55	MGA94-Z50	M47/237	102	135	-60	RC	GOLD
HLF	22-HRC008	587280	7691830	56	MGA94-Z50	M47/237	120	315	-60	RC	GOLD
HLF	22-HRC008B	587280	7691830	56	MGA94-Z50	M47/237	120	135	-55	RC	GOLD
HLF	22-HRC010	587155	7692060	54	MGA94-Z50	M47/237	204	225	-60	RC	GOLD
Whim Creek E	22-WCRC004	586940	7694555	54	MGA94-Z50	M47/236	152	270	-60	RC	Cu-Zn
Whim Creek E	Z22-WCRC005A	587010	7694670	53	MGA94-Z50	M47/236	54	180	-75	RC	Au- Cu
Whim Creek E	Z22-WCRC006A	587010	7694670	53	MGA94-Z50	M47/236	54	180	-55	RC	Au- Cu
Whim Creek E	22-WCRC007	586897	7694400	58	MGA94-Z50	M47/443	200	270	-60	RC	Cu-Zn
Manhattan	22-WCRC008	586020	7694765	64	MGA94-Z50	M47/236	198	180	-60	RC	Cu-Zn
MC West	22-MCRC001	583550	7690950	84	MGA94-Z50	M47/238	218	45	-60	RC	Cu-Zn
MC West	22-MCRC002	583600	7690875	79	MGA94-Z50	M47/238	220	45	-60	RC	Cu-Zn
MC West	Z22-MCRC003A	583555	7691040	79	MGA94-Z50	M47/238	230	45	-70	RC	Cu-Zn
MC West	Z22-MCRC004A	583555	7691040	79	MGA94-Z50	M47/238	220	45	-55	RC	Cu-Zn

Appendix 2: Historical Drillholes Referenced in this Announcement

Prospect	Hole Number	Easting (m)	Northing (m)	RL (m)	Grid	Tenement	Max Depth (m)	Depth (m)	Azi (deg)	Dip (deg)	Drill Type	Drill date
MONS CUPRI	DH126	583546	7691078	73.76	MGA94_50	M47/238	169	0	0	-90	DDH	05-Dec-69
MONS CUPRI	DH38	583597	7691121	76.20	MGA94_50	M47/238	123	0	0	-90	DDH	
MONS CUPRI	DH38A	583597	7691121	76.20	MGA94_50	M47/238	135	135	50	-55	DDH	18-Nov-68
MONS CUPRI	DH66	583620	7691085	89.00	MGA94_50	M47/238	130	0	19	-90	DDH	
MONS CUPRI	MCR020	583541	7691075	71.60	MGA94_50	M47/238	143	0	360	-90	RC	08-Oct-10
MONS CUPRI	WMC075	583628	7691091	89.44	MGA94_50	M47/238	86	0	47	-55	RC	09-Nov-06
MONS CUPRI	WMC082	583595	7691067	82.49	MGA94_50	M47/238	179	0	53	-60	RC	02-Dec-06
MONS CUPRI	WMD058	583591	7691055	70.00	MGA94_50	M47/238	208	0	35	-63	DDH	28-May-07
MONS CUPRI	WMD059	583508	7691112	69.00	MGA94_50	M47/238	162	0	60	-65	DDH	01-May-07
MONS CUPRI	WMD060	583508	7691112	69.00	MGA94_50	M47/238	138	0	60	-85	DDH	05-May-07
MONS CUPRI	WMD060	583508	7691112	69.00	MGA94_50	M47/238	138	15	68	-86	DDH	05-May-07

Appendix 3: Assay Results

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22HRC001	10	11	228223	0.13	0.89	1	1	70	0.33	-0.01	0	-0.02	57100	2	5	1	4	1.03	4	-0.05	0.39	-0.01	-0.01	0.41	30700	2	0.24	162
22HRC001	11	12	228226	0.04	0.82	1	2	62	0.46	0.02	0	0.04	35500	1	4	1	5	0.71	3	-0.05	0.31	-0.01	-0.01	0.48	19000	2	0.19	163
22HRC001	12	13	228227	0.04	1.21	13	1	79	0.55	0.03	1	0.04	57400	6	25	2	11	1.51	5	-0.05	0.44	-0.01	-0.01	0.54	31500	6	0.39	382
22HRC001	13	14	228228	0.06	1.36	3	1	71	0.58	0.02	1	0.10	49100	4	8	2	8	1.33	5	-0.05	0.23	0.01	-0.01	0.64	26200	9	0.44	286
22HRC001	14	15	228229	0.10	1.93	4	-1	64	0.66	0.03	1	0.05	32500	7	25	2	10	2.15	6	-0.05	0.12	0.01	-0.01	0.66	17100	14	0.90	547
22HRC001	15	16	228230	0.67	2.23	9	1	81	0.78	0.02	1	0.10	59800	12	28	2	59	2.55	7	0.06	0.10	0.02	0.01	0.80	31000	15	1.19	854
22HRC001	16	17	228231	0.05	1.27	6	1	66	0.58	0.03	1	0.04	50500	7	13	3	25	1.72	5	-0.05	0.17	0.02	-0.01	0.51	26300	9	0.63	495
22HRC001	17	18	228232	0.08	2.14	7	-1	102	0.87	0.05	2	0.05	47100	10	21	3	35	2.33	5	-0.05	0.12	0.01	-0.01	0.94	24900	11	1.04	1020
22HRC001	18	19	228233	0.02	1.06	2	-1	62	0.42	0.02	1	0.04	46900	3	8	1	5	1.24	4	-0.05	0.19	0.01	-0.01	0.44	25100	6	0.41	348
22HRC001	19	20	228234	0.04	1.46	4	-1	93	0.53	0.05	1	0.05	58000	5	14	2	23	1.61	6	-0.05	0.19	0.01	-0.01	0.62	31100	8	0.56	302
22HRC001	20	21	228235	0.01	1.26	1	-1	117	0.48	0.02	0	0.03	66300	2	3	2	7	1.10	5	-0.05	0.30	0.01	-0.01	0.66	36800	5	0.33	189
22HRC001	21	22	228236	0.04	1.38	4	-1	78	0.54	0.03	1	0.05	52300	5	10	2	32	1.58	5	-0.05	0.19	0.02	-0.01	0.59	28900	7	0.64	441
22HRC001	22	23	228237	0.03	1.19	3	-1	69	0.62	0.04	1	0.03	41600	4	9	3	9	1.27	4	-0.05	0.24	0.01	-0.01	0.56	22700	7	0.56	454
22HRC001	23	24	228238	0.11	2.45	7	1	131	0.81	0.07	1	0.03	47400	8	33	4	25	2.17	7	-0.05	0.17	0.01	-0.01	1.09	24600	15	1.02	446
22HRC001	24	25	228239	0.11	2.00	9	1	94	0.68	0.08	2	0.04	52500	11	28	4	34	2.45	6	0.05	0.19	0.02	-0.01	0.69	27400	12	0.96	567
22HRC001	25	26	228240	0.14	2.38	6	1	100	0.61	0.12	2	0.03	42300	13	64	3	39	2.68	7	-0.05	0.11	0.02	0.01	0.75	22300	13	1.18	566
22HRC001	26	27	228241	0.06	2.45	5	1	134	0.48	0.29	2	0.02	38900	15	47	2	45	3.06	9	-0.05	0.10	0.01	0.01	0.73	20700	12	1.13	451
22HRC001	27	28	228242	0.04	1.50	5	-1	85	0.36	0.11	2	0.02	41900	8	25	1	15	1.84	5	-0.05	0.08	0.02	-0.01	0.54	23200	9	0.65	316
22HRC001	28	29	228243	0.08	2.06	6	-1	116	0.64	0.12	2	0.04	64100	9	28	3	22	2.17	7	0.06	0.11	0.02	-0.01	0.73	35500	10	0.85	391
22HRC001	29	30	228244	0.03	3.10	9	1	177	0.99	0.07	2	0.05	51500	10	24	6	16	3.10	8	-0.05	0.15	0.01	0.01	1.20	27400	17	1.12	524
22HRC001	30	31	228245	0.01	1.41	1	-1	85	0.52	0.02	2	0.03	54900	2	-2	4	2	1.19	4	-0.05	0.24	0.01	-0.01	0.64	30800	7	0.43	519
22HRC001	68	69	228286	0.03	0.74	1	1	50	0.27	0.02	1	0.03	56400	1	4	1	3	0.87	4	-0.05	0.31	0.01	-0.01	0.32	30500	3	0.22	174
22HRC001	69	70	228287	0.07	0.79	2	4	55	0.48	0.07	3	0.04	35600	2	3	3	3	1.16	3	-0.05	0.26	0.02	-0.01	0.45	19500	3	1.26	1360
22HRC001	70	71	228288	0.05	0.81	2	2	59	0.33	0.01	1	0.03	58600	2	-2	1	4	0.91	4	-0.05	0.30	0.01	-0.01	0.38	32600	4	0.33	248
22HRC001	82	83	228301	0.03	0.49	-1	1	48	0.21	0.02	1	-0.02	12900	1	4	0	1	0.82	2	-0.05	0.11	0.02	-0.01	0.32	7480	2	0.35	422
22HRC001	83	84	228302	0.07	0.65	1	1	50	0.33	0.03	1	0.02	20100	1	4	1	3	0.78	3	-0.05	0.10	0.02	-0.01	0.39	11600	1	0.33	348
22HRC001	84	85	228303	0.18	0.83	1	1	47	0.31	0.15	2	0.05	39300	2	4	1	5	1.30	4	-0.05	0.12	0.01	-0.01	0.30	22000	4	0.61	577
22HRC001	85	86	228304	0.12	0.50	1	1	26	0.20	0.03	1	-0.02	29100	1	3	0	7	0.70	2	-0.05	0.11	0.02	-0.01	0.31	14700	-1	0.21	216
22HRC001	86	87	228305	0.17	1.19	2	2	75	0.32	0.13	1	0.03	65800	3	4	1	80	1.45	5	0.06	0.13	0.02	0.01	0.47	36500	5	0.42	260
22HRC001	87	88	228306	0.06	0.61	1	1	33	0.22	0.05	1	0.03	43300	2	3	1	16	0.91	3	-0.05	0.12	0.02	-0.01	0.22	24000	3	0.25	254
22HRC001	104	105	228323	0.03	0.80	1	-1	42	0.32	0.02	1	0.04	47200	2	3	1	2	0.97	4	-0.05	0.12	-0.01	-0.01	0.39	26100	3	0.22	254
22HRC001	105	106	228326	0.06	0.69	1	4	42	0.40	0.04	0	0.02	29200	1	3	1	22	0.61	3	-0.05	0.21	0.01	-0.01	0.44	15800	2	0.12	138
22HRC003	62	63	223801	0.03	2.19	1	-1	20	0.49	-0.01	2	0.11	14500	40	1620	2	122	6.35	6	0.07	0.22	-0.01	0.03	0.01	5940	13	5.87	1180
22HRC003	63	64	223802	0.03	2.20	-1	-1	190	0.52	-0.01	2	0.15	15200	43	1650	2	106	6.13	6	0.07	0.24	-0.01	0.03	0.00	6270	12	5.99	1120

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22HRC003	64	65	223803	0.08	4.32	4	3	750	1.21	0.03	1	0.15	32300	119	2460	45	138	13.20	13	0.13	0.60	0.02	0.06	0.25	12800	44	5.77	1770
22HRC003	65	66	223804	0.11	2.06	3	1	62	0.48	0.01	3	0.10	47900	33	393	3	216	6.55	11	0.13	0.36	0.04	0.04	0.02	20500	19	1.78	1070
22HRC003	66	67	223805	0.08	2.70	2	1	39	0.66	0.01	1	0.04	53600	43	29	3	121	8.37	16	0.18	0.24	0.02	0.06	0.02	22000	30	1.53	691
22HRC003	67	68	223806	0.12	3.15	3	25	22	0.71	0.02	2	0.23	53200	48	27	1	146	9.43	16	0.18	0.23	0.03	0.06	0.02	22100	42	1.48	863
22HRC003	68	69	223807	0.10	3.03	3	1	24	0.62	0.01	3	0.30	53000	46	30	1	134	8.64	14	0.16	0.22	0.03	0.05	0.01	21700	42	1.25	1170
22HRC003	69	70	223808	0.12	2.93	2	1	23	0.65	0.01	4	0.15	55000	43	32	1	137	8.38	14	0.16	0.24	0.02	0.06	0.01	22800	39	1.13	1310
22HRC003	70	71	223809	0.15	2.83	6	1	30	0.99	0.01	3	0.26	56800	48	37	1	137	8.57	15	0.15	0.40	0.05	0.06	0.03	23600	37	1.07	1760
22HRC003	71	72	223810	0.17	2.98	6	5	38	0.77	0.01	3	0.13	48800	42	53	2	128	8.42	14	0.15	0.21	0.03	0.05	0.04	20200	35	1.14	1660
22HRC003	72	73	223811	0.14	2.52	10	1	48	0.77	-0.01	3	0.23	54600	40	28	2	109	6.86	13	0.14	0.22	0.02	0.04	0.08	23100	26	0.90	1490
22HRC003	73	74	223812	0.19	3.06	5	1	43	0.90	0.01	4	0.32	60100	47	44	1	152	8.59	14	0.14	0.28	0.03	0.05	0.06	25400	33	1.02	2070
22HRC003	74	75	223813	0.25	2.34	18	4	30	0.55	0.02	6	1.36	55400	54	18	1	144	6.81	14	0.13	0.38	0.04	0.06	0.04	24300	27	0.71	2860
22HRC003	75	76	223814	0.23	3.13	3	2	29	0.64	-0.01	4	1.58	56600	42	31	1	142	9.18	14	0.15	0.30	0.04	0.05	0.05	23800	34	0.81	2510
22HRC003	76	77	223815	0.27	2.98	23	2	106	0.83	0.04	2	0.17	54600	54	17	2	168	7.40	11	0.12	0.36	0.03	0.03	0.26	23400	26	0.92	1170
22HRC003	77	78	223816	0.21	3.28	3	2	78	0.75	0.02	3	0.09	59000	37	26	1	156	7.94	12	0.12	0.19	0.01	0.03	0.21	25000	30	1.07	1700
22HRC003	78	79	223817	0.21	3.43	7	2	49	0.60	0.02	3	0.14	64100	43	29	1	162	8.56	15	0.14	0.21	0.02	0.04	0.09	26900	36	1.22	1910
22HRC003	79	80	223818	0.31	4.76	3	5	65	1.33	0.01	2	0.11	59800	47	15	5	177	10.40	20	0.15	0.50	0.01	0.06	0.32	25100	37	1.63	1670
22HRC003	80	81	223819	0.19	3.77	3	10	96	1.46	-0.01	3	0.09	67300	37	13	6	132	8.50	15	0.11	0.31	0.01	0.05	0.33	27900	26	1.33	1860
22HRC003	81	82	223820	0.16	2.51	5	3	35	0.75	-0.01	4	0.07	46300	43	21	3	142	7.11	13	0.12	0.15	0.04	0.05	0.13	20500	16	1.01	2720
22HRC003	82	83	223821	0.16	1.94	4	1	35	0.68	-0.01	8	0.09	52100	26	25	2	125	6.33	9	0.10	0.18	0.03	0.04	0.09	23000	13	1.21	3700
22HRC003	83	84	223822	0.13	2.88	2	-1	49	0.80	-0.01	5	0.07	56100	35	24	2	133	8.07	12	0.12	0.15	0.02	0.04	0.11	23800	21	1.33	2940
22HRC003	84	85	223823	0.14	2.16	4	-1	26	0.81	0.01	3	0.08	62200	37	19	1	150	7.14	13	0.14	0.30	0.04	0.06	0.05	26200	13	1.02	3040
22HRC003	85	86	223826	0.16	3.70	4	2	28	0.91	0.04	3	0.06	48100	41	55	2	180	9.44	14	0.14	0.17	0.02	0.05	0.10	19800	29	2.33	2040
22HRC003	86	87	223827	0.29	2.99	8	1	56	0.68	0.04	4	0.07	42100	44	155	2	403	6.98	13	0.11	0.24	0.04	0.05	0.15	17800	25	2.14	1910
22HRC003	87	88	223828	0.13	3.45	2	1	46	0.40	0.01	5	0.05	31900	37	68	1	192	7.57	10	0.08	0.11	0.01	0.03	0.10	13500	28	1.94	1390
22HRC003	88	89	223829	0.15	2.81	3	1	61	0.55	0.01	4	0.04	34700	31	67	2	206	5.69	9	0.08	0.15	0.02	0.03	0.20	14700	22	1.44	1380
22HRC003	89	90	223830	0.10	2.77	1	1	47	0.39	-0.01	3	0.04	25800	29	45	2	168	5.73	8	0.06	0.06	-0.01	0.02	0.15	11000	24	1.46	916
22HRC003	90	91	223831	0.18	3.73	1	-1	68	0.46	0.01	5	0.06	39300	45	55	1	270	7.42	14	0.10	0.27	-0.01	0.04	0.18	15600	30	1.81	1060
22HRC003	91	92	223832	0.21	3.40	2	1	35	0.40	0.01	4	0.07	36700	43	42	1	271	7.56	13	0.11	0.12	-0.01	0.04	0.08	14900	28	1.67	1020
22HRC003	92	93	223833	0.21	3.92	1	1	36	0.49	0.01	5	0.06	35500	47	51	2	273	8.36	14	0.11	0.16	-0.01	0.04	0.13	14300	32	1.90	1230
22HRC003	93	94	223834	0.19	3.84	2	1	38	0.62	0.02	3	0.06	38100	43	51	4	267	7.99	12	0.09	0.09	-0.01	0.03	0.19	15500	33	1.89	1180
22HRC003	94	95	223835	0.18	4.39	4	3	120	0.85	0.05	2	0.04	38500	43	36	4	209	9.12	15	0.08	0.38	0.01	0.03	0.28	17600	40	2.17	1120
22HRC003	104	105	223845	0.10	1.71	6	-1	134	0.63	0.04	2	0.08	21500	8	19	1	23	1.92	6	-0.05	0.07	0.02	-0.01	0.30	13600	10	0.62	491
22HRC003	105	106	223846	0.09	1.15	7	-1	78	0.51	0.04	1	0.10	22300	8	13	1	39	1.64	7	-0.05	0.10	0.02	0.01	0.18	13400	6	0.47	316
22HRC003	106	107	223847	0.03	1.01	8	-1	62	0.35	0.03	1	0.16	28400	6	15	1	6	1.73	6	-0.05	0.04	0.03	0.01	0.17	17600	18	0.48	425
22HRC003	122	123	223864	0.04	0.55	5	5	37	0.24	0.02	1	0.03	18800	3	5	1	8	1.11	3	-0.05	0.08	0.03	-0.01	0.10	12800	3	0.27	358
22HRC003	123	124	223865	0.03	0.95	4	1	52	0.43	0.02	1	0.03	28400	6	10	1	3	1.53	7	-0.05	0.09	0.01	-0.01	0.13	17600	7	0.44	284

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22HRC003	124	125	223866	0.11	0.92	2	-1	47	0.30	0.02	1	0.04	29800	5	14	1	13	1.67	6	-0.05	0.09	0.02	-0.01	0.12	18700	8	0.44	253
22HRC003	125	126	223867	0.03	0.96	1	2	53	0.18	0.04	1	0.03	24000	7	30	0	22	1.86	4	0.06	0.22	-0.01	0.01	0.15	15200	8	0.57	331
22HRC003	126	127	223868	0.04	1.00	4	-1	69	0.29	0.02	1	0.32	67600	4	16	1	9	1.82	6	0.06	0.13	0.04	-0.01	0.14	43300	8	0.46	331
22HRC003	127	128	223869	0.03	1.03	3	-1	72	0.30	0.01	1	0.05	58400	5	19	1	15	1.84	7	0.07	0.15	0.02	-0.01	0.14	37700	8	0.45	301
22HRC004	5	6	223899	0.09	2.19	107	16	276	0.88	0.07	7	1.96	82200	12	7	3	27	3.34	8	0.07	0.42	0.10	0.02	0.37	40500	7	0.71	687
22HRC004	6	7	223901	0.12	1.47	95	9	144	0.71	0.07	2	1.46	99000	7	-2	1	22	2.22	7	0.08	0.37	0.03	0.02	0.25	51000	5	0.35	90
22HRC004	7	8	223902	0.08	2.26	135	7	346	1.27	0.06	3	6.35	104000	33	4	3	46	3.05	9	0.10	0.87	0.02	0.02	0.54	49200	6	0.33	1550
22HRC004	8	9	223903	0.17	2.30	73	6	369	1.21	0.05	1	1.61	117000	26	15	2	19	1.87	10	0.10	0.77	0.03	0.02	0.48	57500	4	0.29	4570
22HRC004	9	10	223904	0.07	0.80	19	3	76	0.42	0.02	0	0.15	56600	4	-2	0	10	0.92	5	0.07	0.83	-0.01	0.01	0.15	34000	2	0.13	159
22HRC004	10	11	223905	0.17	1.61	55	4	164	0.74	0.04	0	0.28	57500	7	2	1	13	1.46	7	0.07	0.75	0.02	0.02	0.32	32600	3	0.19	134
22HRC004	11	12	223906	0.10	1.44	82	4	137	0.82	0.12	0	0.37	66800	10	-2	1	13	1.85	8	0.08	0.81	0.02	0.02	0.27	33700	5	0.24	251
22HRC004	12	13	223907	0.07	1.76	32	2	220	1.01	0.07	0	0.20	92800	15	-2	1	12	1.85	7	0.09	0.42	-0.01	0.02	0.45	48900	6	0.24	926
22HRC004	13	14	223908	0.08	1.56	30	2	170	0.86	0.06	0	0.22	88200	12	7	1	10	1.44	7	0.09	0.75	-0.01	0.01	0.34	49500	5	0.23	537
22HRC004	14	15	223909	0.21	2.58	35	334	164	0.92	0.13	0	0.24	95600	12	-2	1	26	4.29	11	0.11	0.90	0.03	0.03	0.38	42400	16	0.67	220
22HRC004	15	16	223910	0.14	1.80	71	12	103	0.77	0.06	0	0.49	83000	23	-2	1	19	3.51	9	0.09	0.72	0.02	0.02	0.19	38400	10	0.50	736
22HRC004	16	17	223911	0.25	3.39	388	5	68	1.17	0.04	0	1.41	35900	76	1850	2	95	9.14	13	0.13	0.53	0.03	0.03	0.12	14400	39	2.36	1030
22HRC004	17	18	223912	0.25	1.71	440	6	33	0.48	0.05	0	0.30	14300	89	1090	1	150	4.76	8	0.08	0.21	0.04	0.03	0.04	5840	23	1.31	258
22HRC004	65	66	223963	0.04	1.85	5	1	68	0.72	0.04	0	0.03	75500	10	36	2	13	4.26	10	0.10	0.61	0.01	0.02	0.21	34500	11	0.65	445
22HRC004	66	67	223964	0.04	1.48	2	1	76	0.58	0.08	0	0.03	67200	5	10	1	4	3.62	10	0.10	0.67	0.01	0.02	0.25	32400	9	0.43	306
22HRC004	67	68	223965	0.02	1.33	2	1	67	0.61	0.05	0	-0.02	70600	4	9	1	4	3.20	8	0.10	0.78	0.02	0.01	0.23	34500	9	0.39	265
22HRC004	104	105	228005	0.05	2.13	7	-1	780	0.85	0.02	3	0.10	24400	75	1520	76	107	9.13	7	0.06	0.62	-0.01	0.03	0.99	9340	13	4.52	1500
22HRC004	105	106	228006	0.07	2.17	3	-1	952	0.91	0.01	3	0.10	24300	61	1460	52	144	8.68	6	0.06	0.45	-0.01	0.03	0.86	9390	16	4.60	1250
22HRC004	106	107	228007	0.05	1.55	1	-1	60	0.29	0.01	4	0.09	15800	34	1130	5	112	5.46	4	-0.05	0.34	-0.01	0.02	0.06	6220	8	4.48	1800
22HRC004	107	108	228008	0.15	1.29	1	-1	13	0.17	0.27	8	0.11	13900	26	910	1	107	3.98	5	-0.05	0.18	-0.01	0.02	0.01	5830	6	3.79	1990
22HRC004	108	109	228009	0.06	1.81	1	-1	7	0.22	0.01	3	0.07	17000	38	1130	1	137	5.40	6	0.06	0.16	-0.01	0.03	0.01	6950	7	4.93	1260
22HRC004	109	110	228010	0.04	2.07	1	-1	4	0.26	-0.01	2	0.06	16400	35	1270	1	128	6.23	6	0.06	0.23	-0.01	0.02	0.01	6750	7	5.36	880
22HRC004	110	111	228011	0.08	2.00	1	-1	6	0.36	0.08	2	0.07	16000	42	1150	1	155	6.10	7	0.06	0.08	-0.01	0.03	0.01	6380	8	5.47	1090
22HRC004	111	112	228012	0.07	1.58	1	1	4	0.32	0.04	4	0.10	13700	40	1110	1	136	5.59	6	0.06	0.11	-0.01	0.02	0.00	5590	8	5.25	1740
22HRC004	112	113	228013	0.06	1.75	1	1	47	0.44	0.02	2	0.09	16200	41	1110	1	140	5.85	6	0.06	0.08	-0.01	0.03	0.01	6560	8	5.09	1130
22HRC004	113	114	228014	0.06	1.44	1	-1	5	0.35	-0.01	2	0.10	13300	36	1140	1	115	5.96	5	0.05	0.22	-0.01	0.02	0.00	5220	7	4.74	1290
22HRC004	114	115	228015	0.06	1.68	1	-1	15	0.37	-0.01	4	0.08	15800	34	1140	1	122	5.91	5	0.05	0.17	-0.01	0.02	0.01	6550	10	4.37	1170
22HRC004	115	116	228016	0.04	2.03	-1	-1	72	0.43	-0.01	2	0.06	16300	36	1150	2	116	5.84	5	0.06	0.21	-0.01	0.02	0.02	6980	13	5.19	818
22HRC004	116	117	228017	0.05	2.05	1	-1	110	0.46	0.02	2	0.06	17500	41	1080	2	116	5.84	7	0.07	0.30	-0.01	0.02	0.02	7550	12	5.06	789
22HRC004	117	118	228018	0.05	2.06	1	-1	9	0.43	0.01	2	0.06	18200	39	1150	1	118	6.00	6	0.06	0.22	-0.01	0.02	0.01	7920	12	5.06	806
22HRC004	118	119	228019	0.08	1.97	-1	-1	15	0.42	0.04	2	0.09	14700	38	1160	1	122	5.81	6	0.06	0.23	-0.01	0.02	0.01	6160	10	4.99	974
22HRC004	119	120	228020	0.14	1.94	1	-1	113	0.40	0.04	2	0.17	17400	42	1130	1	151	5.83	6	0.06	0.11	0.01	0.03	0.01	7380	8	4.78	1070

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22HRC004	120	121	228021	0.13	2.06	1	-1	7	0.40	0.03	2	0.20	23700	39	1040	1	135	5.67	6	0.06	0.13	0.03	0.03	0.01	10100	8	5.20	1060
22HRC004	121	122	228022	0.08	1.98	1	1	61	0.38	0.02	2	0.09	16000	42	1130	2	143	6.22	6	0.07	0.19	-0.01	0.03	0.02	6560	8	5.37	1140
22HRC004	122	123	228023	0.09	2.27	1	-1	20	0.48	0.02	2	0.08	16500	40	1400	1	141	6.31	7	0.07	-0.02	-0.01	0.03	0.00	6440	6	5.29	788
22HRC004	129	130	228032	0.26	2.00	22	1	14	0.54	0.02	1	0.69	58300	45	89	1	165	5.08	15	0.11	0.21	0.03	0.06	0.03	23100	21	1.36	874
22HRC004	130	131	228033	0.31	4.45	7	2	27	0.92	0.02	1	0.13	60400	36	65	3	157	11.00	20	0.17	0.27	0.01	0.06	0.10	23400	51	2.06	1620
22HRC004	131	132	228034	0.25	3.81	18	1	19	0.63	0.02	2	0.07	56400	46	35	1	141	9.86	19	0.18	0.23	0.02	0.06	0.04	22100	42	1.61	1200
22HRC004	132	133	228035	0.19	3.15	18	1	47	0.58	-0.01	1	0.05	58300	40	24	1	130	8.32	17	0.16	0.21	0.01	0.06	0.06	22700	34	1.36	1000
22HRC004	133	134	228036	0.17	3.69	20	1	48	0.66	-0.01	2	0.07	60100	45	22	1	127	9.57	19	0.17	0.30	0.01	0.05	0.07	23300	39	1.56	1420
22HRC004	134	135	228037	0.26	4.35	13	16	29	0.68	0.01	3	0.06	64500	41	22	1	151	11.00	21	0.17	0.48	0.01	0.07	0.04	24900	47	1.88	1980
22HRC004	135	136	228038	0.22	3.85	11	8	26	0.54	-0.01	2	0.05	60500	37	31	0	129	9.52	21	0.16	0.43	0.01	0.06	0.04	23500	40	1.94	2170
22HRC004	136	137	228039	0.47	4.82	12	8	47	1.01	0.03	2	0.10	61900	45	23	3	117	11.50	22	0.16	0.38	0.02	0.06	0.18	23900	46	2.34	1920
22HRC004	137	138	228040	0.43	3.34	30	11	101	1.21	0.02	1	0.08	64800	47	25	5	179	7.93	15	0.12	0.19	0.08	0.05	0.30	25400	27	1.54	1080
22HRC004	138	139	228041	0.31	3.35	22	11	73	1.09	0.02	0	0.05	70600	40	18	5	156	8.43	16	0.14	0.19	0.02	0.03	0.21	27300	27	1.44	629
22HRC004	139	140	228042	0.25	3.88	11	27	57	0.89	0.02	1	0.06	70200	40	13	3	159	9.79	20	0.16	0.16	0.02	0.04	0.19	27300	32	1.81	1100
22HRC004	140	141	228043	0.15	2.66	5	2	53	0.83	0.01	2	0.04	65000	27	23	2	170	7.85	16	0.15	0.28	0.02	0.04	0.14	25300	20	1.70	1810
22HRC004	141	142	228044	0.22	2.02	9	1	73	0.87	0.01	3	0.07	63300	30	13	2	161	6.74	11	0.11	0.26	0.02	0.03	0.20	25700	12	1.62	3300
22HRC004	142	143	228045	0.43	2.67	30	4	81	1.29	0.02	3	0.05	70800	36	16	4	152	8.07	11	0.12	0.29	0.11	0.05	0.32	28300	15	1.67	3150
22HRC004	143	144	228046	0.23	2.16	14	1	107	0.86	-0.01	3	0.09	71700	36	22	2	170	7.71	12	0.14	0.46	0.02	0.04	0.23	28400	12	1.27	3520
22HRC004	144	145	228047	0.22	2.03	13	1	117	0.79	-0.01	3	0.25	68100	39	26	2	142	7.96	11	0.12	0.58	0.03	0.04	0.23	26800	11	1.35	4260
22HRC004	145	146	228048	0.29	2.68	34	5	94	1.09	0.01	6	0.17	65600	44	22	3	130	10.60	12	0.10	0.34	0.04	0.04	0.29	26000	15	2.34	5830
22HRC004	146	147	228049	0.22	2.46	11	2	137	1.02	-0.01	8	0.12	69700	33	27	3	113	7.87	10	0.10	0.46	0.02	0.04	0.43	28000	12	1.57	3760
22HRC004	147	148	228051	0.35	1.32	13	1	67	0.57	-0.01	8	0.61	67900	29	19	1	110	6.05	8	0.08	0.28	0.06	0.03	0.18	27800	8	1.05	2830
22HRC004	148	149	228052	0.39	2.08	12	1	118	0.69	0.02	5	0.06	65300	37	16	2	137	7.54	10	0.12	0.35	0.03	0.03	0.29	26000	9	1.17	2370
22HRC004	149	150	228053	0.31	2.83	17	4	75	0.84	0.02	5	0.09	64700	44	24	2	139	9.12	11	0.11	0.23	0.04	0.03	0.22	26000	17	1.52	3140
22HRC006	0	1	223256	0.06	1.51	122	9	102	0.60	0.04	0	0.11	74200	6	14	1	10	3.14	8	0.11	1.13	0.02	0.04	0.25	37800	8	0.12	299
22HRC006	1	2	223257	0.04	0.99	65	4	98	0.45	0.07	0	0.08	60800	5	8	1	8	3.43	8	0.10	0.94	0.02	0.04	0.18	32000	4	0.13	412
22HRC006	2	3	223258	0.12	0.99	305	12	121	0.50	0.06	1	0.45	57200	9	3	3	7	4.15	7	0.09	0.53	0.04	0.04	0.20	29100	4	0.17	426
22HRC006	3	4	223259	0.15	1.20	318	18	119	0.55	0.02	2	0.62	60200	10	4	2	6	3.32	7	0.10	0.62	0.04	0.03	0.23	31300	4	0.19	258
22HRC006	4	5	223260	0.21	1.07	500	30	114	0.53	0.03	1	1.00	57100	13	6	2	6	4.01	6	0.10	0.50	0.04	0.04	0.21	30500	3	0.18	326
22HRC006	5	6	223261	0.18	1.09	489	154	108	0.46	0.04	1	1.11	62100	17	-2	2	9	4.08	7	0.12	0.62	0.03	0.05	0.14	32000	5	0.20	379
22HRC006	6	7	223262	0.10	0.70	202	22	120	0.48	0.03	0	0.56	59800	9	5	1	7	3.61	5	0.09	0.69	0.03	0.03	0.16	31100	3	0.11	746
22HRC006	7	8	223263	0.10	0.79	154	3	108	0.49	0.06	0	0.54	62700	7	3	1	7	3.99	5	0.08	0.51	0.03	0.03	0.23	32900	2	0.10	1020
22HRC006	8	9	223264	0.05	0.62	51	2	87	0.42	0.02	0	0.22	62800	7	5	1	8	3.18	6	0.09	0.44	0.04	0.03	0.11	32600	2	0.09	786
22HRC006	9	10	223265	0.20	1.03	386	6	101	0.58	0.02	0	0.94	74900	14	3	2	11	3.33	6	0.10	0.47	0.03	0.03	0.17	37400	3	0.17	484
22HRC006	10	11	223266	0.11	1.16	169	5	108	0.62	0.02	0	0.57	73100	7	-2	2	12	3.38	6	0.09	0.81	0.03	0.03	0.19	37700	4	0.16	909
22HRC006	11	12	223267	0.05	0.67	96	2	77	0.59	0.02	0	0.35	67900	6	4	1	8	3.32	6	0.10	0.56	0.03	0.03	0.15	33600	1	0.09	455

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22HRC006	12	13	223268	0.03	0.68	64	1	66	0.57	0.02	0	0.07	64300	7	6	1	10	3.88	6	0.10	0.64	0.02	0.03	0.12	31600	2	0.10	715
22HRC006	13	14	223269	0.07	0.77	117	2	88	0.59	0.02	0	0.41	62600	8	4	1	10	3.98	6	0.10	0.72	0.03	0.03	0.13	31600	3	0.11	908
22HRC006	14	15	223270	0.11	0.72	139	7	108	0.52	0.02	0	0.66	62600	7	7	1	8	4.17	6	0.09	0.60	0.02	0.03	0.12	30800	3	0.11	1230
22HRC006	15	16	223271	0.38	0.94	779	134	93	0.68	0.02	0	2.11	64100	15	5	2	31	4.59	6	0.09	0.48	0.03	0.03	0.13	30800	2	0.14	668
22HRC006	16	17	223272	0.82	1.09	2320	1670	94	0.78	0.12	0	5.40	79800	27	-2	1	64	5.58	5	0.11	0.71	0.05	0.02	0.20	36600	2	0.10	515
22HRC006	17	18	223273	0.48	0.89	402	107	126	0.68	0.02	0	2.11	77000	12	5	1	25	4.10	5	0.09	0.78	0.04	0.03	0.17	35400	2	0.09	961
22HRC006	18	19	223276	0.18	0.84	176	36	97	0.51	0.02	0	1.24	54500	11	6	2	13	4.86	6	0.09	0.59	0.03	0.04	0.18	28100	3	0.14	1120
22HRC006	19	20	223277	0.07	0.89	48	2	78	0.66	0.03	0	0.48	55500	10	9	2	10	4.64	7	0.10	0.68	0.02	0.04	0.15	29200	3	0.13	827
22HRC006	20	21	223278	0.28	1.21	69	9	91	0.61	0.04	0	0.86	59400	10	5	1	15	4.30	7	0.10	0.71	0.02	0.04	0.20	30400	5	0.21	883
22HRC006	21	22	223279	0.14	0.99	42	2	83	0.50	0.02	0	0.62	57200	9	5	1	10	3.85	7	0.10	0.72	0.03	0.04	0.16	28800	4	0.19	945
22HRC006	22	23	223280	0.20	1.20	51	4	112	0.57	0.02	0	1.05	64500	9	3	1	19	4.74	8	0.10	0.83	0.03	0.04	0.24	32600	4	0.22	1130
22HRC006	23	24	223281	0.07	0.91	27	3	93	0.44	0.02	0	0.66	74700	9	-2	1	5	4.40	6	0.09	0.78	0.03	0.05	0.21	38800	3	0.15	876
22HRC006	24	25	223282	0.11	1.03	74	12	70	0.32	0.03	0	1.03	57700	9	-2	1	8	4.20	7	0.09	0.74	0.02	0.04	0.12	31000	4	0.21	1040
22HRC006	25	26	223283	0.12	1.41	65	5	86	0.51	0.05	0	0.90	71200	9	2	1	14	3.77	6	0.09	0.77	0.01	0.04	0.27	37600	6	0.28	741
22HRC006	26	27	223284	0.17	1.99	121	12	100	0.90	0.08	0	1.24	75800	10	-2	1	33	5.75	7	0.10	0.67	0.03	0.03	0.34	39700	9	0.44	803
22HRC006	27	28	223285	0.13	1.66	151	29	181	1.22	0.04	0	1.34	98600	8	6	2	27	3.65	7	0.11	0.73	0.02	0.02	0.46	47600	4	0.17	1250
22HRC006	28	29	223286	0.26	1.14	891	460	133	0.84	0.05	0	0.77	56100	7	12	2	12	3.12	4	0.07	0.48	0.06	0.01	0.34	28300	1	0.10	1240
22HRC006	29	30	223287	0.14	0.63	490	180	82	0.42	0.02	0	0.17	67600	7	6	1	8	4.29	4	0.08	0.75	0.03	0.03	0.18	32300	1	0.14	1570
22HRC006	30	31	223288	0.12	0.92	85	32	97	0.49	0.02	0	0.14	52800	6	5	1	11	3.54	6	0.08	0.69	0.06	0.03	0.22	27000	4	0.19	936
22HRC006	31	32	223289	0.07	0.77	14	3	82	0.52	0.03	0	0.11	63600	5	4	1	7	3.19	5	0.08	0.94	0.03	0.02	0.26	32700	4	0.21	813
22HRC006	32	33	223290	0.08	1.25	11	2	118	0.57	0.04	0	0.10	63200	5	-2	1	7	3.49	5	0.06	0.74	0.03	0.03	0.38	32800	6	0.28	814
22HRC006	33	34	223291	0.07	1.57	11	1	155	0.75	0.09	0	0.10	71500	7	3	1	9	4.18	7	0.10	0.89	0.03	0.02	0.47	36500	9	0.38	916
22HRC006	34	35	223292	0.06	1.87	17	1	180	0.89	0.07	0	0.11	92300	11	-2	1	16	4.95	8	0.11	1.14	0.03	0.04	0.59	48200	11	0.45	1210
22HRC006	35	36	223293	0.05	1.15	7	1	127	0.78	0.04	0	0.06	67600	5	4	1	10	4.53	7	0.10	1.02	0.02	0.05	0.39	34000	6	0.32	1260
22HRC006	36	37	223294	0.05	1.02	10	2	130	0.63	0.11	0	0.04	71900	6	7	1	9	5.39	7	0.09	0.94	0.05	0.03	0.17	32900	7	0.33	1480
22HRC006	37	38	223295	0.05	0.88	18	1	119	0.51	0.04	0	0.04	58800	6	5	1	10	4.44	5	0.08	0.79	0.06	0.03	0.17	28900	4	0.23	1100
22HRC006	38	39	223296	0.04	0.86	52	4	150	0.60	0.04	0	0.07	57800	7	3	1	11	3.73	5	0.08	0.79	0.07	0.02	0.24	29000	3	0.19	900
22HRC006	39	40	223297	0.03	1.81	8	1	177	1.09	0.04	0	0.05	90900	5	6	1	4	4.99	7	0.10	0.91	0.02	0.02	0.44	42900	11	0.54	1550
22HRC006	40	41	223298	0.05	1.59	25	1	178	1.07	0.07	0	0.04	103000	7	3	1	7	3.85	7	0.12	0.92	0.02	0.02	0.41	49800	9	0.36	985
22HRC006	41	42	223299	0.06	2.01	12	1	238	1.51	0.07	0	0.06	102000	7	7	1	8	5.75	9	0.13	1.20	0.03	0.02	0.51	46700	12	0.49	1680
22HRC006	42	43	223301	0.07	0.65	15	2	78	0.51	0.08	0	0.05	64200	5	-2	1	11	3.91	4	0.08	0.73	0.04	0.03	0.14	30900	4	0.20	1170
22HRC006	43	44	223302	0.07	1.05	15	11	120	1.01	0.08	0	0.05	79500	8	6	1	8	5.00	7	0.10	1.11	0.03	0.03	0.26	36200	6	0.28	1690
22HRC006	44	45	223303	0.08	0.93	90	131	65	0.65	0.06	0	0.03	58900	8	-2	1	9	5.14	6	0.09	0.72	0.02	0.03	0.16	27300	4	0.23	1560
22HRC006	50	51	223309	0.05	1.06	36	2	140	0.71	0.02	0	0.12	60800	7	-2	1	7	3.90	5	0.09	0.64	0.05	0.02	0.25	29600	4	0.18	794
22HRC006	51	52	223310	0.10	1.75	18	10	133	0.82	0.03	1	0.04	58500	10	-2	4	23	4.11	7	0.09	0.74	0.04	0.02	0.37	28800	9	0.41	893
22HRC006	52	53	223311	0.05	0.99	14	6	103	0.90	0.02	0	0.03	54700	8	6	4	11	3.69	4	0.08	0.55	0.03	0.02	0.32	27300	4	0.23	1380

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22HRC006	53	54	223312	0.04	0.95	15	8	152	0.75	0.02	0	0.04	56400	7	5	1	11	3.59	5	0.08	0.66	0.03	0.02	0.27	28000	3	0.19	1340
22HRC006	54	55	223313	0.13	0.93	14	2	142	0.63	0.05	0	0.08	54300	9	8	1	33	2.45	4	0.07	0.30	0.06	0.02	0.29	28300	3	0.13	891
22HRC006	61	62	223320	0.03	1.21	4	1	132	0.79	0.05	0	0.08	61800	5	5	1	9	4.25	7	0.09	0.77	0.02	0.02	0.24	28800	6	0.31	1060
22HRC006	62	63	223321	0.06	2.27	25	2	143	1.07	0.11	0	0.03	75300	9	34	4	20	4.41	8	0.10	0.86	0.01	0.02	0.41	35800	14	0.70	797
22HRC006	63	64	223322	0.53	2.59	585	11	36	0.68	0.07	0	0.04	25700	56	820	2	63	9.25	8	0.09	0.32	0.37	0.02	0.13	11700	28	1.74	692
22HRC006	64	65	223323	0.09	2.73	57	2	94	0.88	0.06	0	-0.02	71000	19	92	4	28	5.53	10	0.12	0.40	0.03	0.02	0.31	33200	21	1.03	736
22HRC006	65	66	223326	0.09	2.19	43	4	124	0.91	0.08	0	0.02	77700	20	98	4	33	4.78	9	0.11	0.49	0.02	0.02	0.37	33400	18	0.88	981
22HRC006	66	67	223327	0.11	2.96	58	2	99	0.90	0.20	0	0.04	67000	51	652	3	85	6.40	10	0.14	0.77	0.01	0.04	0.35	28600	22	1.11	525
22HRC006	67	68	223328	0.17	4.64	89	2	219	1.46	0.70	0	0.05	99400	103	1100	6	190	8.31	15	0.19	1.10	0.02	0.06	0.72	40500	34	1.48	501
22HRC006	68	69	223329	0.18	3.60	19	1	79	0.81	0.41	0	0.07	62100	77	1010	3	152	6.89	12	0.12	0.50	0.02	0.05	0.25	26000	36	1.98	719
22HRC006	69	70	223330	0.22	6.79	31	1	40	0.85	0.31	0	0.06	62600	139	2280	2	212	12.10	19	0.19	0.55	0.01	0.10	0.16	31100	53	4.02	874
22HRC006	70	71	223331	0.19	5.48	22	1	26	0.89	0.18	0	0.08	50200	126	1770	1	202	9.79	16	0.21	0.46	-0.01	0.07	0.08	25100	43	4.29	856
22HRC006	71	72	223332	0.11	3.25	49	1	77	1.21	0.05	0	0.20	21000	109	1700	1	167	10.70	9	0.15	0.28	0.03	0.06	0.02	9590	15	4.67	3380
22HRC006	72	73	223333	0.12	3.75	48	1	216	0.79	0.06	1	0.17	35000	101	1250	5	171	8.94	11	0.19	0.36	0.01	0.05	0.14	17300	14	5.42	1440
22HRC006	73	74	223334	0.07	2.44	120	1	514	0.55	0.01	3	0.12	27000	84	1400	18	111	9.27	7	0.14	0.38	0.02	0.03	0.25	10600	4	5.51	1840
22HRC006	74	75	223335	0.14	2.32	508	3	624	0.62	0.02	2	0.12	24900	103	1680	24	141	9.32	7	0.12	0.44	0.06	0.04	0.30	9430	3	4.53	1640
22HRC006	75	76	223336	0.14	2.45	666	4	766	0.59	0.02	1	0.16	21400	122	1800	22	159	9.90	8	0.13	0.36	0.08	0.04	0.29	7940	5	4.09	1700
22HRC006	76	77	223337	0.19	2.61	894	4	701	0.57	0.05	2	0.16	21800	120	1980	25	169	11.40	8	0.11	0.35	0.14	0.04	0.37	8010	5	4.87	2050
22HRC006	77	78	223338	0.21	2.55	952	5	1640	0.70	0.04	1	0.18	28700	143	2070	44	206	11.70	9	0.12	0.47	0.15	0.05	0.49	10300	4	4.42	1290
22HRC006	78	79	223339	0.16	3.65	228	2	1840	0.60	0.02	0	0.15	25000	135	2210	26	206	11.40	11	0.12	0.35	0.02	0.07	0.64	11300	8	5.03	1120
22HRC006	79	80	223340	0.13	3.43	79	1	318	1.46	0.07	0	0.13	29300	116	1530	5	162	12.60	12	0.14	0.26	0.03	0.05	0.09	13800	15	5.06	3520
22HRC006	80	81	223341	0.09	5.12	53	1	51	1.53	0.18	0	0.12	44300	116	1370	2	54	12.80	20	0.22	0.30	0.02	0.06	0.02	22000	26	5.53	3520
22HRC006	81	82	223342	0.09	5.15	12	1	22	0.86	0.09	0	0.03	59100	72	712	1	29	9.29	26	0.23	0.34	-0.01	0.05	0.00	30300	36	5.07	569
22HRC006	82	83	223343	0.44	4.54	29	22	34	1.04	0.52	0	0.10	45200	87	943	3	269	10.10	17	0.11	0.34	0.02	0.08	0.15	22600	26	3.98	1510
22HRC006	83	84	223344	0.47	4.11	59	15	59	0.94	0.58	0	0.16	40700	133	1700	2	370	12.60	16	0.20	0.35	0.01	0.10	0.09	19800	24	3.96	3110
22HRC006	84	85	223345	0.24	5.42	36	2	97	0.94	0.35	0	0.08	71600	107	1740	3	191	9.97	18	0.17	0.64	-0.01	0.06	0.28	36200	46	3.10	813
22HRC006	85	86	223346	0.24	4.34	23	3	81	0.83	0.60	0	0.06	78000	77	911	4	134	8.13	15	0.09	0.63	-0.01	0.04	0.46	39300	35	2.26	506
22HRC006	86	87	223347	0.33	3.71	21	4	86	1.02	0.77	0	0.07	85400	79	726	4	123	6.09	15	0.14	0.80	-0.01	0.05	0.54	43200	33	2.09	340
22HRC006	87	88	223348	0.26	2.71	49	3	19	0.66	0.15	6	0.09	26300	86	1220	1	150	9.58	14	0.15	0.30	0.02	0.04	0.05	10700	18	4.80	2370
22HRC006	88	89	223349	0.22	2.42	45	1	61	0.82	0.04	5	0.10	21100	106	1580	3	142	10.50	10	0.16	0.29	0.03	0.04	0.03	8000	11	5.62	2660
22HRC006	89	90	223351	0.17	2.83	64	1	48	0.88	0.02	6	0.15	22800	110	1430	3	126	9.83	15	0.16	0.35	0.01	0.03	0.02	8890	14	6.65	2450
22HRC006	90	91	223352	0.13	3.40	47	1	55	0.80	0.02	5	0.07	32800	77	1150	3	100	9.37	10	0.15	0.32	0.01	0.04	0.03	13300	22	5.50	1930
22HRC006	91	92	223353	0.62	3.67	167	6	86	0.77	0.09	1	0.05	57600	57	389	4	121	8.91	16	0.18	0.41	0.05	0.14	0.05	23700	30	2.50	851
22HRC006	92	93	223354	0.25	3.66	11	5	16	0.73	0.07	2	0.05	41000	62	566	2	141	9.28	16	0.17	0.25	-0.01	0.05	0.05	16500	33	3.23	1460
22HRC006	93	94	223355	0.24	2.98	5	2	40	0.65	0.03	1	0.04	70300	44	25	2	152	8.47	18	0.17	0.28	-0.01	0.06	0.07	28000	26	1.55	884
22HRC006	94	95	223356	0.24	3.27	4	1	42	0.89	0.02	1	0.04	66400	44	24	2	148	9.39	20	0.25	0.26	-0.01	0.06	0.08	32400	27	1.67	1100

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22HRC006	95	96	223357	0.22	3.38	2	1	47	0.74	0.02	1	0.05	63500	41	20	2	154	9.11	19	0.23	0.24	-0.01	0.06	0.05	30600	32	1.85	1340
22HRC006	96	97	223358	0.50	4.58	10	4	21	0.74	0.03	1	0.16	55000	51	208	1	128	9.87	21	0.23	0.29	0.02	0.06	0.02	27600	31	4.41	829
22HRC006	97	98	223359	0.11	3.63	1	1	22	0.98	-0.01	4	0.10	19900	61	1060	2	110	7.59	16	0.14	0.20	-0.01	0.03	0.03	9490	20	8.84	1370
22HRC006	98	99	223360	0.16	2.46	1	1	15	0.74	0.01	3	0.09	16700	46	1190	1	121	6.21	11	0.12	0.25	-0.01	0.02	0.01	8190	13	7.30	1060
22HRC006	99	100	223361	0.12	1.94	4	3	12	0.60	0.05	6	0.12	13800	58	1120	1	106	5.87	8	0.09	0.18	-0.01	0.03	0.01	6620	10	7.47	1330
22HRC006	100	101	223362	0.11	2.15	2	1	13	0.60	0.02	4	0.08	13400	41	1270	1	146	5.94	8	0.10	0.15	-0.01	0.02	0.00	6360	11	6.35	1110
22HRC006	101	102	223363	0.11	2.80	1	1	12	1.06	-0.01	2	0.06	25100	52	1300	2	128	6.36	10	0.17	0.20	-0.01	0.03	0.04	13000	21	6.11	684
22HRC006	102	103	223364	0.14	2.61	2	1	12	0.86	0.03	5	0.11	16000	53	1210	1	107	6.05	15	0.16	0.18	-0.01	0.03	0.01	7800	15	7.19	1130
22HRC006	103	104	223365	0.13	2.29	1	1	12	0.70	0.02	5	0.09	12400	44	1360	1	116	6.50	9	0.06	0.09	-0.01	0.02	0.01	5900	9	6.56	1380
22HRC006	104	105	223366	0.14	2.52	3	2	14	0.66	0.05	7	0.11	12800	52	1030	1	82	6.08	12	0.09	0.13	0.02	0.02	0.03	6210	13	7.14	1690
22HRC006	105	106	223367	0.19	2.17	13	14	51	1.43	0.03	9	0.06	26500	52	308	16	85	6.92	9	-0.05	0.28	0.02	0.03	0.63	13000	15	5.11	2470
22HRC006	106	107	223368	0.43	3.95	10	8	48	1.49	0.06	2	0.03	42200	92	481	13	180	8.33	16	0.14	0.37	0.02	0.04	0.45	20500	39	3.63	1290
22HRC006	107	108	223369	0.32	5.61	21	6	52	1.70	0.03	2	0.04	44600	93	646	13	204	11.90	18	0.16	0.45	0.01	0.05	0.42	21000	59	5.47	2040
22HRC006	108	109	223370	0.47	5.10	12	5	48	1.53	0.03	1	0.03	43700	78	630	10	336	10.40	18	0.16	0.43	0.02	0.04	0.33	21700	66	4.72	1360
22HRC006	109	110	223371	0.29	3.82	20	5	35	1.14	0.04	5	0.07	26300	76	977	5	200	9.32	14	0.16	0.38	0.01	0.05	0.18	12700	43	5.51	3810
22HRC006	110	111	223372	0.19	4.81	6	3	27	1.07	0.02	1	0.03	35300	75	871	6	146	10.00	17	0.09	0.30	0.02	0.03	0.15	16700	59	4.59	1310
22HRC006	111	112	223373	0.20	3.73	22	2	37	1.08	0.07	3	0.03	25200	78	832	4	103	8.31	15	0.12	0.37	0.02	0.04	0.20	10300	44	3.66	2690
22HRC006	112	113	223376	0.25	3.94	29	15	46	1.43	0.04	1	0.05	51700	65	228	7	150	8.44	16	0.16	0.31	0.02	0.05	0.25	20800	42	2.36	1120
22HRC006	113	114	223377	0.24	2.69	14	2	24	0.69	0.03	1	0.07	57300	44	29	2	92	6.57	13	0.16	0.29	0.04	0.05	0.12	23000	28	1.43	1150
22HRC006	114	115	223378	0.30	2.64	10	1	35	0.59	-0.01	1	0.50	54700	41	28	1	157	6.66	15	0.18	0.35	0.05	0.06	0.09	22700	28	1.24	1320
22HRC006	115	116	223379	0.29	2.98	1	1	18	0.60	0.01	3	0.05	56700	32	27	1	139	7.94	15	0.16	0.42	0.02	0.06	0.05	23200	34	1.35	1720
22HRC006	116	117	223380	0.26	3.56	4	2	54	0.87	0.01	3	0.04	58300	39	25	2	122	9.16	14	0.17	0.45	0.01	0.06	0.14	23500	38	1.51	1840
22HRC006	117	118	223381	0.34	3.88	4	3	73	1.17	0.02	2	0.02	64000	35	19	4	141	10.10	15	0.16	0.31	0.02	0.06	0.20	25900	39	1.62	2460
22HRC006	118	119	223382	0.31	3.24	2	1	53	0.77	0.02	3	0.02	57100	34	14	1	156	8.82	16	0.18	0.29	0.02	0.06	0.08	23000	33	1.32	2070
22HRC006	119	120	223383	0.37	2.71	2	1	98	0.84	0.07	4	0.05	65900	27	21	2	166	7.57	15	0.15	0.67	0.02	0.05	0.16	27200	25	1.16	2350
22HRC006	120	121	223384	0.51	3.65	4	1	137	1.16	0.15	2	0.20	62700	36	22	3	163	8.75	16	0.18	0.42	0.02	0.07	0.38	25200	28	1.27	2450
22HRC006	121	122	223385	0.30	1.81	8	1	78	0.52	0.02	6	0.45	49100	27	10	1	134	6.02	8	0.12	0.35	0.12	0.04	0.13	21600	15	0.79	3290
22HRC006	122	123	223386	0.53	2.01	6	1	74	0.58	0.02	12	0.22	79700	40	21	1	128	7.25	10	0.11	0.44	0.04	0.05	0.11	33900	17	0.99	5900
22HRC006	123	124	223387	0.52	1.96	4	1	112	0.58	-0.01	3	0.16	63000	36	21	1	135	6.88	10	0.13	0.57	0.06	0.04	0.17	26100	13	0.92	3820
22HRC006	124	125	223388	0.55	2.69	2	1	80	0.93	0.01	3	0.12	66300	39	17	2	168	8.11	14	0.16	0.55	0.02	0.05	0.20	27200	21	1.12	2170
22HRC006	125	126	223389	0.45	2.61	5	2	66	1.35	0.02	4	0.15	75800	39	13	4	172	8.60	13	0.11	0.22	0.01	0.04	0.32	30800	14	1.33	2670
22HRC006	126	127	223390	0.44	2.99	2	-1	63	1.03	0.01	4	0.08	73600	38	13	1	162	9.46	15	0.16	0.35	0.02	0.04	0.18	30400	19	1.38	1670
22HRC006	130	131	223394	0.42	2.45	6	3	69	0.80	0.02	4	0.08	31200	43	176	1	112	7.34	10	0.09	0.08	-0.01	0.03	0.37	15200	14	1.56	2840
22HRC006	131	132	223395	0.41	2.69	3	4	89	1.33	-0.01	4	0.14	35600	40	126	4	114	7.71	9	0.09	0.11	-0.01	0.03	0.59	16800	15	1.78	4340
22HRC006	132	133	223396	0.95	2.13	2	1	113	0.82	-0.01	4	0.30	63500	37	24	1	158	8.02	12	0.13	0.46	0.02	0.03	0.38	32100	10	1.55	5190
22HRC006	133	134	223397	1.93	1.85	2	1	90	0.79	-0.01	4	0.43	68300	44	18	1	174	7.11	12	0.13	0.54	0.05	0.05	0.25	34400	9	1.16	3670

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22HRC006	134	135	223398	1.80	2.25	1	1	51	0.58	-0.01	3	0.25	67000	41	20	0	176	8.24	15	0.13	0.58	0.03	0.06	0.14	32800	11	1.36	2550
22HRC006	135	136	223399	1.07	1.92	3	1	68	0.63	0.01	4	0.82	64500	48	16	1	198	7.30	12	0.15	0.47	0.11	0.05	0.18	31600	10	1.20	3080
22HRC006	136	137	223401	0.44	2.53	2	1	83	1.04	0.03	3	0.15	32900	37	152	2	90	7.00	9	0.08	0.23	-0.01	0.02	0.40	16200	21	1.51	2700
22HRC006	137	138	223402	0.48	2.25	3	2	67	0.56	-0.01	7	0.09	28700	35	155	1	129	6.49	9	0.08	0.09	-0.01	0.03	0.40	14400	13	1.68	3050
22HRC006	138	139	223403	0.35	2.66	2	2	77	0.77	-0.01	4	0.10	33500	34	174	2	107	7.21	10	0.08	0.10	0.01	0.03	0.51	16200	18	2.04	2340
22HRC006	139	140	223404	0.33	2.80	2	1	85	0.66	-0.01	5	0.09	33500	39	198	1	97	7.66	10	0.08	0.11	-0.01	0.03	0.43	16700	18	2.36	2010
22HRC006	140	141	223405	0.33	2.96	1	1	81	0.47	-0.01	5	0.10	35100	37	212	1	100	7.56	10	0.06	0.09	-0.01	0.03	0.32	17100	17	2.08	1730
22HRC006	141	142	223406	0.18	3.53	1	-1	51	0.50	-0.01	5	0.08	29300	55	226	1	106	9.23	12	0.10	0.09	-0.01	0.03	0.24	14400	27	2.97	1380
22HRC006	142	143	223407	0.18	3.00	3	-1	108	0.56	-0.01	6	0.09	28800	49	195	1	96	8.01	9	0.10	0.10	-0.01	0.02	0.45	14200	21	3.28	1290
22HRC006	143	144	223408	0.20	3.06	2	-1	87	0.59	-0.01	5	0.08	29700	49	187	1	96	7.84	10	0.08	0.09	-0.01	0.03	0.39	14200	24	3.34	1090
22HRC006	144	145	223409	0.11	3.59	3	1	87	0.78	-0.01	4	0.06	30400	54	186	2	97	8.55	10	0.09	0.09	-0.01	0.02	0.46	14300	27	3.43	1460
22HRC006	145	146	223410	0.13	4.42	3	2	77	0.83	0.02	4	0.02	31400	53	192	3	94	9.64	11	-0.05	0.06	-0.01	0.02	0.53	14800	31	3.86	2140
22HRC006	146	147	223411	0.11	4.35	6	3	101	0.87	0.01	4	0.05	31600	57	189	4	119	8.79	13	0.11	0.09	-0.01	0.03	0.70	15200	28	2.87	1860
22HRC006	147	148	223412	0.22	4.43	21	9	96	1.01	0.03	2	0.04	38000	59	40	4	228	9.61	13	0.09	0.18	-0.01	0.04	0.62	18200	32	2.52	1300
22HRC006	148	149	223413	0.29	4.04	23	10	99	1.04	0.04	2	0.04	34200	54	23	3	268	9.51	12	0.08	0.19	0.01	0.03	0.41	13800	26	2.70	1810
22HRC006	149	150	223414	0.22	3.76	4	1	52	0.69	0.02	4	0.05	34200	60	19	1	237	9.83	12	0.09	0.17	-0.01	0.03	0.19	13900	24	2.28	1890
22HRC006	150	151	223415	0.22	3.47	7	1	68	0.63	0.01	5	0.07	35300	58	26	1	235	9.64	12	0.10	0.18	-0.01	0.03	0.19	14600	21	1.86	1610
22HRC006	151	152	223416	0.20	3.38	1	-1	38	0.59	0.01	4	0.06	33600	55	20	0	237	9.43	11	0.09	0.22	-0.01	0.03	0.12	13800	21	1.73	1240
22HRC006	152	153	223417	0.20	3.69	18	11	35	0.65	0.03	3	0.04	31600	51	20	1	252	9.79	13	0.11	0.18	0.01	0.03	0.13	12800	24	1.98	1290
22HRC006	153	154	223418	0.16	3.46	21	18	49	0.59	0.02	4	0.04	35600	40	6	1	222	8.80	12	0.11	0.28	0.01	0.03	0.18	15000	22	1.60	1510
22HRC006	154	155	223419	0.16	3.65	31	18	72	0.92	0.03	4	0.04	41800	42	8	2	238	8.50	12	0.08	0.29	0.01	0.03	0.34	17000	22	1.50	1690
22HRC006	155	156	223420	0.14	3.09	13	15	41	0.65	0.02	5	0.06	41700	44	8	1	214	8.11	11	0.09	0.27	0.01	0.03	0.16	16800	20	1.42	1630
22HRC006	156	157	223421	0.17	3.58	30	24	60	0.78	0.03	5	0.08	39400	54	17	1	252	8.74	13	0.10	0.29	-0.01	0.04	0.30	18200	22	1.64	1740
22HRC006	157	158	223422	0.20	4.55	32	37	46	0.74	0.07	4	0.11	39300	75	80	1	277	11.80	15	0.15	0.49	-0.01	0.06	0.15	19200	30	2.20	1800
22HRC006	158	159	223423	0.19	4.03	57	56	74	0.73	0.16	5	0.11	41600	58	74	1	278	9.89	14	0.14	0.40	0.01	0.06	0.23	19700	26	1.87	2020
22HRC006	159	160	223426	0.19	3.82	23	18	92	0.79	0.11	5	0.08	43400	43	40	1	243	9.49	13	0.15	0.46	-0.01	0.05	0.29	20300	23	1.82	2330
22HRC006	160	161	223427	0.14	3.32	30	20	54	0.51	0.06	6	0.10	36100	38	40	1	192	8.84	11	0.08	0.34	-0.01	0.04	0.17	17000	21	1.68	2580
22HRC006	161	162	223428	0.15	1.83	5	5	79	0.42	0.05	5	0.12	41900	25	40	0	262	4.97	10	0.11	0.32	-0.01	0.03	0.21	20000	9	0.86	1690
22HRC006	162	163	223429	0.17	2.21	4	3	38	0.33	0.13	5	0.12	36300	27	53	0	216	5.96	10	-0.05	0.15	-0.01	0.04	0.11	17300	11	1.09	1640
22HRC006	163	164	223430	0.18	1.80	5	3	25	0.39	0.10	3	0.10	42000	33	50	0	224	4.96	11	0.09	0.27	0.02	0.04	0.07	17800	11	0.86	1170
22HRC006	164	165	223431	0.18	1.84	5	4	76	0.65	0.03	5	0.09	42000	18	27	1	254	4.48	8	0.07	0.28	0.01	0.02	0.30	19200	10	0.74	1550
22HRC006	165	166	223432	0.18	2.43	26	20	59	0.71	0.08	5	0.10	41400	23	25	1	239	5.73	9	0.07	0.21	0.02	0.02	0.31	18600	13	1.01	1730
22HRC006	166	167	223433	0.18	3.03	22	17	54	0.64	0.04	5	0.09	40500	29	39	1	232	7.08	11	0.08	0.27	0.02	0.03	0.30	18000	18	1.29	2070
22HRC006	167	168	223434	0.18	2.93	18	12	99	1.13	0.02	5	0.07	47100	20	32	2	229	5.38	10	0.07	0.26	0.01	0.03	0.61	20500	13	0.92	1910
22HRC006	168	169	223435	0.19	2.57	28	13	95	0.84	0.02	6	0.07	41700	32	38	2	241	5.45	9	0.09	0.21	0.02	0.03	0.57	18800	10	0.97	2140
22HRC006	169	170	223436	0.15	2.90	24	18	105	0.79	0.03	5	0.06	35900	36	40	1	232	6.58	10	0.08	0.27	-0.01	0.02	0.39	17200	15	1.23	2300

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22HRC006	170	171	223437	0.16	3.27	23	17	111	0.74	0.04	6	0.08	39600	34	53	1	259	7.48	13	0.10	0.34	-0.01	0.03	0.35	18600	16	1.48	2380
22HRC006	171	172	223438	0.18	3.72	13	5	74	0.72	0.05	5	0.08	43600	47	62	1	256	8.97	13	0.14	0.34	-0.01	0.03	0.23	20500	20	1.90	1700
22HRC006	172	173	223439	0.26	4.05	32	23	67	0.67	0.21	5	0.11	42600	47	98	1	234	9.58	14	0.13	0.47	0.01	0.05	0.20	20900	24	2.13	1610
22HRC006	173	174	223440	0.18	4.41	49	55	15	0.55	0.20	5	0.09	41600	43	87	1	196	11.10	13	0.10	0.35	0.02	0.04	0.06	17000	29	2.43	1490
22HRC006	174	175	223441	0.15	3.04	5	4	65	0.49	0.07	4	0.06	37600	33	66	1	197	8.20	12	0.09	0.28	-0.01	0.04	0.14	16000	18	1.77	1230
22HRC006	175	176	223442	0.17	3.07	5	3	90	0.57	0.08	5	0.08	45900	30	61	1	220	7.30	12	0.09	0.45	-0.01	0.04	0.17	18900	16	1.70	1150
22HRC006	176	177	223443	0.17	3.40	37	12	72	0.66	0.04	3	0.07	46900	44	48	1	242	8.19	13	0.09	0.33	0.01	0.03	0.19	19000	21	1.72	1040
22HRC006	177	178	223444	0.16	3.30	21	4	106	0.65	0.02	6	0.07	40500	40	52	1	256	7.34	12	0.11	0.30	0.01	0.04	0.38	19100	16	1.60	1450
22HRC006	178	179	223445	0.17	4.04	30	15	54	0.54	0.05	5	0.08	40600	45	70	1	235	9.55	14	0.11	0.24	-0.01	0.04	0.14	19300	22	2.10	1670
22HRC006	179	180	223446	0.17	3.69	26	7	56	0.58	0.03	5	0.07	42900	47	77	1	266	9.10	15	0.12	0.41	0.01	0.05	0.15	20500	21	1.94	1410
22HRC006	180	181	223447	0.26	3.70	54	15	129	0.72	0.09	4	0.06	36600	46	45	1	251	8.62	12	0.11	0.26	0.02	0.03	0.40	16900	22	1.79	1400
22HRC006	181	182	223448	0.13	3.98	8	3	109	0.49	0.01	5	0.07	34700	48	44	1	246	9.20	13	0.10	0.26	-0.01	0.03	0.27	16000	25	2.20	1460
22HRC006	182	183	223449	0.12	3.76	6	3	89	0.36	-0.01	6	0.07	34400	39	43	1	220	8.48	12	0.07	0.24	-0.01	0.04	0.37	15900	20	2.09	1380
22HRC006	183	184	223451	0.10	3.54	1	1	71	0.34	0.01	5	0.07	34900	39	42	1	229	8.33	12	0.11	0.21	-0.01	0.03	0.31	15900	22	2.12	1220
22HRC006	184	185	223452	0.10	3.41	1	1	79	0.33	-0.01	5	0.06	33800	46	45	1	256	8.24	12	0.11	0.27	-0.01	0.03	0.31	15700	21	2.07	1160
22HRC006	185	186	223453	0.10	3.25	1	1	79	0.33	0.01	5	0.07	33000	45	44	1	244	7.91	12	0.11	0.30	-0.01	0.04	0.25	15600	19	1.92	1390
22HRC006	186	187	223454	0.12	2.89	4	1	102	0.30	0.01	5	0.09	34500	49	45	1	258	7.71	11	0.10	0.31	-0.01	0.04	0.25	16100	17	1.53	1490
22HRC006	187	188	223455	0.11	3.38	32	17	85	0.30	0.04	8	0.08	30200	35	44	0	216	8.46	12	0.12	0.32	0.02	0.05	0.19	14500	20	1.81	1970
22HRC006	188	189	223456	0.07	3.32	2	1	122	0.39	0.01	6	0.08	28600	33	50	1	218	8.00	10	0.08	0.31	-0.01	0.03	0.23	13300	21	1.78	1520
22HRC006	189	190	223457	0.10	3.60	1	1	80	0.37	0.02	5	0.11	40300	45	59	1	256	9.29	14	0.12	0.31	-0.01	0.04	0.16	18200	22	2.13	1360
22HRC006	190	191	223458	0.08	3.12	1	1	62	0.34	0.02	4	0.11	31400	42	46	1	228	8.40	13	0.13	0.17	-0.01	0.04	0.13	14100	20	1.81	1240
22HRC006	191	192	223459	0.10	3.78	1	1	35	0.31	0.03	5	0.16	33600	45	54	1	241	10.50	14	0.15	0.29	-0.01	0.05	0.06	15800	24	2.21	1620
22HRC006	192	193	223460	0.09	2.93	1	1	116	0.25	0.02	5	0.09	28700	32	45	0	209	6.92	10	0.07	0.24	-0.01	0.03	0.25	13300	16	1.47	1520
22HRC006	193	194	223461	0.10	3.30	12	8	57	0.33	0.04	5	0.11	32000	44	49	1	247	8.83	12	0.09	0.24	-0.01	0.04	0.16	14700	19	1.86	1540
22HRC006	194	195	223462	0.12	3.03	1	1	44	0.36	0.01	4	0.10	35800	46	44	1	249	8.07	12	0.13	0.25	-0.01	0.04	0.15	16600	18	1.73	1440
22HRC006	195	196	223463	0.10	3.80	5	4	56	0.43	0.03	5	0.10	33300	44	52	1	249	9.42	13	0.14	0.18	-0.01	0.04	0.21	15100	23	2.14	1680
22HRC006	196	197	223464	0.10	3.04	3	3	70	0.32	0.02	5	0.13	32800	50	39	1	252	7.59	12	0.09	0.28	-0.01	0.03	0.20	13900	20	1.52	1440
22HRC006	197	198	223465	0.10	3.07	4	1	72	0.35	0.05	5	0.13	29800	43	68	1	228	7.56	10	0.11	0.23	-0.01	0.03	0.27	13400	21	1.55	1420
22HRC007	0	1	223466	0.09	1.67	117	11	107	0.49	0.06	8	0.38	47600	29	45	1	53	2.75	5	0.10	0.63	0.03	0.02	0.26	26100	6	0.42	702
22HRC007	1	2	223467	0.11	1.13	109	8	224	0.43	0.05	9	0.53	52400	24	36	1	30	1.43	3	0.07	0.74	0.04	0.01	0.40	27800	4	0.53	521
22HRC007	2	3	223468	0.19	0.83	116	6	96	0.38	0.05	7	0.64	54800	15	35	1	23	1.16	2	0.08	0.80	0.14	-0.01	0.40	28500	4	0.66	130
22HRC007	3	4	223469	0.28	1.07	163	12	127	0.53	0.05	7	1.08	60800	33	59	2	43	1.68	3	0.10	0.79	0.10	0.02	0.47	31600	5	0.68	265
22HRC007	4	5	223470	0.38	1.11	185	6	116	0.58	0.07	3	1.26	64000	26	35	2	69	2.00	4	0.09	0.73	0.08	0.02	0.43	33100	4	0.31	209
22HRC007	5	6	223471	0.33	1.24	126	12	138	0.68	0.07	4	1.41	63500	21	19	2	46	2.15	3	0.08	0.77	0.08	0.01	0.44	32900	4	0.36	455
22HRC007	6	7	223472	0.39	1.38	144	8	179	0.75	0.08	2	1.59	73500	24	13	3	74	2.43	4	0.10	0.78	0.07	0.02	0.55	37900	3	0.27	929
22HRC007	7	8	223473	0.23	0.88	218	7	188	0.83	0.06	2	2.15	81200	22	14	2	79	2.74	3	0.10	0.86	0.09	0.02	0.50	42500	2	0.16	1080

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22HRC007	8	9	223476	0.24	1.08	280	15	175	0.90	0.06	1	2.11	69800	22	13	2	69	3.15	3	0.09	0.80	0.08	0.01	0.65	36600	3	0.14	960
22HRC007	9	10	223477	0.30	0.93	1190	492	113	0.96	0.24	1	3.22	71300	17	19	4	62	3.21	3	0.12	0.87	0.32	-0.01	0.48	37300	2	0.15	367
22HRC007	10	11	223478	0.20	0.79	568	212	93	0.65	0.04	2	1.62	85300	9	9	4	52	1.58	3	0.11	0.80	0.28	-0.01	0.53	44400	1	0.12	69
22HRC007	11	12	223479	0.25	0.62	364	316	69	0.46	0.06	1	1.89	75800	6	10	4	26	1.44	2	0.09	0.72	0.72	-0.01	0.43	40000	3	0.07	54
22HRC007	12	13	223480	0.30	0.91	1490	625	131	0.69	0.11	0	2.19	69900	18	14	3	65	3.32	3	0.14	0.82	0.12	-0.01	0.51	37300	1	0.09	442
22HRC007	13	14	223481	0.15	0.65	200	51	82	0.49	0.02	0	0.13	60000	11	5	2	2	1.41	2	0.07	1.10	0.03	-0.01	0.44	31500	4	0.06	354
22HRC007	14	15	223482	0.29	0.48	416	73	98	0.34	0.02	0	0.39	74300	12	3	1	13	1.43	2	0.09	0.88	0.03	0.01	0.32	38900	1	0.05	484
22HRC007	15	16	223483	0.20	0.46	987	177	100	0.33	0.04	0	0.27	67700	11	5	1	11	1.74	2	0.10	0.83	0.03	0.01	0.28	35400	5	0.06	525
22HRC007	16	17	223484	0.17	0.85	582	86	162	0.47	0.05	0	0.26	73200	17	4	1	23	1.72	3	0.09	0.95	0.02	0.01	0.53	38500	3	0.08	854
22HRC007	17	18	223485	0.36	0.68	190	33	114	0.50	0.14	1	0.16	75500	21	3	1	62	1.51	3	0.10	1.13	0.03	0.02	0.43	38800	5	0.07	749
22HRC007	18	19	223486	0.17	1.33	407	28	122	0.63	0.11	0	0.08	67800	32	336	1	35	3.21	6	0.11	1.02	0.03	0.02	0.53	35000	7	0.26	711
22HRC007	19	20	223487	0.08	1.03	673	46	96	0.53	0.04	0	0.07	78200	13	14	1	20	3.41	5	0.12	0.95	0.02	0.02	0.39	40700	6	0.24	1120
22HRC007	20	21	223488	0.04	1.05	67	6	154	0.62	0.04	0	0.11	78300	12	3	1	10	2.76	5	0.10	1.10	0.04	0.02	0.51	40900	5	0.25	775
22HRC007	21	22	223489	0.03	0.94	89	4	152	0.68	0.05	0	0.11	82600	11	5	1	9	2.22	5	0.09	1.10	0.04	0.02	0.49	44000	5	0.20	563
22HRC007	22	23	223490	0.02	0.89	23	4	124	0.57	0.05	1	0.05	73800	8	2	1	10	2.48	5	0.09	0.96	0.03	0.02	0.38	38700	6	0.32	571
22HRC007	23	24	223491	0.03	1.03	28	5	121	0.71	0.05	1	0.08	81800	7	3	1	10	2.39	5	0.10	1.32	0.03	0.02	0.51	43400	7	0.39	637
22HRC007	24	25	223492	0.04	1.44	44	5	166	1.08	0.04	1	0.13	86600	9	3	1	7	2.92	7	0.10	1.84	0.04	0.02	0.76	44000	6	0.51	895
22HRC007	25	26	223493	0.04	1.58	30	5	120	0.71	0.05	1	0.10	80300	10	3	1	13	3.82	7	0.10	1.27	0.04	0.02	0.52	41600	11	0.59	719
22HRC007	26	27	223494	0.05	1.61	16	1	174	1.18	0.04	1	0.05	86700	8	3	3	17	3.42	6	0.10	1.84	0.02	0.02	0.86	44900	8	0.49	866
22HRC007	27	28	223495	0.05	1.52	13	1	132	0.82	0.07	1	0.04	82700	6	3	1	12	3.82	7	0.10	1.50	0.02	0.02	0.60	43700	8	0.65	1080
22HRC007	28	29	223496	0.04	1.52	10	1	125	0.67	0.08	1	0.04	74800	5	3	1	1	4.09	7	0.10	1.11	0.02	0.02	0.50	38600	8	0.56	866
22HRC007	29	30	223497	0.26	0.99	24	2	66	0.37	0.04	1	0.08	57900	15	4	0	112	4.95	6	0.10	0.72	0.07	0.02	0.22	30500	5	0.43	898
22HRC007	30	31	223498	0.07	1.37	18	2	144	0.82	0.08	1	0.04	76400	10	4	1	19	3.64	7	0.09	1.32	0.02	0.02	0.55	39600	6	0.53	923
22HRC007	31	32	223499	0.07	0.98	27	1	119	0.62	0.04	1	0.11	59700	12	3	1	15	2.57	5	0.08	0.83	0.05	0.02	0.45	31200	5	0.41	800
22HRC007	32	33	223501	0.04	1.48	17	1	132	0.59	0.05	1	0.04	69100	7	4	1	9	3.20	5	0.10	0.85	0.03	0.02	0.46	37300	14	0.50	625
22HRC007	33	34	223502	0.03	1.80	6	1	142	0.65	0.07	1	0.03	76200	4	2	2	7	3.24	6	0.10	0.81	0.02	0.01	0.54	42000	15	0.51	396
22HRC007	34	35	223503	0.07	1.87	18	1	126	0.69	0.16	1	0.03	83700	10	4	2	21	3.81	7	0.11	0.95	0.02	0.02	0.55	45100	14	0.67	823
22HRC007	35	36	223504	0.06	1.84	13	3	124	0.79	0.15	1	0.02	75300	9	2	3	18	3.77	6	0.11	1.17	0.02	0.02	0.63	40800	16	0.73	950
22HRC007	36	37	223505	0.10	1.64	21	2	91	0.50	0.10	1	0.03	65900	13	4	1	27	4.34	8	0.10	0.84	0.02	0.02	0.38	35300	13	0.69	985
22HRC007	37	38	223506	0.06	1.46	12	1	94	0.51	0.14	1	0.02	78900	8	4	1	27	4.22	6	0.09	0.98	0.01	0.02	0.40	42300	13	0.62	949
22HRC007	38	39	223507	0.04	1.07	12	1	72	0.41	0.07	1	0.05	63800	7	4	1	18	3.61	6	0.09	0.78	0.03	0.02	0.28	35000	9	0.40	808
22HRC007	39	40	223508	0.03	0.93	24	-1	82	0.40	0.11	1	0.06	59500	9	4	1	13	3.45	5	0.09	0.70	0.03	0.02	0.28	31900	10	0.36	786
22HRC007	40	41	223509	0.02	1.15	14	1	97	0.45	0.05	1	0.04	66400	7	5	1	15	3.56	6	0.10	0.89	0.02	0.02	0.39	35900	8	0.42	852
22HRC007	41	42	223510	0.03	0.97	17	1	86	0.43	0.08	1	0.04	67800	8	5	1	19	3.45	5	0.08	0.70	0.02	0.02	0.31	37200	7	0.39	751
22HRC007	42	43	223511	0.03	1.03	11	-1	101	0.51	0.13	1	0.04	58900	6	4	1	15	3.10	5	0.09	0.93	0.02	0.02	0.34	31800	10	0.34	629
22HRC007	43	44	223512	0.02	0.83	6	-1	71	0.40	0.05	1	0.03	57000	4	4	0	12	2.96	5	0.09	0.80	0.03	0.02	0.22	30700	8	0.27	558

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22HRC007	44	45	223513	0.03	1.04	8	1	97	0.47	0.05	1	0.04	59700	6	5	1	17	3.62	6	0.11	0.83	0.04	0.02	0.30	32100	8	0.31	740
22HRC007	45	46	223514	0.05	1.32	11	-1	99	0.54	0.06	1	0.03	65700	6	5	1	11	4.17	6	0.11	0.99	0.03	0.02	0.33	35900	10	0.42	853
22HRC007	46	47	223515	0.03	1.11	7	-1	103	0.59	0.06	1	0.04	61400	5	4	1	14	3.82	6	0.09	1.03	0.04	0.02	0.32	34800	10	0.36	856
22HRC007	47	48	223516	0.03	1.17	18	1	104	0.60	0.06	0	-0.02	59400	6	5	2	10	3.77	5	0.09	0.72	0.01	0.02	0.43	32600	8	0.40	832
22HRC007	48	49	223517	0.03	1.30	12	2	140	0.80	0.22	0	-0.02	87700	6	3	3	12	3.36	5	0.09	0.71	0.01	0.01	0.66	47600	7	0.37	588
22HRC007	49	50	223518	0.06	1.37	14	2	151	0.99	0.38	0	-0.02	90800	6	4	3	17	2.31	5	0.10	1.16	-0.01	0.02	0.80	49700	8	0.27	506
22HRC007	50	51	223519	0.07	1.16	52	3	135	0.83	0.19	0	0.58	70000	6	4	4	15	1.65	4	0.09	0.90	0.19	0.02	0.74	37300	5	0.17	325
22HRC007	51	52	223520	0.06	0.73	31	1	109	0.57	0.35	0	0.15	69500	5	6	2	13	1.08	3	0.08	0.92	0.06	0.03	0.48	37800	4	0.11	220
22HRC007	52	53	223521	0.03	0.52	153	1	89	0.46	0.21	0	0.12	53700	3	5	1	14	1.19	3	0.08	0.76	0.06	0.02	0.34	29800	2	0.12	208
22HRC007	53	54	223522	0.04	0.87	34	1	115	0.62	0.14	0	0.04	74200	4	8	1	16	1.64	4	0.10	0.88	0.02	0.03	0.51	40000	3	0.16	278
22HRC007	54	55	223523	0.05	0.93	15	-1	120	0.72	0.13	0	0.09	59900	4	8	1	21	2.15	4	0.07	0.71	0.04	0.02	0.51	32100	3	0.18	414
22HRC007	55	56	223526	0.02	1.12	12	2	97	0.63	0.05	0	0.04	48400	5	11	1	17	4.43	7	0.09	0.84	0.04	0.03	0.28	26500	7	0.21	805
22HRC007	56	57	223527	0.02	0.63	11	1	81	0.55	0.02	0	0.05	45400	4	7	1	11	2.27	4	0.08	0.99	0.03	0.03	0.28	24800	3	0.13	534
22HRC007	57	58	223528	0.02	0.67	6	1	82	0.47	0.02	1	0.04	48100	3	9	1	11	2.44	5	0.09	1.31	0.04	0.03	0.26	26200	3	0.13	531
22HRC007	58	59	223529	0.02	0.63	6	-1	69	0.50	0.01	0	0.04	48500	3	5	0	11	2.00	4	0.09	1.07	0.03	0.02	0.21	26000	4	0.12	522
22HRC007	59	60	223530	0.04	0.77	11	1	73	0.59	0.08	0	0.06	57800	5	7	1	25	1.80	5	0.10	1.18	0.03	0.02	0.30	31300	4	0.12	357
22HRC007	60	61	223531	0.06	0.72	21	1	82	0.59	0.15	0	0.35	69200	6	6	1	23	0.92	4	0.09	1.25	0.03	0.02	0.44	37500	2	0.07	178
22HRC007	61	62	223532	0.06	0.91	21	1	80	0.56	0.10	0	0.23	60700	10	7	1	23	2.23	5	0.09	1.22	0.04	0.02	0.37	32600	4	0.16	481
22HRC007	62	63	223533	0.05	0.87	16	1	76	0.45	0.08	0	0.05	54700	4	9	1	17	2.42	5	0.11	1.10	0.02	0.01	0.29	29800	4	0.14	434
22HRC007	63	64	223534	0.09	0.88	17	1	73	0.58	0.09	0	0.07	64800	5	10	0	21	2.13	6	0.08	1.29	0.04	0.02	0.31	35600	4	0.14	464
22HRC007	64	65	223535	0.07	0.87	69	3	108	1.27	0.17	0	0.04	161000	17	10	1	10	0.38	4	0.14	2.21	0.01	-0.01	0.71	76600	2	0.05	47
22HRC007	65	66	223536	0.06	1.19	538	20	115	1.06	0.11	0	0.10	139000	12	13	0	5	1.31	7	0.11	2.41	0.01	0.02	0.68	64000	10	0.13	263
22HRC007	66	67	223537	0.09	0.95	843	51	47	0.35	0.06	0	0.09	51400	5	10	0	9	3.31	8	0.16	0.97	0.03	0.03	0.14	27200	8	0.18	463
22HRC007	67	68	223538	0.06	1.11	38	2	57	0.51	0.06	0	0.07	55600	5	10	1	8	4.20	7	0.12	0.79	0.03	0.03	0.19	29500	9	0.17	672
22HRC007	68	69	223539	0.07	0.87	35	2	56	0.50	0.04	0	0.10	59000	4	6	1	9	3.41	6	0.11	0.82	0.04	0.03	0.23	30800	5	0.17	614
22HRC007	69	70	223540	0.06	0.85	12	2	71	0.60	0.03	0	0.04	60400	5	7	1	3	3.52	6	0.10	0.91	0.02	0.03	0.30	31800	5	0.19	859
22HRC007	70	71	223541	0.05	0.58	6	-1	37	0.35	0.02	1	0.04	61800	3	7	0	6	2.36	6	0.11	1.05	0.02	0.03	0.12	32900	5	0.12	620
22HRC007	71	72	223542	0.05	0.72	11	1	43	0.38	0.01	1	0.03	64300	4	8	0	6	3.06	8	0.12	0.99	0.02	0.03	0.13	34500	5	0.18	707
22HRC007	72	73	223543	0.05	0.83	24	1	51	0.49	0.01	0	-0.02	61300	4	6	1	7	3.26	7	0.12	0.88	-0.01	0.03	0.20	32300	7	0.17	771
22HRC007	73	74	223544	0.06	1.12	30	2	54	0.51	0.02	0	0.04	62100	5	4	1	9	4.68	9	0.15	0.64	0.01	0.03	0.17	33200	8	0.21	1140
22HRC007	74	75	223545	0.03	1.12	5	3	71	0.78	-0.01	0	0.03	57600	4	9	1	4	4.89	9	0.14	0.95	0.01	0.03	0.21	30400	9	0.20	976
22HRC007	75	76	223546	0.02	0.91	35	2	54	0.50	0.01	0	0.02	58500	4	5	1	5	3.74	7	0.10	0.67	0.01	0.03	0.21	30900	5	0.14	622
22HRC007	76	77	223547	0.02	1.01	3	1	52	0.56	0.02	0	0.02	53800	4	6	1	5	4.04	8	0.09	0.78	0.01	0.03	0.19	28700	5	0.15	647
22HRC007	77	78	223548	0.02	0.85	2	1	51	0.70	0.03	0	0.03	54200	4	7	1	6	3.67	8	0.13	1.04	0.02	0.03	0.14	28600	6	0.10	650
22HRC007	78	79	223549	0.03	0.87	24	3	57	0.52	0.02	0	0.03	53300	4	11	1	7	3.75	7	0.12	0.82	0.02	0.03	0.20	28200	7	0.13	682
22HRC007	79	80	223551	0.02	0.70	6	1	69	0.54	0.02	0	-0.02	49200	4	4	1	10	3.27	5	0.09	0.88	0.03	0.03	0.26	25800	6	0.15	700

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22HRC007	80	81	223552	0.03	0.49	9	3	105	0.43	0.02	0	0.03	46800	4	6	1	8	2.91	4	0.08	1.11	0.02	0.03	0.18	24700	3	0.11	629
22HRC007	81	82	223553	0.04	0.88	5	2	108	0.55	0.09	1	0.04	50100	4	4	1	7	3.55	5	0.08	0.75	0.02	0.02	0.33	26500	8	0.25	736
22HRC007	82	83	223554	0.05	1.40	3	1	134	0.67	0.06	1	0.06	66300	5	5	1	7	4.54	7	0.10	1.00	0.01	0.02	0.41	35300	7	0.42	837
22HRC007	83	84	223555	0.04	1.03	3	-1	132	0.53	0.06	1	0.06	62900	4	5	1	5	2.97	6	0.07	0.86	0.02	0.02	0.33	33300	4	0.29	522
22HRC007	84	85	223556	0.04	1.39	1	-1	296	0.98	0.08	1	0.10	70200	3	4	1	2	3.15	6	0.08	1.49	0.02	0.01	0.62	37300	6	0.31	676
22HRC007	85	86	223557	0.05	1.47	5	-1	218	0.64	0.14	1	0.13	63600	8	3	1	5	5.29	6	0.08	0.82	0.02	0.02	0.49	33700	8	0.46	1080
22HRC007	86	87	223558	0.03	1.70	3	-1	230	0.88	0.05	1	0.10	65900	7	4	1	7	4.30	7	0.09	1.06	0.01	0.02	0.69	35400	9	0.44	810
22HRC007	87	88	223559	0.03	1.16	2	1	123	0.57	0.03	1	0.04	56600	5	4	1	16	4.03	5	0.08	1.10	0.02	0.01	0.41	29600	8	0.37	816
22HRC007	88	89	223560	0.05	1.68	3	1	172	0.73	0.05	1	0.04	68300	11	3	1	32	5.28	9	0.08	1.21	0.02	0.03	0.52	35700	6	0.48	1240
22HRC007	89	90	223561	0.06	1.34	7	3	87	0.47	0.04	1	0.05	47300	9	4	0	65	5.22	9	0.10	1.08	0.03	0.03	0.25	24900	9	0.47	973
22HRC007	90	91	223562	0.03	1.39	3	1	152	0.73	0.05	1	0.04	58000	5	4	1	19	3.70	6	0.07	1.19	-0.01	0.01	0.51	30200	8	0.54	893
22HRC007	91	92	223563	0.04	1.34	4	1	145	0.85	0.08	1	0.04	58500	7	2	1	17	4.42	7	0.07	1.43	0.02	0.02	0.44	31000	7	0.51	1100
22HRC007	92	93	223564	0.05	1.39	7	3	221	0.80	0.06	1	0.03	74900	8	4	1	28	3.89	6	0.09	1.11	0.01	0.02	0.66	39700	7	0.49	1060
22HRC007	93	94	223565	0.02	0.93	10	5	110	0.55	0.03	1	0.04	55500	6	4	1	8	4.01	6	0.09	0.96	0.01	0.02	0.32	29100	6	0.35	1070
22HRC007	94	95	223566	0.03	1.44	8	5	130	0.63	0.06	2	0.05	48300	15	3	1	30	5.02	7	0.07	0.61	0.02	0.03	0.45	25200	7	0.61	1320
22HRC007	95	96	223567	0.08	2.17	8	1	119	0.65	0.11	2	0.06	56200	18	4	0	30	6.37	12	0.11	0.65	0.01	0.03	0.38	29600	14	0.84	1420
22HRC007	96	97	223568	0.05	1.82	7	2	123	0.56	0.12	2	0.05	55600	12	3	1	20	5.46	9	0.08	0.74	0.01	0.02	0.36	29400	10	0.65	1440
22HRC007	97	98	223569	0.03	1.55	2	1	107	0.71	0.04	1	0.08	49600	5	4	1	4	3.81	7	0.07	1.17	0.01	0.01	0.39	26300	9	0.56	1000
22HRC007	98	99	223570	0.04	1.59	1	-1	87	0.55	0.08	1	0.04	59100	6	2	0	11	4.11	8	0.10	0.81	-0.01	0.01	0.28	31400	9	0.43	749
22HRC007	99	100	223571	0.03	1.44	4	1	81	0.78	0.05	1	0.04	64900	4	3	1	6	3.06	7	0.08	0.83	-0.01	0.01	0.42	34100	12	0.44	670
22HRC007	100	101	223572	0.04	1.72	3	2	120	0.91	0.06	1	0.07	66600	5	3	1	11	3.76	8	0.09	0.99	0.01	0.02	0.50	34000	10	0.46	727
22HRC007	101	102	223573	0.03	1.41	4	1	92	0.74	0.05	1	0.05	69800	5	4	1	6	3.92	7	0.08	0.91	0.01	0.01	0.33	36600	7	0.44	871
22HRC007	102	103	223576	0.04	1.88	3	2	156	0.99	0.05	1	0.05	71700	6	4	1	14	4.42	8	0.11	0.90	-0.01	0.02	0.48	37000	9	0.51	886
22HRC007	103	104	223577	0.04	2.05	4	1	91	0.71	0.15	0	0.02	61700	8	4	1	6	5.25	9	0.11	0.78	-0.01	0.03	0.32	32200	14	0.61	730
22HRC007	104	105	223578	0.03	1.95	2	-1	72	0.63	0.05	0	0.02	69400	5	2	1	9	3.83	10	0.10	0.74	-0.01	0.02	0.28	35900	13	0.72	412
22HRC007	105	106	223579	0.07	2.27	39	-1	56	2.53	0.03	1	0.08	24200	77	1000	1	88	14.30	8	0.20	0.42	0.01	0.03	0.06	11800	12	3.45	7560
22HRC007	106	107	223580	0.11	1.86	13	1	26	0.67	0.19	8	0.11	14300	86	1130	1	70	8.41	6	0.21	0.22	0.01	0.02	0.02	6680	10	6.77	2560
22HRC007	107	108	223581	0.06	1.60	14	-1	18	0.42	0.02	5	0.09	11300	63	1130	0	85	7.19	5	0.13	0.18	-0.01	0.02	0.02	4990	7	8.11	1520
22HRC007	108	109	223582	0.09	2.04	52	1	29	0.51	0.05	7	0.11	15600	80	1170	0	105	9.97	7	0.12	0.19	0.01	0.03	0.01	7330	6	6.70	2330
22HRC007	109	110	223583	0.13	4.53	56	2	37	0.75	0.18	1	0.07	46800	89	1150	2	126	10.60	15	0.21	0.35	-0.01	0.05	0.15	23400	28	3.81	1070
22HRC007	110	111	223584	0.07	3.49	32	2	89	0.95	0.10	1	0.03	53500	39	502	5	39	6.90	11	0.12	0.40	-0.01	0.04	0.52	27200	22	2.03	683
22HRC007	111	112	223585	0.19	5.12	189	4	108	0.84	0.40	0	0.05	56500	121	1210	2	160	11.20	15	0.22	0.70	-0.01	0.05	0.49	28400	33	2.36	783
22HRC007	112	113	223586	0.19	4.01	142	4	106	0.83	0.61	0	0.04	74500	75	648	2	102	8.41	12	0.14	0.68	-0.01	0.03	0.56	38700	24	1.40	498
22HRC007	113	114	223587	0.06	2.63	16	2	120	1.07	0.14	0	0.03	86100	23	105	4	28	4.50	10	0.09	0.65	-0.01	0.02	0.75	44100	14	1.03	269
22HRC007	114	115	223588	0.16	3.25	50	2	100	0.74	0.17	1	0.02	55400	52	551	3	77	6.63	10	0.16	0.40	0.01	0.02	0.44	28100	25	1.98	467
22HRC007	115	116	223589	0.17	4.54	82	2	76	0.91	0.21	0	-0.02	54400	81	1150	3	90	8.62	14	0.26	0.49	0.02	0.04	0.36	27300	36	3.06	625

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22HRC007	116	117	223590	0.37	1.90	332	7	29	0.48	0.28	7	0.04	14600	69	1060	0	39	7.75	6	0.11	0.17	0.09	0.17	0.05	6820	11	4.31	4450
22HRC007	117	118	223591	0.40	2.61	832	3	23	0.53	0.02	5	0.05	16300	105	1680	0	176	8.06	8	0.21	0.18	0.07	0.05	0.03	7860	15	4.42	2960
22HRC007	118	119	223592	0.32	2.44	465	4	22	0.67	0.02	6	0.05	17000	122	1560	0	157	8.00	9	0.22	0.17	0.07	0.04	0.02	8070	12	4.63	3090
22HRC007	119	120	223593	0.15	2.48	145	2	23	0.82	0.05	10	0.12	15300	80	1020	0	87	8.81	13	0.21	0.16	0.02	0.03	0.01	7260	11	7.37	2790
22HRC007	120	121	223594	0.17	2.95	150	3	25	0.86	0.07	7	0.12	20600	91	1300	0	104	9.42	13	0.26	0.22	0.02	0.04	0.01	9790	14	6.05	2570
22HRC007	121	122	223595	0.19	2.65	86	1	26	0.70	0.04	5	0.08	15500	109	1520	0	137	9.62	10	0.25	0.13	0.02	0.03	0.01	7000	10	5.49	2120
22HRC007	122	123	223596	0.15	2.30	57	2	29	0.68	0.02	6	0.10	15800	90	1300	0	114	8.75	9	0.22	0.15	-0.01	0.03	0.00	7060	7	5.84	2120
22HRC007	123	124	223597	0.14	2.46	25	2	60	0.77	0.02	5	0.12	14600	91	1420	1	130	9.04	9	0.19	0.21	-0.01	0.03	0.03	6660	8	6.53	1810
22HRC007	124	125	223598	0.11	2.33	6	-1	294	0.80	0.02	5	0.09	15800	81	1380	12	126	8.97	8	0.18	0.28	-0.01	0.03	0.24	7320	8	6.72	1420
22HRC007	125	126	223599	0.10	2.38	6	-1	418	1.02	0.02	3	0.09	15900	105	1590	37	142	10.60	8	0.18	0.35	-0.01	0.04	0.64	7170	8	6.05	1470
22HRC007	126	127	223601	0.10	2.42	10	1	196	0.99	0.02	4	0.10	16400	97	1560	34	137	10.70	8	0.17	0.30	-0.01	0.03	0.59	7390	11	6.31	1750
22HRC007	127	128	223602	0.11	2.65	13	1	198	1.11	0.02	3	0.07	17500	107	1590	39	137	11.00	9	0.20	0.36	-0.01	0.03	0.70	8070	12	6.36	1580
22HRC007	128	129	223603	0.14	2.79	10	1	222	1.05	0.01	3	0.08	19600	110	1580	35	136	11.00	9	0.20	0.33	-0.01	0.04	0.71	8980	14	6.40	1580
22HRC007	129	130	223604	0.09	2.84	7	1	908	1.50	0.03	4	0.08	20300	104	1470	31	110	11.10	8	0.19	0.43	-0.01	0.04	0.60	9790	19	7.32	1920
22HRC007	130	131	223605	0.20	3.44	14	1	178	1.25	0.02	4	0.10	28600	71	1040	6	117	8.77	11	0.23	0.32	-0.01	0.03	0.10	13900	23	6.60	1480
22HRC007	131	132	223606	0.78	5.08	4	2	50	1.04	0.03	1	0.28	66200	48	174	3	128	9.95	18	0.25	0.26	0.05	0.06	0.05	32000	39	5.43	530
22HRC007	132	133	223607	0.10	3.15	7	1	34	0.80	0.02	4	0.09	18900	58	1070	2	123	7.17	10	0.16	0.17	-0.01	0.04	0.03	8760	19	6.73	1330
22HRC007	133	134	223608	0.08	3.99	1	-1	20	0.53	0.01	3	0.07	25800	45	1010	1	96	7.33	9	0.16	0.17	-0.01	0.04	0.01	12300	12	7.36	919
22HRC007	134	135	223609	0.09	1.91	2	-1	17	0.58	0.03	6	0.10	13700	51	1020	1	111	5.58	9	0.18	0.18	-0.01	0.03	0.01	6220	11	6.24	1300
22HRC007	135	136	223610	0.08	2.40	2	-1	19	0.55	0.01	6	0.08	15500	57	1030	1	94	6.62	9	0.19	0.22	-0.01	0.03	0.02	7210	11	7.21	1330
22HRC007	136	137	223611	0.17	2.11	6	3	22	0.61	0.04	9	0.11	12800	85	1040	1	103	7.07	8	0.17	0.25	-0.01	0.03	0.01	5930	9	8.41	1980
22HRC007	137	138	223612	0.10	1.75	8	15	26	0.53	0.05	9	0.11	8780	82	1160	1	100	7.48	7	0.10	0.07	-0.01	0.03	0.00	3890	8	7.74	1980
22HRC007	138	139	223613	0.13	2.26	22	5	45	0.68	0.04	8	0.10	16900	70	979	2	100	8.04	9	0.12	0.16	-0.01	0.03	0.07	7810	12	7.08	1960
22HRC007	139	140	223614	0.11	2.07	10	6	35	0.66	0.01	8	0.11	12600	64	964	2	89	7.48	10	0.19	0.22	-0.01	0.02	0.04	5940	11	7.55	2090
22HRC007	140	141	223615	0.09	1.44	2	120	19	0.51	-0.01	8	0.10	8950	53	1050	1	96	6.11	5	0.12	0.09	-0.01	0.02	0.01	3820	7	6.74	1620
22HRC007	141	142	223616	0.06	2.28	3	2	22	0.71	0.01	9	0.11	16700	66	806	1	94	6.92	8	0.19	0.21	-0.01	0.03	0.01	7500	11	7.52	1680
22HRC007	142	143	223617	0.08	2.01	8	4	21	0.58	0.01	10	0.08	13700	68	881	1	98	6.42	7	0.23	0.19	-0.01	0.03	0.01	6440	14	7.51	1590
22HRC007	143	144	223618	0.09	4.31	23	4	28	0.96	0.03	5	0.07	28000	82	905	3	164	10.00	18	0.46	0.30	-0.01	0.04	0.03	13000	39	7.32	1500
22HRC007	144	145	223619	0.09	2.22	23	79	22	0.69	0.03	9	0.10	14300	91	1040	1	106	7.40	10	0.18	0.14	0.06	0.03	0.01	6480	15	7.21	2640
22HRC007	145	146	223620	0.06	1.44	2	14	16	0.60	-0.01	5	0.10	9410	41	1180	1	101	5.91	5	0.16	0.11	-0.01	0.02	0.01	4080	6	5.15	1440
22HRC007	146	147	223621	0.05	1.37	4	3	20	0.68	0.03	7	0.11	8720	48	1130	1	102	6.31	5	0.13	0.08	-0.01	0.03	0.00	3720	7	5.82	1860
22HRC007	147	148	223622	0.06	1.37	3	1	20	0.74	0.01	7	0.10	8690	51	1220	0	114	6.78	5	0.15	0.08	-0.01	0.03	0.00	3730	4	5.95	2430
22HRC007	148	149	223623	0.07	1.51	7	2	23	0.76	0.02	10	0.10	9480	89	1220	1	100	7.62	6	0.16	0.11	-0.01	0.02	0.00	4100	8	7.12	4010
22HRC007	149	150	223626	0.12	1.74	77	4	22	0.73	0.03	10	0.12	9180	76	1040	1	80	6.90	9	0.13	0.08	0.02	0.03	0.01	3970	12	7.28	3690
22HRC007B	0	1	223627	0.07	2.25	124	20	149	0.59	0.11	12	0.56	43300	24	90	2	33	2.59	6	0.05	0.56	0.03	0.02	0.34	23200	14	0.61	986
22HRC007B	1	2	223628	0.08	1.17	158	9	371	0.43	0.10	8	0.74	57600	36	28	2	38	3.17	3	-0.05	0.61	0.03	0.03	0.36	30800	4	0.44	1080

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22HRC007B	2	3	223629	0.15	1.57	244	10	267	0.49	0.08	5	1.18	68600	39	28	2	49	3.62	5	-0.05	0.78	0.04	0.03	0.50	34700	11	0.76	1110
22HRC007B	3	4	223630	0.18	0.88	620	51	298	0.64	0.05	9	2.20	58200	32	15	2	49	2.85	3	-0.05	0.84	0.07	0.02	0.48	29800	4	1.36	1560
22HRC007B	4	5	223631	0.16	1.15	299	31	256	0.60	0.05	7	1.13	64900	20	-2	2	38	3.30	3	-0.05	0.74	0.06	0.02	0.58	33500	7	1.00	1300
22HRC007B	5	6	223632	0.17	1.00	139	48	126	0.48	0.05	10	1.63	52200	17	27	2	36	1.93	3	-0.05	0.70	0.05	0.02	0.46	26800	5	2.05	627
22HRC007B	6	7	223633	0.21	0.98	224	69	84	0.38	0.03	11	1.15	51300	15	42	2	38	1.56	2	-0.05	0.49	0.04	0.02	0.40	26100	2	4.39	167
22HRC007B	7	8	223634	0.23	0.91	538	123	75	0.48	0.06	5	1.14	66700	34	28	2	47	1.89	3	-0.05	0.55	0.04	0.01	0.35	34000	4	0.80	317
22HRC007B	8	9	223635	0.38	1.04	240	28	180	0.57	0.06	5	0.85	61300	42	72	3	63	3.24	3	-0.05	0.75	0.05	0.02	0.50	30700	5	0.71	1420
22HRC007B	9	10	223636	0.37	1.05	334	11	144	0.63	0.09	1	0.39	76000	55	83	1	84	2.50	4	0.06	0.90	0.06	0.02	0.50	38800	4	0.29	1000
22HRC007B	10	11	223637	0.12	1.24	288	3	124	0.66	0.08	0	0.12	80200	53	114	1	86	2.32	5	0.06	1.12	0.03	0.02	0.53	39800	5	0.32	612
22HRC007B	11	12	223638	0.08	1.24	353	4	176	0.69	0.09	0	0.17	83200	49	103	1	71	3.36	5	0.08	0.98	0.04	0.02	0.48	43400	5	0.31	944
22HRC007B	12	13	223639	0.14	1.49	384	3	161	0.77	0.10	1	0.16	87600	59	164	2	114	4.12	7	0.10	0.97	0.05	0.02	0.49	42400	10	0.55	993
22HRC007B	13	14	223640	0.13	1.32	287	4	139	0.70	0.09	1	0.10	84400	50	152	1	102	3.62	7	0.10	1.13	0.05	0.02	0.48	41200	9	0.67	1020
22HRC007B	14	15	223641	0.11	1.32	246	5	133	0.71	0.08	1	0.13	81200	43	128	2	84	3.63	7	0.10	0.96	0.05	0.03	0.50	39400	8	0.66	1020
22HRC007B	15	16	223642	0.14	1.38	201	3	108	0.64	0.08	1	0.13	68100	46	159	1	120	3.82	7	0.10	0.77	0.06	0.02	0.40	33200	10	0.64	914
22HRC007B	16	17	223643	0.13	1.30	215	3	149	0.78	0.08	0	0.08	71500	49	209	1	121	3.53	6	0.10	0.90	0.05	0.03	0.50	34300	8	0.36	1050
22HRC007B	17	18	223644	0.10	1.23	270	6	148	0.73	0.10	0	0.05	61800	40	105	2	82	2.75	5	0.08	0.72	0.04	0.02	0.56	32100	6	0.29	606
22HRC007B	18	19	223645	0.08	0.92	168	5	168	0.64	0.08	1	0.05	68800	38	111	2	75	1.66	4	0.05	0.90	0.04	0.02	0.60	35400	2	0.20	469
22HRC007B	19	20	223646	0.09	0.86	184	3	140	0.61	0.11	1	0.07	71100	49	101	1	79	2.90	4	-0.05	0.92	0.05	0.02	0.52	36200	1	0.28	882
22HRC007B	20	21	223647	0.12	0.95	122	1	155	0.62	0.10	1	0.10	68100	49	134	1	95	2.53	4	0.06	0.92	0.07	0.03	0.54	34000	4	0.43	677
22HRC007B	21	22	223648	0.18	1.01	241	2	132	0.58	0.09	1	0.10	68100	57	183	1	110	2.69	5	0.06	0.80	0.06	0.02	0.48	34200	5	0.48	627
22HRC007B	22	23	223649	0.08	1.03	121	1	157	0.62	0.07	1	0.22	70600	48	111	1	100	3.10	5	0.06	0.91	0.10	0.05	0.51	35600	7	0.48	641
22HRC007B	23	24	223651	0.06	0.91	76	1	140	0.54	0.08	1	0.10	75400	44	105	1	75	2.64	5	0.09	0.92	0.06	0.02	0.40	38600	6	0.43	519
22HRC007B	24	25	223652	0.06	0.57	51	-1	100	0.41	0.08	1	0.11	61700	36	79	1	62	2.07	4	0.07	0.74	0.06	0.02	0.30	33800	4	0.37	594
22HRC007B	25	26	223653	0.15	1.28	165	4	187	0.76	0.07	1	0.13	73000	35	107	2	75	2.69	6	0.09	0.95	0.07	0.03	0.63	37200	5	0.43	660
22HRC007B	26	27	223654	0.29	0.93	306	5	158	0.71	0.11	1	0.13	91200	54	140	1	110	2.53	5	0.08	0.72	0.07	0.03	0.49	46100	6	0.44	649
22HRC007B	27	28	223655	0.21	0.82	231	2	131	0.55	0.08	1	0.09	60300	45	110	1	95	2.58	3	-0.05	0.72	0.07	0.02	0.47	30300	1	0.48	684
22HRC007B	28	29	223656	0.31	0.97	317	15	159	0.67	0.07	1	0.08	65500	36	135	1	84	2.03	5	0.06	0.83	0.05	0.02	0.61	33300	6	0.37	553
22HRC007B	29	30	223657	0.27	0.98	249	5	162	0.65	0.07	1	0.13	62300	50	174	1	102	2.36	5	0.05	0.87	0.08	0.04	0.60	31300	6	0.43	669
22HRC007B	30	31	223658	0.22	0.93	193	2	114	0.44	0.06	2	0.03	64400	35	65	1	82	3.41	5	-0.05	0.97	0.03	0.03	0.45	32500	2	0.59	1120
22HRC007B	31	32	223659	0.38	1.15	290	4	106	0.46	0.05	2	0.10	58800	39	135	1	89	3.58	6	0.06	0.73	0.05	0.03	0.39	29300	7	0.58	1050
22HRC007B	32	33	223660	0.15	0.96	253	3	147	0.62	0.07	1	0.11	74200	32	63	2	52	2.64	4	0.06	0.84	0.04	0.02	0.51	38200	3	0.39	719
22HRC007B	33	34	223661	0.09	1.09	84	2	125	0.53	0.13	1	0.14	90400	22	35	1	29	2.99	7	0.10	1.05	0.04	0.02	0.39	46100	8	0.50	917
22HRC007B	34	35	223662	0.08	1.11	39	1	129	0.48	0.08	1	0.08	75000	27	40	1	32	3.16	6	0.10	0.94	0.05	0.02	0.39	39000	8	0.47	740
22HRC007B	35	36	223663	0.08	1.17	34	-1	136	0.55	0.10	1	0.11	85500	29	37	1	45	3.45	6	0.09	1.10	0.05	0.02	0.40	41400	9	0.49	778
22HRC007B	36	37	223664	0.05	1.18	37	1	174	0.68	0.09	1	0.09	79800	21	34	1	25	2.68	6	0.09	1.07	0.03	0.02	0.54	42100	7	0.43	609
22HRC007B	37	38	223665	0.05	1.34	34	1	158	0.68	0.06	1	0.13	86100	22	31	1	25	2.90	7	0.10	1.07	0.05	0.02	0.53	44000	9	0.51	719

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22HRC007B	38	39	223666	0.05	0.86	72	1	94	0.40	0.07	1	0.12	61100	32	61	1	31	2.59	5	0.08	0.78	0.06	0.02	0.32	32800	6	0.42	607
22HRC007B	39	40	223667	0.05	0.95	45	-1	141	0.57	0.07	1	0.09	82000	21	32	1	23	2.11	5	0.09	0.96	0.06	0.02	0.45	44400	5	0.38	491
22HRC007B	40	41	223668	0.06	0.90	61	-1	130	0.52	0.09	1	0.12	78100	31	50	1	40	2.22	5	0.09	0.96	0.04	0.02	0.42	42100	6	0.41	558
22HRC007B	41	42	223669	0.07	1.19	67	1	201	0.69	0.11	1	0.12	80500	35	65	1	48	2.15	6	0.09	0.97	0.04	0.03	0.62	43300	7	0.45	539
22HRC007B	42	43	223670	0.05	1.30	69	1	208	0.88	0.10	1	0.07	89300	24	46	1	33	2.10	6	0.09	1.13	0.03	0.02	0.67	48100	7	0.42	532
22HRC007B	43	44	223671	0.04	1.60	59	1	245	0.89	0.08	1	0.04	87800	21	28	1	33	2.41	7	0.10	1.12	0.02	0.02	0.81	46600	8	0.50	577
22HRC007B	44	45	223672	0.05	1.29	49	1	145	0.56	0.08	1	0.09	67000	18	40	1	37	2.89	6	0.09	0.84	0.04	0.02	0.45	35300	8	0.56	655
22HRC007B	45	46	223673	0.06	1.24	156	2	153	0.70	0.13	1	0.08	86000	30	51	2	51	3.58	6	0.08	0.83	0.03	0.02	0.47	42200	8	0.56	1030
22HRC007B	46	47	223676	0.04	1.18	77	1	133	0.59	0.09	1	0.04	72400	19	13	1	29	2.57	5	0.06	0.87	0.02	0.02	0.52	38400	8	0.44	600
22HRC007B	47	48	223677	0.02	0.76	29	1	76	0.35	0.03	1	0.02	67400	8	15	1	10	2.37	4	0.06	0.78	0.04	0.02	0.32	34600	4	0.46	562
22HRC007B	48	49	223678	0.04	1.02	95	1	137	0.70	0.08	1	0.05	84600	23	98	2	37	2.52	4	0.06	1.08	0.02	0.02	0.56	43300	6	0.48	601
22HRC007B	49	50	223679	0.05	1.32	100	1	174	0.80	0.10	1	0.18	79400	32	137	1	47	2.23	6	0.06	1.15	0.07	0.03	0.72	40900	6	0.52	593
22HRC007B	50	51	223680	0.05	1.13	74	-1	86	0.46	0.09	1	0.13	65600	29	151	1	39	2.95	6	0.06	0.88	0.06	0.02	0.33	34000	8	0.60	602
22HRC007B	51	52	223681	0.06	1.57	60	-1	146	0.67	0.11	1	0.12	85200	21	61	1	34	3.86	7	0.06	1.30	0.04	0.02	0.57	43800	10	0.73	925
22HRC007B	52	53	223682	0.06	1.32	52	-1	99	0.45	0.09	1	0.08	68100	22	38	1	29	3.54	6	0.06	0.88	0.07	0.02	0.34	35700	11	0.67	760
22HRC007B	53	54	223683	0.09	1.27	62	-1	112	0.51	0.13	1	0.20	70000	29	52	1	35	3.06	6	0.07	0.89	0.07	0.02	0.41	36400	10	0.62	723
22HRC007B	54	55	223684	0.11	1.27	91	3	130	0.56	0.10	1	0.18	77200	26	52	1	37	2.92	5	-0.05	1.07	0.05	0.02	0.49	39100	7	0.61	772
22HRC007B	55	56	223685	0.12	1.78	173	4	140	0.75	0.08	1	0.11	83600	27	42	2	38	2.95	7	0.06	0.86	0.03	0.02	0.67	42800	9	0.57	531
22HRC007B	56	57	223686	0.06	1.54	43	2	127	0.89	0.06	1	0.04	70500	11	4	2	28	3.40	5	0.08	0.96	0.01	0.02	0.56	36000	11	0.55	751
22HRC007B	57	58	223687	0.04	1.68	15	-1	125	0.71	0.06	1	0.03	71600	8	15	1	12	3.77	7	0.09	0.92	-0.01	0.02	0.52	36500	13	0.72	1040
22HRC007B	58	59	223688	0.06	1.60	27	1	116	0.62	0.05	1	0.03	67700	10	28	1	18	3.30	6	0.08	0.88	0.01	0.02	0.50	35000	12	0.71	922
22HRC007B	59	60	223689	0.06	1.41	44	1	135	0.67	0.05	1	0.02	67500	10	11	1	10	2.63	5	0.08	0.97	-0.01	0.02	0.60	37700	9	0.69	1130
22HRC007B	60	61	223690	0.05	2.33	50	1	200	1.26	0.08	1	0.04	112000	17	12	3	14	3.45	10	0.12	1.24	-0.01	0.04	0.90	54100	14	0.78	1110
22HRC007B	61	62	223691	0.15	2.55	109	2	168	1.11	0.07	1	0.05	89100	26	69	3	29	4.13	9	0.11	1.05	0.02	0.03	0.83	43900	19	0.88	965
22HRC007B	62	63	223692	0.20	1.30	135	2	118	0.51	0.08	1	0.02	66100	29	59	1	43	2.93	6	0.09	0.75	0.03	0.02	0.43	35600	9	0.61	979
22HRC007B	63	64	223693	0.14	1.02	77	1	112	0.52	0.06	1	0.08	71400	20	17	1	28	2.45	5	0.09	0.82	0.03	0.02	0.38	38700	7	0.47	944
22HRC007B	64	65	223694	0.16	0.62	79	2	97	0.39	0.07	1	0.12	61100	23	28	1	24	1.59	4	0.07	0.75	0.03	0.02	0.31	35600	2	0.37	809
22HRC007B	65	66	223695	0.16	1.13	256	3	192	0.74	0.11	2	0.16	89400	63	158	1	71	2.76	6	0.09	1.40	0.04	0.04	0.50	44100	6	0.55	1130
22HRC007B	66	67	223696	0.11	1.99	120	3	281	1.19	0.05	1	0.09	88800	28	123	3	49	3.69	8	0.10	0.90	0.02	0.03	0.80	41400	11	0.62	1070
22HRC007B	67	68	223697	0.05	1.17	55	1	173	0.73	0.05	1	0.05	84700	14	25	2	25	3.38	6	0.10	0.85	0.02	0.02	0.45	42700	7	0.55	1170
22HRC007B	68	69	223698	0.06	1.00	44	1	191	0.71	0.07	1	0.04	87000	13	20	1	24	2.40	6	0.09	0.96	0.02	0.02	0.43	45500	6	0.45	821
22HRC007B	69	70	223699	0.06	1.37	46	2	220	0.95	0.09	1	0.03	90000	14	20	2	17	2.75	6	0.09	1.13	0.02	0.02	0.56	45800	9	0.52	813
22HRC007B	71	72	223702	0.07	1.28	32	1	153	0.77	0.11	1	0.06	65100	11	14	2	21	3.61	5	0.06	0.77	0.02	0.02	0.60	34100	8	0.52	1220
22HRC007B	72	73	223703	0.07	1.33	29	3	117	0.91	0.05	1	0.06	66500	11	44	4	21	3.02	5	0.06	0.70	0.02	0.01	0.59	35100	9	0.52	903
22HRC007B	73	74	223704	0.06	1.05	37	3	114	0.72	0.06	1	0.07	68200	10	9	2	20	2.38	4	0.06	0.85	0.05	0.02	0.41	35600	7	0.34	739
22HRC007B	74	75	223705	0.07	1.39	18	4	132	0.89	0.03	1	0.06	64100	7	17	4	10	2.71	5	0.05	0.74	0.04	0.01	0.54	33100	6	0.47	817

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22HRC007B	75	76	223706	0.05	1.50	55	2	196	1.01	0.05	1	0.08	76300	14	23	3	18	3.20	6	0.05	1.13	0.03	0.02	0.66	38600	5	0.53	1340
22HRC007B	76	77	223707	0.05	1.00	89	2	109	0.62	0.08	1	0.08	68100	19	27	2	23	2.45	4	-0.05	0.85	0.03	0.02	0.39	35000	6	0.44	882
22HRC007B	77	78	223708	0.05	0.94	53	4	110	0.53	0.04	1	0.10	66300	12	14	2	16	2.84	4	-0.05	0.82	0.05	0.02	0.37	33200	2	0.44	1040
22HRC007B	78	79	223709	0.08	0.98	39	1	122	0.60	0.04	1	0.14	75000	11	18	1	14	2.40	5	0.06	1.10	0.05	0.02	0.37	38300	6	0.40	799
22HRC007B	79	80	223710	0.10	1.03	64	1	94	0.62	0.07	1	0.14	78100	15	17	2	25	2.46	4	0.06	1.03	0.05	0.02	0.34	40600	7	0.51	807
22HRC007B	80	81	223711	0.08	1.17	65	2	167	0.72	0.07	1	0.12	75600	17	27	2	26	3.09	5	0.08	0.94	0.04	0.02	0.45	38500	8	0.55	936
22HRC007B	81	82	223712	0.06	1.22	54	1	179	0.76	0.10	2	0.03	78300	16	12	2	31	2.85	6	0.09	0.96	0.03	0.02	0.50	41600	8	0.59	962
22HRC007B	82	83	223713	0.06	1.04	38	2	152	0.68	0.08	1	0.02	74600	15	8	2	30	3.00	5	0.09	0.97	0.02	0.02	0.42	39200	6	0.54	1070
22HRC007B	83	84	223714	0.07	1.26	46	2	171	1.08	0.06	1	-0.02	84300	12	21	3	16	2.65	6	0.10	1.08	0.02	0.02	0.59	43600	7	0.41	712
22HRC007B	84	85	223715	0.10	0.90	70	1	132	0.63	0.08	1	0.09	83800	26	47	1	36	3.31	6	0.10	1.10	0.02	0.02	0.35	41100	6	0.48	1080
22HRC007B	85	86	223716	0.10	1.25	40	1	130	0.54	0.08	1	0.08	74200	27	79	1	37	4.44	8	0.11	0.99	0.04	0.03	0.31	34500	8	0.58	1170
22HRC007B	86	87	223717	0.14	1.28	60	1	159	0.73	0.10	2	0.11	93300	27	33	1	41	4.44	7	0.11	1.23	0.04	0.03	0.40	42700	10	0.61	1330
22HRC007B	87	88	223718	0.09	1.20	57	-1	165	0.73	0.06	1	0.09	76200	18	49	2	28	4.15	6	0.08	0.93	0.04	0.02	0.42	37000	7	0.56	1200
22HRC007B	88	89	223719	0.10	1.54	82	2	216	0.94	0.06	1	0.10	87900	23	73	2	37	4.23	7	0.11	1.11	0.03	0.02	0.57	42300	10	0.61	1100
22HRC007B	89	90	223720	0.10	1.86	58	1	262	1.01	0.06	1	0.09	81900	18	62	2	29	3.97	8	0.10	1.10	0.03	0.03	0.70	39400	11	0.59	925
22HRC007B	90	91	223721	0.11	1.06	67	1	167	0.68	0.06	1	0.11	79700	19	45	1	28	3.09	6	0.09	1.00	0.04	0.02	0.39	40100	8	0.45	847
22HRC007B	91	92	223722	0.12	1.27	76	1	212	0.81	0.08	1	0.19	88600	19	51	1	26	3.12	6	0.09	1.13	0.05	0.02	0.51	44200	9	0.47	924
22HRC007B	92	93	223723	0.11	0.79	57	1	131	0.50	0.06	1	0.15	73700	15	26	1	21	2.75	5	0.09	1.05	0.04	0.02	0.30	38100	5	0.33	741
22HRC007B	93	94	223726	0.13	0.55	64	1	72	0.35	0.07	1	0.15	78200	16	16	0	23	2.75	5	0.09	1.02	0.06	0.02	0.17	39800	4	0.31	825
22HRC007B	94	95	223727	0.12	0.93	85	10	142	0.59	0.06	1	0.27	78300	14	25	1	18	3.15	7	0.10	1.20	0.07	0.03	0.34	38600	5	0.40	831
22HRC007B	95	96	223728	0.08	0.98	65	6	207	0.80	0.06	1	0.10	83400	12	16	1	13	2.86	6	0.09	1.22	0.03	0.03	0.55	42500	3	0.36	921
22HRC007B	96	97	223729	0.10	0.84	26	10	99	0.52	0.10	1	0.07	61600	4	7	1	9	1.02	4	0.07	0.27	0.01	-0.01	0.54	37900	2	0.17	279
22HRC007B	97	98	223730	0.12	0.92	19	4	96	0.52	0.09	0	0.04	63300	4	7	1	15	1.12	4	0.07	0.22	0.02	-0.01	0.56	37900	3	0.18	280
22HRC007B	98	99	223731	0.07	0.80	16	1	83	0.46	0.05	0	0.10	53000	2	8	2	7	0.79	4	0.06	0.16	0.02	-0.01	0.50	34300	2	0.17	230
22HRC007B	99	100	223732	0.14	1.01	16	1	113	0.58	0.05	1	0.11	37800	2	5	3	24	0.95	4	-0.05	0.08	0.01	-0.01	0.64	23600	3	0.28	376
22HRC007B	100	101	223733	0.14	1.03	6	-1	103	0.58	0.05	1	0.14	22900	2	5	2	17	1.05	4	-0.05	0.08	0.01	-0.01	0.63	16800	2	0.27	354
22HRC007B	101	102	223734	0.19	0.83	7	-1	99	0.45	0.07	1	0.17	31500	2	9	1	21	1.09	4	-0.05	0.09	0.02	-0.01	0.52	22300	3	0.21	297
22HRC008	5	6	223006	0.04	0.69	130	8	95	0.48	0.08	0	0.10	62500	8	5	1	8	4.89	6	0.08	0.67	0.03	0.03	0.13	30800	3	0.15	1100
22HRC008	6	7	223007	0.09	1.08	101	7	133	0.75	0.03	0	0.64	75900	11	3	2	14	4.50	10	0.12	0.99	0.02	0.03	0.21	38800	6	0.23	1260
22HRC008	7	8	223008	0.05	1.06	40	2	63	0.74	0.02	0	0.10	75700	9	6	1	8	4.59	9	0.10	0.95	0.03	0.03	0.23	37600	6	0.20	1010
22HRC008	8	9	223009	0.11	0.89	95	5	69	0.73	0.04	0	0.30	79700	13	5	1	13	4.40	9	0.11	1.07	0.03	0.04	0.23	39600	5	0.15	1300
22HRC008	9	10	223010	0.08	0.63	57	1	52	0.45	0.03	0	0.25	67900	9	11	0	8	3.54	7	0.09	0.86	0.03	0.03	0.12	36300	5	0.10	932
22HRC008	10	11	223011	0.13	0.72	122	2	70	0.50	0.02	0	0.42	66600	12	8	1	11	3.44	7	0.09	0.74	0.02	0.03	0.14	36000	5	0.13	797
22HRC008	11	12	223012	0.06	0.67	41	3	52	0.53	0.02	0	0.16	69200	8	10	1	8	3.93	6	0.09	0.83	0.04	0.02	0.15	34900	5	0.11	776
22HRC008	12	13	223013	0.09	0.74	53	2	68	0.51	0.02	0	0.15	72000	9	3	1	7	3.47	7	0.10	0.76	0.03	0.02	0.21	37300	4	0.12	844
22HRC008	13	14	223014	0.09	0.72	27	2	53	0.44	0.01	0	0.17	67600	8	5	1	8	3.74	7	0.09	0.71	0.04	0.02	0.17	35600	5	0.13	549

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22HRC008	14	15	223015	0.43	0.97	491	20	146	0.75	0.02	0	1.99	88400	23	9	1	29	4.69	6	0.10	0.91	0.06	0.03	0.22	42900	3	0.13	1680
22HRC008	15	16	223016	0.31	0.75	225	15	181	0.56	0.02	0	1.03	78400	9	4	1	17	3.52	7	0.10	0.91	0.03	0.03	0.18	41000	3	0.11	1010
22HRC008	16	17	223017	0.10	0.62	166	13	66	0.43	0.02	0	0.26	70000	8	6	1	10	3.92	6	0.10	1.00	0.03	0.03	0.18	36600	3	0.09	569
22HRC008	17	18	223018	0.14	0.52	95	8	73	0.40	0.02	0	0.66	70200	7	3	1	11	2.92	6	0.09	0.81	0.02	0.02	0.14	36900	3	0.09	673
22HRC008	18	19	223019	0.11	0.63	43	4	77	0.37	0.01	0	0.35	69400	6	6	1	9	3.55	5	0.08	0.90	0.02	0.03	0.20	36000	3	0.09	818
22HRC008	19	20	223020	0.11	0.58	71	9	85	0.37	0.01	0	0.39	67600	6	4	1	10	3.54	5	0.08	0.76	0.02	0.02	0.21	34700	2	0.08	883
22HRC008	20	21	223021	0.20	0.86	447	60	151	0.54	0.02	0	1.04	71800	15	6	1	11	4.84	4	0.07	0.79	0.02	0.02	0.32	34600	1	0.08	3040
22HRC008	21	22	223022	0.37	0.70	424	42	112	0.57	0.02	0	1.49	78400	15	6	3	19	4.48	4	0.09	0.67	0.02	0.02	0.28	38500	3	0.08	2500
22HRC008	22	23	223023	0.92	0.77	944	453	197	0.59	0.03	0	2.09	76300	28	14	1	37	2.79	3	0.07	0.62	0.05	0.01	0.32	39300	2	0.07	4980
22HRC008	23	24	223026	0.62	0.49	2140	358	108	0.44	0.02	0	1.28	55800	15	5	1	34	2.39	3	0.06	0.45	0.10	-0.01	0.30	29900	1	0.03	718
22HRC008	24	25	223027	0.28	0.52	369	452	58	0.29	0.03	0	0.07	47800	4	8	1	7	1.91	3	0.06	0.39	0.04	-0.01	0.29	28600	-1	0.03	187
22HRC008	31	32	223034	0.06	0.81	22	3	40	0.56	0.03	0	0.08	52300	11	11	1	6	6.91	6	0.08	0.69	0.04	0.03	0.16	23800	5	0.29	1850
22HRC008	32	33	223035	0.05	0.49	33	3	39	0.40	0.02	0	0.07	50500	9	-2	1	6	4.14	4	0.07	0.55	0.05	0.02	0.14	25100	3	0.17	1150
22HRC008	33	34	223036	0.04	0.42	18	2	51	0.43	0.02	0	0.06	49800	8	5	0	6	3.57	3	0.06	0.60	0.05	0.02	0.16	26200	2	0.13	960
22HRC008	34	35	223037	0.04	0.39	17	2	50	0.42	0.02	0	0.07	49300	8	7	0	6	4.43	4	0.07	0.58	0.07	0.03	0.17	24500	1	0.16	1350
22HRC008	46	47	223049	0.04	0.77	11	1	76	0.47	0.03	0	0.04	52300	10	-2	0	8	4.77	6	0.07	0.61	0.03	0.02	0.16	26400	4	0.25	1450
22HRC008	47	48	223051	0.04	0.63	13	2	71	0.48	0.03	0	0.05	53400	10	3	0	7	3.88	5	0.06	0.65	0.05	0.02	0.16	27600	4	0.20	1180
22HRC008	48	49	223052	0.05	0.64	11	2	81	0.52	0.04	0	0.10	49900	8	6	1	7	3.66	4	0.06	0.61	0.05	0.02	0.23	25500	2	0.19	1200
22HRC008	49	50	223053	0.02	0.73	12	1	91	0.56	0.02	0	0.05	57700	9	5	1	6	3.39	5	0.07	0.64	0.03	0.02	0.21	29400	3	0.20	1140
22HRC008	50	51	223054	0.07	1.64	21	1	87	0.70	0.07	0	0.02	64900	15	-2	2	13	4.27	6	0.09	0.65	0.02	0.02	0.42	32400	12	0.39	827
22HRC008	57	58	223061	0.04	1.55	7	2	81	0.65	0.04	0	0.02	74200	6	3	1	9	5.12	7	0.10	0.91	-0.01	0.02	0.31	35900	13	0.50	1180
22HRC008	58	59	223062	0.02	1.38	7	1	74	0.51	0.03	0	-0.02	67700	6	-2	1	7	3.63	7	0.08	0.60	-0.01	0.01	0.27	36200	11	0.46	607
22HRC008	59	60	223063	0.02	1.61	5	1	85	0.80	0.04	0	-0.02	89000	5	-2	2	5	3.54	7	0.10	1.08	-0.01	0.01	0.43	45900	13	0.48	671
22HRC008	60	61	223064	0.07	2.24	9	1	200	1.03	0.07	0	0.03	112000	6	5	2	14	3.39	9	0.09	1.30	-0.01	0.02	0.53	53000	12	0.44	648
22HRC008	61	62	223065	0.05	1.17	10	1	108	0.65	0.11	0	-0.02	84600	8	3	1	13	2.51	6	0.08	1.23	0.01	0.01	0.30	42100	6	0.24	867
22HRC008	62	63	223066	0.03	0.97	6	1	94	0.49	0.07	0	-0.02	62000	5	4	1	8	2.09	5	0.07	1.02	0.02	0.01	0.24	33100	4	0.18	480
22HRC008	63	64	223067	0.03	0.84	7	1	61	0.45	0.06	0	-0.02	54500	7	6	1	10	2.54	6	0.07	0.86	0.04	0.02	0.19	27600	5	0.20	659
22HRC008	64	65	223068	0.02	0.83	5	1	59	0.42	0.05	0	-0.02	50800	4	2	1	7	2.28	5	-0.05	0.63	0.02	0.01	0.22	27000	5	0.19	607
22HRC008	65	66	223069	0.02	1.79	8	1	150	0.87	0.05	0	0.02	84700	6	4	2	6	5.03	8	0.09	1.28	0.01	0.02	0.34	37900	12	0.49	1480
22HRC008	76	77	223082	0.02	1.38	7	1	47	0.48	0.04	0	-0.02	46400	6	6	1	8	4.19	8	0.06	0.82	0.02	0.02	0.16	22200	9	0.38	879
22HRC008	77	78	223083	0.02	1.21	5	1	39	0.46	0.04	0	-0.02	48400	5	7	1	8	3.96	7	0.07	0.90	0.03	0.02	0.13	22200	8	0.36	723
22HRC008	78	79	223084	0.03	1.02	33	5	38	0.42	0.09	0	-0.02	46600	4	10	1	12	3.23	6	0.06	0.71	0.04	0.02	0.14	22500	6	0.29	340
22HRC008	79	80	223085	0.02	1.31	4	1	46	0.54	0.03	0	-0.02	48600	4	7	1	7	3.44	7	0.07	0.79	0.02	0.02	0.17	23300	8	0.34	342
22HRC008	80	81	223086	0.02	0.83	3	1	24	0.28	0.05	0	0.02	44600	4	-2	0	6	2.94	7	0.07	0.78	0.04	0.02	0.06	21800	6	0.25	504
22HRC008	91	92	223097	0.02	1.00	3	-1	55	0.54	0.05	0	-0.02	49800	4	7	1	7	2.85	7	0.06	1.20	0.02	0.01	0.17	24400	7	0.27	543
22HRC008	92	93	223098	0.03	0.98	4	1	47	0.49	0.12	0	-0.02	53700	6	8	1	9	2.76	6	0.06	0.86	0.02	0.01	0.16	27500	6	0.32	557

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22HRC008	93	94	223099	0.04	1.30	7	1	60	0.61	0.13	0	-0.02	66300	10	8	1	13	2.73	7	0.08	0.53	0.01	0.01	0.18	34200	8	0.44	209
22HRC008	94	95	223101	0.04	1.23	2	-1	11	0.23	0.04	0	-0.02	49800	6	7	0	17	3.16	8	0.07	0.47	0.02	0.02	0.02	24400	9	0.53	279
22HRC008	95	96	223102	0.06	3.88	35	-1	19	0.71	0.05	0	-0.02	48900	61	453	1	97	8.04	14	0.09	0.73	-0.01	0.04	0.08	19900	30	2.43	490
22HRC008B	27	28	223157	0.14	0.99	109	4	93	0.60	0.07	0	0.43	78300	12	3	2	12	3.28	5	0.09	0.73	0.02	0.02	0.32	34400	1	0.15	983
22HRC008B	28	29	223158	0.12	1.38	96	2	104	0.77	0.09	0	0.45	54200	12	6	3	6	5.13	6	0.10	0.83	0.02	0.03	0.41	22600	2	0.21	1390
22HRC008B	29	30	223159	0.15	0.86	49	2	60	0.51	0.11	0	0.19	56700	9	5	2	15	4.18	5	0.09	0.86	0.03	0.03	0.29	24000	2	0.19	1380
22HRC008B	30	31	223160	0.12	0.56	28	1	45	0.34	0.08	0	0.20	62800	7	6	1	13	3.19	5	0.09	1.04	0.04	0.03	0.21	27100	2	0.21	1050
22HRC008B	31	32	223161	0.10	0.60	25	1	52	0.37	0.10	0	0.21	66500	7	9	1	11	3.22	5	0.10	1.16	0.07	0.03	0.21	29400	3	0.19	919
22HRC008B	32	33	223162	0.06	0.67	21	2	55	0.50	0.08	0	0.09	71800	6	8	2	7	3.43	5	0.09	1.13	0.05	0.02	0.29	30800	1	0.19	811
22HRC008B	33	34	223163	0.05	0.89	17	2	66	0.64	0.04	0	0.04	87700	5	5	3	7	2.51	5	0.10	1.25	0.03	0.02	0.43	38100	4	0.22	617
22HRC008B	34	35	223164	0.06	0.70	31	2	57	0.45	0.03	0	0.11	68000	8	10	2	7	3.37	5	0.09	1.19	0.04	0.02	0.30	29800	4	0.19	879
22HRC008B	35	36	223165	0.06	0.49	58	2	49	0.38	0.01	0	0.12	86900	12	7	1	8	2.59	4	0.08	0.85	0.05	0.02	0.19	38100	2	0.12	684
22HRC008B	40	41	223170	0.16	0.68	39	2	59	0.45	2.41	0	0.09	147000	11	9	2	16	1.31	4	0.09	1.03	0.02	0.03	0.35	63800	3	0.15	384
22HRC008B	41	42	223171	0.07	0.64	15	3	57	0.40	0.17	0	0.03	228000	5	4	1	13	0.58	3	0.09	0.82	0.01	0.01	0.37	94200	3	0.08	322
22HRC008B	42	43	223172	0.12	1.04	44	111	81	0.61	0.54	1	0.09	156000	13	6	1	15	1.74	6	0.14	1.02	0.02	0.02	0.54	67100	7	0.31	469
22HRC008B	43	44	223173	0.10	1.25	67	2	50	0.55	0.48	0	0.07	74800	13	4	2	22	3.87	7	0.11	0.85	0.02	0.03	0.34	31300	5	0.38	670
22HRC008B	56	57	223188	0.12	1.50	68	3	136	0.68	0.09	0	0.06	160000	13	6	3	12	1.82	7	0.14	0.98	0.01	0.02	0.54	70100	8	0.27	557
22HRC008B	57	58	223189	0.21	0.93	192	28	81	0.63	0.07	0	0.50	100000	18	24	3	27	1.71	4	0.09	0.62	0.10	0.03	0.43	44600	5	0.16	364
22HRC008B	58	59	223190	0.21	0.87	155	6	98	0.73	0.04	0	0.23	116000	18	16	4	36	1.55	4	0.07	0.52	0.03	0.01	0.51	53100	3	0.11	622
22HRC008B	59	60	223191	0.34	0.85	75	10	93	0.54	0.04	0	0.16	143000	8	12	3	20	0.92	3	0.06	0.42	0.02	-0.01	0.53	65400	1	0.08	292
22HRC008B	60	61	223192	0.15	0.87	91	12	93	0.55	0.04	0	0.11	134000	8	12	5	15	1.27	3	0.07	0.33	0.02	0.01	0.53	61000	3	0.13	501
22HRC008B	61	62	223193	0.21	0.88	67	3	72	0.48	0.04	1	0.03	96400	8	8	4	32	1.33	3	0.06	0.24	0.02	-0.01	0.55	42900	2	0.37	841
22HRC008B	62	63	223194	0.66	0.64	135	6	60	0.37	0.04	1	0.30	113000	18	16	2	78	1.13	3	0.06	0.53	0.06	0.02	0.41	49600	1	0.27	526
22HRC008B	63	64	223195	0.70	1.14	192	6	108	0.51	0.06	1	0.54	125000	25	33	2	89	1.20	5	0.08	0.67	0.07	0.02	0.66	54200	4	0.25	423
22HRC008B	64	65	223196	0.61	0.80	125	3	71	0.40	0.05	1	0.52	116000	21	26	1	83	1.26	4	0.09	0.52	0.07	0.02	0.45	50700	2	0.29	529
22HRC008B	65	66	223197	0.63	0.79	112	2	66	0.38	0.06	1	0.40	113000	17	24	2	67	1.21	4	0.09	0.41	0.06	0.01	0.41	49700	5	0.23	377
22HRC008B	66	67	223198	0.42	1.18	87	2	75	0.58	0.06	0	0.23	120000	16	22	5	33	1.21	4	0.07	0.41	0.03	-0.01	0.58	53800	6	0.22	102
22HRC008B	67	68	223199	0.07	0.77	24	1	55	0.37	0.02	0	0.03	158000	5	9	5	5	0.91	3	0.05	0.16	0.02	-0.01	0.46	72200	5	0.15	108
22HRC008B	73	74	223206	0.27	0.76	50	1	54	0.27	0.05	0	0.16	137000	8	21	2	17	0.96	4	0.05	0.21	0.03	-0.01	0.40	62000	4	0.16	125
22HRC008B	74	75	223207	0.16	0.90	57	1	51	0.28	0.04	0	0.35	119000	9	30	1	16	1.31	4	0.07	0.24	0.05	0.01	0.39	56700	8	0.20	100
22HRC008B	75	76	223208	0.53	1.20	182	4	64	0.54	0.22	0	0.03	93800	22	42	5	78	2.13	4	0.07	0.35	0.05	-0.01	0.53	42400	8	0.24	65
22HRC008B	76	77	223209	0.07	1.26	75	1	78	0.57	0.02	0	0.02	108000	13	48	5	8	1.53	4	0.07	0.33	0.02	-0.01	0.59	49800	7	0.22	62
22HRC008B	77	78	223210	0.98	0.93	192	7	86	0.37	0.18	0	0.14	76700	10	10	4	98	2.91	3	0.07	0.28	0.19	-0.01	0.52	36200	6	0.15	55
22HRC008B	78	79	223211	2.43	1.33	218	8	119	0.43	0.27	0	0.20	61300	16	68	4	259	3.21	4	0.08	0.32	0.32	0.01	0.59	27400	10	0.23	74
22HRC008B	85	86	223218	0.17	0.58	62	3	43	0.35	0.09	0	-0.02	162000	5	5	3	8	1.09	3	0.06	0.21	0.06	-0.01	0.38	72600	3	0.08	49
22HRC008B	86	87	223219	0.38	1.45	233	10	148	0.52	0.17	0	-0.02	81200	16	24	3	16	3.22	5	0.06	0.43	0.20	-0.01	0.68	32100	6	0.21	79

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22HRC008B	87	88	223220	0.13	1.48	146	5	100	0.60	0.03	0	-0.02	130000	22	35	5	11	1.73	5	0.07	0.43	0.03	-0.01	0.72	51700	9	0.24	122
22HRC008B	88	89	223221	0.11	1.48	68	15	98	0.65	0.03	0	-0.02	119000	16	29	5	10	1.57	5	0.07	0.37	0.02	-0.01	0.75	46400	6	0.34	376
22HRC008B	89	90	223222	0.16	1.25	116	9	89	0.63	0.05	0	-0.02	143000	17	18	5	19	1.30	4	0.06	0.38	0.01	-0.01	0.65	56000	7	0.20	184
22HRC008B	90	91	223223	0.20	1.24	269	4	99	0.52	0.13	1	0.04	109000	38	35	2	59	1.98	5	0.07	0.62	0.02	0.01	0.55	41000	6	0.32	501
22HRC008B	96	97	223231	0.19	1.29	72	3	88	0.42	0.10	1	0.32	75600	13	34	1	44	2.94	6	0.07	0.77	0.04	0.02	0.37	27600	10	0.50	871
22HRC008B	97	98	223232	0.14	0.79	51	2	54	0.25	0.02	1	0.27	117000	9	18	1	26	1.58	4	0.06	0.30	0.04	-0.01	0.31	45200	6	0.32	503
22HRC008B	98	99	223233	0.18	1.15	53	2	83	0.47	0.04	1	0.03	123000	9	14	2	27	1.41	5	0.06	0.34	0.02	-0.01	0.56	47100	4	0.26	407
22HRC008B	103	104	223238	0.07	0.78	6	1	74	0.31	0.05	0	-0.02	307000	1	3	2	5	0.90	5	0.08	0.10	0.02	-0.01	0.41	121000	5	0.18	252
22HRC008B	104	105	223239	0.02	0.78	3	-1	76	0.29	0.01	0	-0.02	113000	1	4	1	4	0.88	3	-0.05	0.11	0.02	-0.01	0.43	43000	3	0.21	326
22HRC008B	105	106	223240	0.06	0.65	10	1	65	0.28	0.03	0	-0.02	294000	2	4	1	9	0.65	4	0.07	0.16	0.02	-0.01	0.39	110000	2	0.14	256
22HRC008B	106	107	223241	0.04	0.67	7	1	70	0.29	0.03	0	-0.02	182000	2	7	1	7	0.69	3	0.05	0.13	0.01	-0.01	0.41	69200	4	0.15	282
22HRC010	95	96	228442	0.45	3.19	2	1	132	0.79	0.13	2	0.02	44900	17	63	1	49	3.19	9	0.06	0.08	0.03	0.01	1.06	21700	20	1.61	738
22HRC010	96	97	228443	0.51	2.65	2	4	88	0.59	0.17	3	0.03	45000	17	57	3	52	2.80	9	0.06	0.09	-0.01	0.02	0.79	21600	18	1.35	747
22HRC010	97	98	228444	0.33	2.52	2	2	102	0.67	0.13	2	0.02	55500	13	63	1	36	2.41	8	0.05	0.08	-0.01	0.01	0.86	29000	15	1.20	634
22HRC010	98	99	228445	0.13	1.21	2	1	63	0.40	0.05	1	0.09	28500	5	17	1	17	1.42	5	-0.05	0.13	0.01	-0.01	0.47	15100	7	0.49	338
22HRC010	99	100	228446	0.29	2.46	3	1	96	0.64	0.23	2	0.04	37900	13	43	1	40	2.48	7	-0.05	0.07	-0.01	-0.01	0.85	19700	16	1.19	598
22HRC010	120	121	228468	0.47	2.65	3	1	112	0.62	0.19	2	0.05	37700	16	87	1	40	2.98	8	-0.05	0.10	-0.01	0.01	0.69	19600	18	1.50	746
22HRC010	121	122	228469	0.15	2.65	2	2	147	0.89	0.10	3	0.13	52100	10	31	4	24	2.39	8	-0.05	0.12	0.02	0.01	1.02	27900	17	1.06	919
22HRC010	122	123	228470	0.16	2.19	1	2	153	0.62	0.08	2	0.18	60400	12	24	2	33	2.38	7	-0.05	0.08	0.02	0.01	0.75	31600	14	1.02	608
22HRC010	123	124	228471	0.14	2.62	2	-1	211	0.59	0.04	1	0.09	52200	12	30	1	30	2.61	8	-0.05	0.07	0.01	0.01	1.07	27400	15	1.06	550
22HRC010	124	125	228472	0.19	0.94	1	1	61	0.23	0.02	1	0.05	49000	4	13	0	18	1.45	5	0.05	0.20	0.03	-0.01	0.30	25500	5	0.36	285
22HRC010	125	126	228473	0.16	1.05	1	-1	64	0.32	0.02	1	0.15	103000	5	17	1	23	1.49	6	0.07	0.20	0.03	-0.01	0.34	45700	7	0.45	327
22HRC010	126	127	228476	0.43	0.54	2	2	43	0.10	0.01	1	0.08	111000	3	6	0	61	0.94	4	0.07	0.27	0.02	-0.01	0.23	49000	2	0.17	291
22HRC010	127	128	228477	0.29	1.36	1	1	67	0.31	0.05	1	0.25	51300	7	32	1	57	1.90	7	0.06	0.17	0.03	0.01	0.41	26900	10	0.60	376
22HRC010	128	129	228478	0.19	0.77	1	4	59	0.19	0.03	0	0.03	103000	2	7	1	25	1.18	5	0.07	0.27	0.02	-0.01	0.34	44400	4	0.22	227
22HRC010	129	130	228479	0.10	0.67	3	2	58	0.12	-0.01	0	-0.02	152000	3	5	0	22	1.28	4	0.08	0.25	0.03	-0.01	0.32	59200	3	0.18	201
22HRC010	162	163	228513	0.31	1.85	-1	1	88	0.60	0.09	2	0.12	43100	9	25	2	31	2.16	6	-0.05	0.12	0.01	-0.01	0.53	22000	13	1.05	851
22HRC010	163	164	228514	0.08	1.58	-1	3	81	0.47	0.02	4	0.07	46100	6	9	2	11	1.64	5	-0.05	0.14	0.01	-0.01	0.60	23500	10	0.69	1220
22HRC010	164	165	228515	0.09	1.99	-1	2	116	0.63	0.04	1	0.06	51700	6	14	2	16	1.78	6	-0.05	0.16	-0.01	-0.01	0.84	27000	12	0.79	565
22HRC010	165	166	228516	0.51	1.02	-1	1	67	0.48	1.11	1	0.03	14700	3	11	1	21	0.98	4	-0.05	0.24	-0.01	-0.01	0.51	6650	4	0.28	294
22HRC010	166	167	228517	0.12	1.65	-1	1	90	0.54	0.09	1	0.04	25500	7	24	1	48	1.77	4	-0.05	0.08	-0.01	-0.01	0.67	13000	9	0.72	551
22HRC010	167	168	228518	0.11	1.41	2	2	87	0.38	0.03	1	0.04	48100	6	12	1	35	1.71	6	-0.05	0.16	0.01	-0.01	0.58	25100	8	0.54	339
22HRC010	168	169	228519	0.14	1.80	1	1	86	0.55	0.03	1	0.05	59300	9	35	2	48	2.24	6	0.06	0.13	0.01	0.01	0.65	31000	12	0.78	579
22HRC010	169	170	228520	0.15	1.37	2	1	88	0.43	0.05	1	0.07	78500	6	9	1	30	1.66	6	0.07	0.16	0.02	-0.01	0.58	41300	7	0.50	565
22HRC010	170	171	228521	0.12	1.40	-1	1	74	0.50	0.03	1	0.08	69200	5	9	1	18	1.73	5	0.05	0.23	0.01	-0.01	0.53	36800	7	0.56	423
22HRC010	171	172	228522	0.10	0.77	-1	-1	45	0.27	0.02	0	0.09	48100	2	7	1	14	1.05	3	-0.05	0.25	0.01	-0.01	0.39	25200	4	0.27	287

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22HRC010	172	173	228523	0.04	0.58	-1	-1	37	0.27	0.02	0	0.03	17100	1	4	1	2	0.61	2	-0.05	0.09	-0.01	-0.01	0.38	8500	-1	0.13	119
22HRC010	173	174	228526	0.05	0.58	-1	1	35	0.28	0.01	0	-0.02	14300	1	6	1	5	0.66	2	-0.05	0.21	-0.01	-0.01	0.41	7080	1	0.11	157
22HRC010	174	175	228527	0.14	2.55	2	1	125	0.99	0.05	2	0.20	45200	11	46	2	20	2.60	7	0.05	0.09	0.01	0.02	1.12	22600	16	1.26	1130
22HRC010	175	176	228528	0.12	2.42	5	3	91	0.79	0.08	2	0.14	42700	14	50	2	18	2.70	7	-0.05	0.08	-0.01	0.01	0.86	21800	15	1.37	1100
22MCRC003A	104	105	229835	7.31	1.36	229	22	172	0.79	2.91	0	6.52	60200	68	51	1	141	1.22	5	0.06	1.04	0.38	0.32	0.81	33200	8	0.29	219
22MCRC003A	105	106	229836	16.20	0.83	223	18	108	0.54	8.98	0	3.84	54300	76	46	1	1080	1.15	3	0.05	0.85	0.23	0.53	0.46	29600	6	0.26	266
22MCRC003A	106	107	229837	24.90	1.32	327	77	122	0.63	6.72	0	12.70	55400	89	40	1	297	1.76	5	0.06	0.94	0.70	0.93	0.57	31300	11	0.36	294
22MCRC003A	107	108	229838	45.40	1.34	200	671	108	0.65	52.60	0	4.34	59200	57	49	2	684	2.05	4	0.07	1.09	0.31	0.26	0.54	33100	13	0.40	248
22MCRC003A	108	109	229839	9.70	0.84	57	49	94	0.54	2.56	1	2.30	44500	19	47	1	229	1.44	3	0.05	0.84	0.17	0.07	0.43	24800	4	0.45	840
22MCRC003A	109	110	229840	67.90	0.78	44	63	95	0.43	4.04	0	27.80	35400	22	34	1	150	1.05	2	-0.05	0.65	1.55	0.12	0.42	20200	4	0.21	334
22MCRC003A	110	111	229841	34.60	0.56	21	20	71	0.32	2.60	0	29.30	34400	12	28	1	91	1.00	2	-0.05	0.59	1.42	0.06	0.33	18900	4	0.18	242
22MCRC003A	111	112	229842	3.60	0.82	27	8	108	0.47	2.64	1	3.61	50400	10	39	1	73	0.96	3	-0.05	0.65	0.20	0.08	0.44	28000	5	0.27	367
22MCRC003A	112	113	229843	2.70	0.89	23	4	102	0.42	3.68	0	1.35	42300	7	53	1	49	1.03	3	0.05	0.54	0.09	0.05	0.43	23300	4	0.23	233
22MCRC003A	113	114	229844	7.75	1.20	27	12	138	0.56	6.80	0	7.27	44400	7	42	1	103	1.08	3	-0.05	0.58	0.34	0.10	0.63	24400	7	0.21	161
22MCRC003A	114	115	229845	10.30	0.61	28	9	75	0.34	5.98	0	10.10	28000	8	19	1	172	1.08	2	-0.05	0.42	0.40	0.23	0.31	15000	4	0.19	211
22MCRC003A	115	116	229846	11.80	0.62	25	14	71	0.36	6.85	1	9.21	27800	8	68	1	116	1.32	2	-0.05	0.45	0.40	0.15	0.33	15100	5	0.51	713
22MCRC003A	116	117	229847	21.00	0.55	35	135	67	0.31	8.17	0	25.80	22300	19	49	1	172	1.22	2	-0.05	0.41	0.91	0.18	0.28	12200	2	0.17	221
22MCRC003A	117	118	229848	24.20	0.51	38	38	58	0.31	21.30	1	22.30	22500	18	34	0	170	1.35	1	-0.05	0.37	0.90	0.30	0.27	12100	5	0.34	519
22MCRC003A	118	119	229849	18.50	0.56	159	133	73	0.37	37.30	0	73.90	30100	104	29	0	220	0.96	2	-0.05	0.38	2.39	1.94	0.35	15600	5	0.05	103
22MCRC003A	119	120	229851	3.69	0.49	112	21	96	0.53	9.34	0	34.10	39600	50	11	1	202	2.32	3	-0.05	0.51	1.04	5.34	0.42	20600	6	0.22	449
22MCRC003A	120	121	229852	4.01	1.75	98	49	126	0.61	8.05	0	47.80	45600	56	95	1	110	3.67	5	0.06	0.66	1.51	5.27	0.57	23600	10	0.37	412
22MCRC003A	121	122	229853	2.71	1.21	75	32	106	0.50	1.53	0	37.40	32200	31	44	0	54	3.13	3	-0.05	0.47	1.21	1.51	0.42	16800	7	0.32	418
22MCRC003A	122	123	229854	7.89	0.99	48	43	113	0.45	0.63	0	42.50	39700	27	21	0	62	2.86	3	-0.05	0.45	1.26	1.61	0.48	21600	5	0.29	458
22MCRC003A	123	124	229855	2.38	1.09	53	35	105	0.44	0.24	0	41.40	30700	33	21	0	45	1.96	3	-0.05	0.42	1.24	0.50	0.43	15700	2	0.25	252
22MCRC003A	124	125	229856	3.01	1.13	61	178	122	0.56	0.26	0	66.60	44000	43	17	1	48	1.78	3	-0.05	0.61	2.04	1.56	0.48	23200	8	0.23	186
22MCRC003A	125	126	229857	2.14	1.72	84	69	166	0.61	0.86	0	69.70	46000	56	47	1	63	2.74	4	-0.05	0.66	2.05	2.73	0.64	23800	9	0.37	204
22MCRC003A	126	127	229858	0.67	1.73	100	22	135	0.73	0.92	0	48.30	56500	68	10	1	46	2.62	5	0.05	0.86	1.41	2.23	0.59	30200	14	0.41	157
22MCRC003A	127	128	229859	2.44	1.87	198	32	124	0.71	5.58	0	45.90	53500	105	31	1	802	4.72	6	0.05	0.68	1.54	1.40	0.50	27400	15	0.61	422
22MCRC003A	128	129	229860	0.39	2.88	81	10	151	0.90	0.56	1	3.04	71800	22	52	2	44	5.59	8	0.07	0.94	0.12	0.18	0.65	36900	28	0.93	653
22MCRC003A	168	169	229903	5.33	1.55	55	16	143	1.21	4.38	1	3.36	65200	27	23	2	200	4.63	4	0.05	1.05	0.16	0.07	0.76	34400	13	0.92	1210
22MCRC003A	169	170	229904	11.60	1.46	64	15	148	1.03	0.31	1	4.54	59800	22	76	1	172	2.54	4	-0.05	0.91	0.38	0.05	0.66	30600	11	0.70	856
22MCRC003A	170	171	229905	2.73	1.50	77	6	166	1.04	0.07	1	2.82	72100	23	114	1	83	1.92	5	-0.05	0.73	0.24	0.05	0.81	38300	9	0.71	793
22MCRC003A	171	172	229906	2.20	1.47	103	6	113	0.78	0.06	1	6.70	60100	29	90	1	117	2.40	4	-0.05	0.78	0.58	0.05	0.52	31800	14	0.76	797
22MCRC003A	172	173	229907	1.67	1.93	82	3	157	0.96	0.05	1	2.27	63900	27	94	2	61	2.74	5	0.05	1.02	0.23	0.04	0.75	33700	17	0.79	1150
22MCRC003A	173	174	229908	1.36	1.81	32	3	113	0.68	0.08	1	1.97	68900	14	10	1	47	2.96	4	-0.05	0.77	0.20	0.04	0.53	36500	18	0.75	635
22MCRC003A	174	175	229909	0.89	1.82	34	3	109	0.72	0.11	1	3.84	64500	15	35	1	33	3.18	4	0.05	1.06	0.37	0.04	0.49	34000	19	0.84	888

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22MCR003A	175	176	229910	5.34	3.41	75	4	98	0.86	2.75	1	3.32	54800	31	317	1	636	7.71	9	0.07	0.86	0.49	0.11	0.42	29200	30	2.27	1970
22MCR003A	176	177	229911	3.85	4.59	70	4	59	0.39	2.50	1	4.34	43600	33	404	0	420	10.20	12	0.06	0.65	0.61	0.13	0.08	21900	33	3.08	1130
22MCR003A	177	178	229912	2.01	3.82	68	2	52	0.62	1.10	1	0.42	43400	29	377	1	151	8.39	11	0.09	0.70	0.06	0.07	0.26	22000	32	2.64	1460
22MCR003A	178	179	229913	1.08	4.94	46	1	53	0.69	1.28	1	0.63	49800	27	368	0	142	10.30	14	0.13	0.97	0.07	0.08	0.15	25500	41	3.24	1090
22MCR003A	179	180	229914	1.88	3.65	86	3	65	0.87	1.97	3	0.50	42000	39	385	1	926	8.08	10	0.08	0.60	0.07	0.11	0.34	21500	30	3.16	2390
22MCR003A	180	181	229915	5.31	4.55	91	6	36	0.79	0.29	4	0.81	26400	48	956	1	205	8.46	9	0.05	0.42	0.07	0.22	0.31	13500	42	5.67	2550
22MCR003A	181	182	229916	4.84	3.93	134	10	48	0.72	2.95	2	6.25	35600	55	655	1	216	6.97	10	0.09	0.60	0.43	0.42	0.30	18600	34	4.44	1360
22MCR003A	189	190	229926	0.58	1.03	75	2	21	0.56	0.03	5	0.09	7120	52	1100	1	48	5.41	5	-0.05	0.11	0.03	0.02	0.14	2480	27	5.11	2300
22MCR003A	190	191	229927	0.72	3.19	97	2	30	0.66	0.03	5	0.08	6320	59	1440	1	44	6.29	5	0.06	0.17	0.02	0.03	0.21	2210	34	6.17	2050
22MCR003A	191	192	229928	0.83	3.20	69	1	23	0.43	0.17	6	0.07	4960	53	1460	1	36	6.57	6	0.08	0.15	0.02	0.06	0.09	1950	29	6.93	1940
22MCR003A	192	193	229929	3.06	3.42	73	6	30	0.54	15.30	1	0.08	19400	47	445	0	3100	7.91	10	0.10	0.43	0.04	0.35	0.11	7230	30	3.11	804
22MCR003A	193	194	229930	2.49	3.29	71	5	63	0.68	10.80	1	0.11	26200	42	347	1	1920	7.51	11	0.10	0.55	0.02	0.29	0.20	10400	30	2.53	537
22MCR003A	194	195	229931	8.39	3.46	86	10	77	0.66	48.70	0	0.24	25700	45	314	0	5380	8.41	11	0.09	0.63	0.03	0.44	0.25	10400	33	2.25	444
22MCR003A	195	196	229932	8.54	3.93	84	13	83	0.66	35.60	0	0.19	30800	47	221	0	5370	9.88	12	0.10	0.85	0.03	0.37	0.24	12200	37	2.29	436
22MCR003A	196	197	229933	12.50	2.42	60	18	87	0.64	69.10	0	0.16	29700	27	149	1	5290	5.72	9	0.07	0.60	0.05	0.29	0.31	12800	21	1.28	354
22MCR003A	197	198	229934	5.09	3.12	60	10	81	0.87	8.30	3	0.16	24000	39	654	1	2030	6.66	8	0.08	0.52	0.02	0.16	0.41	9290	39	3.15	1270
22MCR003A	198	199	229935	0.84	2.19	15	8	140	1.40	1.51	1	0.05	84800	14	48	2	226	2.89	7	0.08	0.79	0.02	0.07	0.83	35100	18	1.04	905
22MCR003A	199	200	229936	0.72	2.39	17	8	194	2.38	1.14	1	0.04	122000	13	10	4	131	1.70	7	0.08	0.76	0.01	0.03	1.14	50700	12	0.64	751
22MCR003A	200	201	229937	0.65	2.34	16	25	155	1.31	1.97	1	0.06	77400	16	22	2	262	2.28	7	0.07	0.97	0.02	0.04	0.86	32500	15	0.73	1290
22MCR003A	201	202	229938	0.15	1.71	8	11	102	0.89	0.25	1	0.04	82500	10	7	1	28	2.36	5	0.06	0.73	-0.01	0.02	0.58	34000	16	0.85	2070
22MCR003A	202	203	229939	0.35	1.60	9	9	94	0.68	0.30	1	0.05	69300	11	8	1	43	2.51	6	0.06	0.89	0.01	0.02	0.45	28800	16	0.80	2290
22MCR003A	214	215	229952	1.58	1.93	18	-1	173	1.19	0.25	1	1.73	92300	15	21	1	39	1.98	6	0.05	2.48	0.21	0.04	0.74	48300	22	0.83	1170
22MCR004A	144	145	222821	0.25	1.22	83	-1	114	0.75	0.05	1	0.09	59200	48	77	1	43	6.18	5	0.08	0.87	0.03	0.02	0.41	32200	9	0.72	3390
22MCR004A	145	146	222822	0.14	1.22	46	-1	124	0.70	0.04	1	0.10	63600	25	35	1	26	3.67	5	0.08	0.87	0.01	0.02	0.42	34000	8	0.54	1680
22MCR004A	146	147	222823	0.40	1.22	69	-1	119	0.82	0.06	1	0.39	72700	36	69	1	38	3.24	5	0.08	0.99	0.01	0.03	0.46	39800	9	0.50	1460
22MCR004A	147	148	222826	0.30	2.11	66	4	115	0.90	0.55	2	0.16	61800	38	48	2	30	5.72	5	0.09	0.89	0.03	0.03	0.51	33700	24	1.01	2010
22MCR004A	148	149	222827	13.80	2.59	41	13	76	0.99	32.00	1	1.51	71000	52	128	2	5090	8.56	9	0.10	0.68	0.08	1.01	0.45	39400	30	1.30	1860
22MCR004A	149	150	222828	13.80	3.91	41	23	58	0.79	49.30	0	0.31	65800	67	36	1	6960	13.20	11	0.12	0.76	0.07	1.13	0.37	37000	42	1.41	1280
22MCR004A	150	151	222829	77.20	2.97	51	22	49	0.61	109.00	1	1.76	60000	47	11	1	10500	8.91	10	0.08	0.89	0.14	1.07	0.34	35000	29	1.13	1200
22MCR004A	151	152	222830	28.40	4.47	25	13	48	0.61	22.60	0	2.93	63200	35	17	1	2820	10.60	11	0.12	1.12	0.14	0.50	0.33	34800	43	1.60	978
22MCR004A	152	153	222831	11.90	1.40	26	9	72	0.69	4.83	1	2.29	74600	22	4	1	872	3.51	4	0.07	0.80	0.09	0.16	0.45	42800	16	0.66	2240
22MCR004A	153	154	222832	2.81	2.14	37	2	57	0.85	0.55	1	3.13	66700	29	141	1	94	4.10	6	0.07	0.72	0.18	0.18	0.41	37000	29	1.04	1310
22MCR004A	154	155	222833	9.88	1.69	22	4	64	0.59	0.44	1	7.00	53500	21	86	1	95	2.93	5	0.06	0.67	0.35	0.33	0.43	30600	19	0.80	780
22MCR004A	192	193	222872	1.24	2.01	27	2	149	1.12	0.28	1	0.14	94200	20	3	1	20	2.41	6	0.07	1.20	0.07	0.02	0.67	37300	19	0.89	1350
22MCR004A	193	194	222873	1.59	2.36	18	2	150	1.35	0.24	1	0.15	99000	14	5	2	27	2.69	7	0.08	1.42	0.03	0.03	0.80	38500	23	1.00	1120
22MCR004A	194	195	222876	0.52	2.51	24	4	148	1.43	0.22	1	0.13	61100	15	5	2	15	2.83	9	0.06	0.74	0.03	0.02	0.89	26000	20	0.82	1090

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22MCR004A	195	196	222877	14.00	3.56	111	20	105	0.99	65.20	0	0.75	25800	49	137	1	10500	8.72	15	0.10	0.77	0.17	0.56	0.56	11300	26	1.18	667
22MCR004A	196	197	222878	60.30	2.26	119	36	80	0.67	858.00	0	2.23	20900	50	139	1	14100	7.02	9	0.07	0.60	0.41	0.90	0.42	9620	16	0.70	579
22MCR004A	197	198	222879	29.60	2.88	104	23	85	0.68	391.00	0	1.51	20400	48	175	1	10000	8.51	11	0.08	0.64	0.27	0.56	0.43	9000	21	0.88	552
22MCR004A	198	199	222880	29.40	3.48	128	22	79	0.70	223.00	0	2.56	17800	54	225	1	11800	10.40	14	0.11	0.68	0.32	0.65	0.39	7880	26	1.07	640
22MCR004A	199	200	222881	37.10	2.66	138	87	137	0.79	197.00	0	20.40	19200	41	164	1	9300	6.25	11	0.09	0.71	1.13	0.93	0.66	10200	17	0.61	379
22MCR004A	200	201	222882	3.72	3.22	58	13	263	1.77	2.88	1	6.53	65700	22	16	3	145	2.94	11	0.08	0.81	0.32	0.23	1.54	29900	12	0.48	623
22MCR004A	201	202	222883	5.26	2.43	50	10	208	1.20	0.83	1	7.86	51200	11	11	2	73	2.25	8	0.06	0.71	0.39	0.04	1.22	24200	10	0.37	743
22MCR004A	202	203	222884	8.16	2.29	71	24	188	1.19	1.12	0	19.00	31900	12	8	2	124	3.47	8	0.06	0.92	0.86	0.04	1.17	16200	8	0.28	486
22MCR004A	203	204	222885	2.68	4.68	25	5	346	2.55	6.45	1	2.02	83300	12	9	6	245	2.62	15	0.09	1.20	0.12	0.06	2.26	35500	24	0.87	1400
22MCR004A	204	205	222886	1.50	3.86	21	3	254	1.97	1.43	1	0.75	70000	8	9	3	75	3.24	14	0.08	1.10	0.06	0.04	1.62	28600	27	1.15	1350
22MCR004A	205	206	222887	0.44	2.98	6	1	277	1.67	0.51	1	0.60	86400	6	3	2	23	2.43	11	0.07	0.90	0.04	0.03	1.21	36100	24	0.98	654
22MCR004A	206	207	222888	0.64	3.43	9	2	282	1.76	2.01	1	0.77	101000	7	4	2	61	2.34	13	0.08	1.18	0.04	0.03	1.52	41200	24	0.88	552
22MCR004A	207	208	222889	0.42	3.44	8	1	302	1.50	1.26	1	0.45	109000	7	7	2	52	2.35	12	0.09	1.21	0.02	0.03	1.53	44600	21	0.87	653
22MCR004A	208	209	222890	0.10	3.24	8	1	290	1.17	0.20	1	0.06	84300	8	5	2	18	2.40	11	0.08	0.87	-0.01	0.01	1.35	33400	21	0.88	662
22MCR004A	209	210	222891	0.40	3.15	8	2	301	1.27	1.50	1	0.07	93500	8	6	2	102	2.10	11	0.07	1.00	-0.01	0.03	1.39	37300	19	0.83	618
22MCR004A	210	211	222892	0.47	2.48	21	1	218	0.91	1.51	1	0.07	56600	11	37	2	67	2.23	9	0.06	0.70	0.02	0.04	0.99	22400	15	0.63	734
22MCR004A	211	212	222893	0.99	2.24	29	2	216	0.91	2.76	1	0.20	46100	15	53	2	106	2.30	8	0.05	0.53	0.03	0.05	0.83	18900	11	0.54	517
22MCR004A	212	213	222894	0.85	2.46	25	2	258	0.99	4.51	1	0.48	56800	12	40	3	156	2.13	8	0.06	0.56	0.03	0.04	1.01	22900	11	0.54	583
22MCR004A	213	214	222895	0.59	2.60	45	6	304	1.09	0.89	0	0.62	59200	19	38	3	59	2.08	9	0.06	0.61	0.06	0.03	1.20	24200	10	0.40	402
22MCR004A	214	215	222896	0.36	2.35	77	6	270	1.00	0.36	0	0.15	79900	20	51	4	56	1.62	8	0.05	0.60	0.02	0.02	1.11	33100	11	0.28	178
22MCR004A	215	216	222897	1.11	2.05	38	3	260	0.94	5.09	0	1.26	69000	12	20	2	143	1.74	8	0.06	0.74	0.08	0.04	0.93	28600	11	0.41	477
22MCR004A	216	217	222898	0.25	2.75	18	1	315	1.33	0.48	1	0.29	74800	9	5	2	29	2.01	11	0.08	1.00	0.04	0.02	1.27	30500	16	0.63	443
22MCR004A	217	218	222899	0.12	3.56	11	1	426	1.64	0.25	1	0.07	72900	7	10	2	18	2.23	12	0.08	0.99	-0.01	0.02	1.65	29200	22	0.76	484
22MCR004A	218	219	222901	0.58	3.13	18	3	333	1.45	1.33	1	0.56	71000	8	5	2	85	3.27	12	0.08	1.12	0.04	0.03	1.47	28800	24	0.80	632
22MCR004A	219	220	222902	0.24	2.79	28	2	298	1.32	0.14	1	0.11	74700	11	18	2	29	2.52	10	0.08	1.00	0.01	0.02	1.31	30200	20	0.79	702
22MCR004A	77	78	227751	0.39	0.81	15	2	89	0.34	0.08	0	0.14	112000	5	8	1	11	0.84	3	-0.05	0.28	0.05	-0.01	0.42	47400	1	0.16	260
22MCR004A	78	79	227752	0.39	1.35	25	2	144	0.54	0.09	0	0.20	158000	7	7	2	12	0.79	5	0.06	0.28	0.04	0.01	0.67	64900	2	0.17	208
22MCR004A	79	80	227753	0.44	1.66	52	4	200	0.88	0.11	0	0.22	149000	17	26	1	25	1.00	6	0.07	0.70	0.04	0.03	0.86	60800	4	0.26	259
22MCR004A	80	81	227754	0.26	2.05	51	3	248	1.24	0.06	1	0.23	122000	19	57	1	28	1.12	8	0.07	1.05	0.03	0.03	1.07	51400	6	0.32	263
22MCR004A	81	82	227755	0.16	1.44	61	3	179	0.95	0.05	1	0.20	122000	21	45	1	25	1.10	6	0.06	0.94	0.03	0.03	0.78	50600	5	0.32	284
22MCR004A	82	83	227756	0.29	1.56	60	3	202	0.87	0.06	1	0.16	127000	21	44	1	26	0.97	6	0.07	0.90	0.03	0.02	0.85	53500	5	0.26	203
22MCR004A	83	84	227757	0.27	1.34	76	3	170	0.84	0.05	1	0.16	130000	19	36	1	30	0.97	6	0.06	0.88	0.03	0.02	0.72	54900	4	0.27	199
22MCR004A	84	85	227758	0.40	1.42	55	2	188	0.84	0.05	0	0.22	134000	18	49	1	32	0.99	6	0.06	0.93	0.02	0.02	0.76	54700	5	0.26	183
22MCR004A	85	86	227759	0.43	1.41	68	4	190	0.82	0.04	0	0.24	141000	20	43	1	27	0.85	6	0.06	0.90	0.02	0.02	0.74	59100	5	0.23	148
22MCR004A	86	87	227760	0.94	1.51	67	4	203	0.78	0.38	1	0.72	123000	24	53	1	49	1.10	6	0.06	0.90	0.06	0.05	0.79	52000	7	0.29	254
22MCR004A	87	88	227761	8.69	1.68	184	11	230	0.85	4.60	1	5.02	101000	67	48	1	257	1.39	7	0.07	0.95	0.20	0.26	0.90	45400	7	0.30	257

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22MCR004A	88	89	227762	21.30	1.35	211	14	166	0.65	12.40	1	13.50	73700	83	36	1	896	1.35	5	0.06	0.89	0.39	0.66	0.67	35300	5	0.31	304
22MCR004A	89	90	227763	88.20	1.26	327	32	156	0.57	72.30	1	17.40	72800	193	40	1	1070	1.46	5	0.06	0.96	0.55	2.81	0.65	36500	4	0.29	305
22MCR004A	102	103	227778	2.36	1.53	29	57	97	0.47	1.02	0	6.45	29000	19	42	0	66	3.26	4	-0.05	0.34	0.16	2.36	0.41	12700	11	0.33	372
22MCR004A	115	116	227791	9.17	1.26	73	15	85	0.53	0.84	1	16.80	61900	41	29	1	95	3.54	4	0.08	0.92	0.42	0.66	0.47	34600	11	0.54	754
22MCR004A	116	117	227792	13.20	1.78	83	56	104	0.58	1.49	1	19.50	42200	38	150	1	134	3.09	5	0.07	0.75	0.50	0.70	0.55	23100	17	0.93	688
22MCR004A	117	118	227793	15.80	1.12	69	20	98	0.53	1.73	1	14.00	47800	38	35	2	116	2.04	3	0.05	0.74	0.33	0.23	0.46	26500	8	0.37	419
22MCR004A	118	119	227794	41.40	1.47	84	30	114	0.56	1.48	1	23.30	54200	46	26	1	103	3.06	4	0.06	0.89	0.57	0.49	0.54	31000	12	0.51	581
22MCR004A	119	120	227795	67.40	1.45	132	62	92	0.58	0.42	1	57.30	54400	94	23	1	50	3.02	4	0.07	1.01	1.17	0.65	0.49	29700	16	0.47	695
22MCR004A	120	121	227796	69.10	1.03	72	31	88	0.50	0.10	1	38.20	63500	67	63	1	24	2.33	3	0.06	0.98	1.00	0.08	0.41	33400	12	0.40	602
22MCR004A	121	122	227797	138.00	1.04	70	47	103	0.63	0.09	1	28.50	54900	61	35	1	21	1.88	3	0.06	1.07	1.02	0.07	0.52	29000	8	0.33	733
22MCR004A	122	123	227798	13.30	1.66	35	5	104	0.83	0.44	1	4.01	71200	23	55	1	34	5.16	6	0.08	1.09	0.12	0.20	0.48	37800	13	0.74	2250
22MCR004A	21	22	229991	0.23	2.03	38	8	12	0.58	0.03	4	0.08	28400	31	323	0	184	6.05	9	0.08	0.79	0.02	0.05	0.01	11100	25	2.09	2150
22MCR004A	22	23	229992	0.21	1.82	32	19	8	0.52	0.08	1	0.06	42800	29	113	0	132	5.34	9	0.10	0.95	0.04	0.03	0.01	17000	27	1.45	1010
22MCR004A	23	24	229993	0.21	1.82	70	98	9	0.57	0.04	2	0.06	38800	32	150	0	108	5.65	9	0.10	1.09	0.04	0.04	0.01	15200	25	1.52	1030
22MCR004A	24	25	229994	0.19	2.26	75	6	11	0.62	0.05	5	0.06	23600	42	475	0	165	6.64	10	0.09	0.69	0.02	0.06	0.00	9140	30	2.12	1980
22MCR004A	25	26	229995	0.28	2.49	88	7	27	0.78	0.07	3	0.06	23200	32	520	0	125	6.86	7	0.07	0.62	0.03	0.04	0.05	8590	34	2.16	1640
22WCR005A	8	9	228623	0.16	4.10	11	2	57	0.59	0.45	0	0.34	35500	29	213	1	92	7.78	13	0.15	0.41	0.03	0.04	0.20	13200	45	1.54	710
22WCR005A	9	10	228626	0.14	3.93	14	2	59	0.45	0.36	0	0.52	38800	24	211	1	83	7.43	12	0.12	0.37	0.05	0.02	0.22	13600	44	1.48	673
22WCR005A	10	11	228627	0.32	4.44	17	3	63	0.60	0.75	0	0.83	33900	29	213	1	128	8.95	12	0.13	0.40	0.06	0.05	0.21	11900	49	1.73	793
22WCR005A	19	20	228636	0.41	2.97	22	2	44	0.55	0.07	0	0.55	43700	41	169	1	143	5.29	9	0.06	0.25	2.02	0.02	0.18	17400	38	1.40	662
22WCR005A	20	21	228637	5.47	3.13	280	43	41	0.49	1.93	0	12.30	34800	206	204	1	1050	6.31	11	0.12	0.28	13.90	8.84	0.15	14600	41	1.70	764
22WCR005A	21	22	228638	73.40	1.89	336	471	36	0.17	3.25	0	94.50	5130	402	116	0	2430	18.10	12	0.57	0.26	51.50	65.20	0.05	2320	10	0.41	439
22WCR005A	22	23	228639	14.90	0.52	102	295	46	0.16	1.55	0	1.08	21200	7	81	1	157	10.20	7	0.14	0.16	26.40	12.20	0.17	8660	-1	0.03	26
22WCR005A	23	24	228640	4.26	1.96	154	58	41	0.34	3.19	0	31.90	37200	147	107	1	473	4.82	7	0.06	0.31	5.92	4.94	0.27	15400	19	0.61	230
22WCR005A	32	33	228649	0.46	5.23	13	2	27	0.37	14.80	0	0.85	23900	67	302	0	2810	10.70	14	0.08	0.33	0.39	0.26	0.15	8980	57	2.47	492
22WCR005A	33	34	228651	0.13	4.85	7	2	20	0.33	32.40	0	0.21	25500	74	258	0	2300	9.86	15	0.06	0.30	0.15	0.22	0.08	9340	54	2.35	478
22WCR005A	34	35	228652	0.11	4.69	6	2	21	0.37	26.50	0	0.11	21800	72	253	0	2250	9.17	16	0.06	0.28	0.09	0.17	0.08	8200	52	2.39	454
22WCR005A	35	36	228653	0.06	5.10	4	1	29	0.51	7.42	0	0.08	27200	68	290	0	392	9.25	18	0.07	0.34	0.07	0.08	0.13	9840	60	2.71	490
22WCR005A	36	37	228654	0.05	5.43	2	1	24	0.49	5.72	0	0.07	24000	67	294	0	22	9.56	19	0.10	0.30	0.04	0.05	0.09	8230	65	3.02	469
22WCR005A	37	38	228655	0.03	6.05	2	1	28	0.58	2.09	0	0.04	25200	63	280	0	10	10.30	19	0.11	0.39	0.03	0.04	0.10	9000	75	3.44	477
22WCR006A	6	7	228564	-0.01	6.24	1	-1	26	0.54	0.08	0	-0.02	24200	67	313	0	1	9.33	23	0.10	0.32	-0.01	0.05	0.09	8640	73	4.14	310
22WCR006A	7	8	228565	0.03	5.44	5	2	37	0.59	0.06	0	0.03	26400	59	294	0	2	7.98	20	0.07	0.34	0.01	0.04	0.14	9310	60	3.54	289
22WCR006A	8	9	228566	-0.01	5.66	6	-1	34	0.56	0.08	0	0.02	23200	57	334	0	5	8.41	19	0.10	0.34	0.01	0.04	0.12	8220	62	3.73	312
22WCR006A	12	13	228570	0.01	4.42	8	1	24	0.64	0.10	0	0.02	26500	49	241	1	3	6.76	18	0.09	0.28	-0.01	0.11	0.08	9990	49	2.92	302
22WCR006A	13	14	228571	-0.01	4.11	11	-1	26	0.31	0.05	0	-0.02	22000	46	217	0	2	6.43	14	0.08	0.25	-0.01	0.12	0.09	8250	41	2.70	282
22WCR006A	14	15	228572	0.17	3.01	39	7	71	0.46	0.65	0	0.10	58400	12	202	1	234	4.26	9	0.13	0.33	0.18	0.26	0.26	22000	39	1.50	347

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22WCRC006A	15	16	228573	0.17	2.39	42	6	46	0.40	0.88	0	0.10	60800	23	176	0	277	3.87	8	0.10	0.29	0.17	0.37	0.13	23000	35	1.30	396
22WCRC006A	21	22	228581	0.14	3.01	25	4	41	0.40	0.23	0	0.21	49300	13	186	0	178	4.87	9	0.09	0.29	0.25	0.03	0.15	17800	56	1.65	507
22WCRC006A	22	23	228582	0.19	2.97	32	5	71	0.40	0.26	1	0.32	46600	101	178	1	185	4.70	9	0.12	0.27	0.25	0.03	0.15	15700	54	1.86	765
22WCRC006A	23	24	228583	0.26	3.35	26	2	85	0.45	0.26	0	0.38	45100	46	206	1	169	5.37	10	0.11	0.29	0.15	0.03	0.18	16700	61	1.91	896
22WCRC006A	24	25	228584	0.36	3.60	20	2	106	0.48	0.25	0	0.26	40900	96	218	1	170	5.28	10	0.15	0.33	0.07	0.03	0.24	15600	64	1.85	953
22WCRC006A	25	26	228585	0.41	3.22	13	2	50	0.37	0.22	0	0.08	46800	14	206	1	122	4.92	10	0.08	0.29	0.03	0.03	0.17	17000	59	1.70	542
22WCRC006A	32	33	228592	0.69	4.74	78	6	85	0.52	2.20	0	0.46	29300	87	229	1	351	8.84	15	0.20	0.32	0.35	0.72	0.16	10500	89	2.44	1350
22WCRC006A	33	34	228593	0.50	2.98	47	6	76	0.39	2.06	0	0.38	54100	82	187	1	233	4.92	10	0.09	0.36	0.07	0.71	0.15	20400	57	1.62	1240
22WCRC006A	34	35	228594	0.50	2.83	26	4	64	0.40	0.85	0	0.13	65600	34	200	1	166	4.22	9	0.09	0.37	0.06	0.36	0.22	25300	50	1.50	532
22WCRC007	27	28	228912	0.36	4.89	41	5	59	0.42	2.04	0	11.10	49700	59	231	1	218	6.24	12	0.08	0.55	0.13	0.36	0.34	23200	41	2.67	555
22WCRC007	28	29	228913	0.32	4.98	33	4	76	0.53	1.71	0	7.87	48300	57	229	1	194	5.83	12	0.15	0.63	0.43	0.32	0.43	22800	40	2.52	524
22WCRC007	29	30	228914	0.31	5.46	59	5	77	0.52	1.55	0	8.96	46600	61	235	1	286	6.80	12	0.09	0.58	0.14	0.36	0.42	22200	35	2.74	916
22WCRC007	30	31	228915	0.29	4.21	87	8	52	0.43	1.48	0	7.17	41800	57	188	1	320	5.93	10	0.07	0.44	0.48	0.45	0.30	19800	35	2.32	828
22WCRC007	31	32	228916	0.32	5.37	88	13	82	0.48	2.19	0	0.79	50500	73	231	1	372	6.99	12	0.11	0.57	0.23	0.44	0.36	23100	40	2.76	1060
22WCRC007	32	33	228917	0.31	5.41	83	9	77	0.50	1.53	0	0.60	55000	65	224	0	380	6.93	13	0.11	0.57	0.11	0.52	0.35	25600	37	2.77	892
22WCRC007	33	34	228918	0.26	4.97	71	7	64	0.53	1.60	0	0.30	44400	45	217	1	198	6.35	12	0.09	0.50	0.07	0.66	0.36	20800	40	2.73	515
22WCRC007	34	35	228919	0.63	3.25	68	8	88	0.49	0.61	0	6.78	52100	48	149	1	195	4.23	8	0.08	0.46	0.16	0.12	0.40	25900	21	1.71	1030
22WCRC007	50	51	228937	1.16	6.39	25	2	65	0.57	2.03	0	4.15	44100	54	285	0	335	6.87	13	0.06	0.36	0.41	0.59	0.36	20700	47	4.19	977
22WCRC007	51	52	228938	1.43	5.22	23	2	66	0.75	2.37	0	1.99	53200	54	240	1	419	5.30	14	0.11	0.51	0.69	0.72	0.40	25600	39	3.28	882
22WCRC007	52	53	228939	0.70	5.77	25	1	80	0.81	1.89	0	1.80	53800	57	245	1	419	5.79	14	0.11	0.52	0.31	0.61	0.44	25700	41	3.59	1230
22WCRC007	53	54	228940	1.42	5.09	22	1	62	0.65	3.94	0	5.38	50000	57	241	0	541	5.58	14	0.06	0.41	0.93	0.83	0.36	24100	41	3.27	867
22WCRC007	54	55	228941	1.74	5.60	16	1	61	0.55	6.92	0	8.09	48400	48	245	0	245	7.50	13	0.07	0.39	1.56	0.88	0.31	23200	35	2.83	841
22WCRC007	55	56	228942	0.12	5.15	31	2	58	0.50	2.84	0	10.60	43700	66	252	0	294	8.87	14	-0.05	0.33	1.54	6.13	0.26	20700	36	2.09	755
22WCRC007	56	57	228943	0.38	6.18	51	4	58	0.65	17.40	0	0.56	49300	88	269	0	2690	9.99	16	0.11	0.43	0.14	0.32	0.28	23400	43	2.86	885
22WCRC007	57	58	228944	0.05	5.34	5	-1	76	0.81	7.25	0	0.09	58600	47	237	1	318	6.26	14	-0.05	0.29	0.03	0.07	0.44	28300	38	2.81	597
22WCRC007	58	59	228945	0.05	6.27	1	1	66	0.81	3.41	0	0.04	48100	49	275	1	587	7.79	14	0.10	0.45	0.03	0.09	0.38	23400	44	3.42	690
22WCRC007	59	60	228946	0.02	6.17	1	-1	47	0.66	0.65	0	0.02	50400	51	272	0	210	8.08	15	0.08	0.50	0.01	0.07	0.26	24800	47	3.33	656
22WCRC007	60	61	228947	0.02	6.84	1	-1	60	0.73	1.24	0	-0.02	48300	58	307	0	415	8.58	16	0.08	0.40	0.01	0.22	0.33	22800	50	3.75	686
22WCRC007	61	62	228948	0.08	6.43	2	-1	40	0.55	1.92	0	0.03	48400	57	275	0	698	8.60	16	0.07	0.29	0.01	0.37	0.19	23000	51	3.64	674
22WCRC007	62	63	228949	0.03	6.50	2	-1	44	0.57	3.12	0	0.02	50700	66	301	0	396	9.41	16	0.11	0.39	-0.01	0.28	0.21	24900	50	3.27	702
22WCRC007	63	64	228951	-0.01	6.13	3	-1	45	0.54	1.42	0	-0.02	46500	65	287	0	29	9.02	15	0.09	0.34	-0.01	0.09	0.20	22200	48	3.06	664
22WCRC007	64	65	228952	0.01	5.39	3	-1	79	0.70	2.94	0	-0.02	57900	47	264	1	6	6.94	16	0.08	0.48	-0.01	0.07	0.42	28500	41	2.66	511
22WCRC007	65	66	228953	-0.01	5.70	1	-1	43	0.46	0.49	0	-0.02	52900	55	243	0	20	8.27	17	0.13	0.54	-0.01	0.09	0.15	26400	42	2.95	535
22WCRC007	66	67	228954	0.01	6.46	11	-1	48	0.47	0.41	0	0.06	46600	73	288	0	49	9.95	16	0.13	0.34	0.02	0.17	0.16	22100	47	3.16	567
22WCRC007	67	68	228955	-0.01	6.14	4	1	67	0.54	0.93	0	-0.02	48700	58	281	1	13	8.86	16	0.07	0.41	-0.01	0.13	0.25	23300	43	3.06	484
22WCRC007	68	69	228956	-0.01	7.35	1	-1	37	0.49	0.40	0	-0.02	46200	71	297	0	16	10.40	24	0.13	0.34	-0.01	0.12	0.10	21900	57	4.06	560

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22WCRC007	69	70	228957	0.03	7.43	2	1	27	0.44	0.42	0	-0.02	41400	72	311	0	297	10.30	25	0.09	0.28	-0.01	0.32	0.07	20000	59	4.23	534
22WCRC007	70	71	228958	0.06	6.18	5	1	30	0.47	1.26	0	0.03	41000	65	284	0	837	8.79	19	0.07	0.27	-0.01	0.72	0.08	19600	53	3.65	449
22WCRC007	71	72	228959	0.04	5.97	9	1	39	0.45	1.33	0	0.03	40900	60	244	0	223	8.75	17	0.07	0.35	0.01	0.20	0.13	19600	46	3.17	435
22WCRC007	72	73	228960	0.06	5.62	17	1	49	0.67	3.24	0	0.40	40200	58	243	0	98	8.81	14	0.10	0.41	-0.01	0.07	0.13	19100	41	2.71	425
22WCRC007	73	74	228961	0.11	6.18	24	2	42	0.44	4.80	0	0.11	44900	64	257	0	1230	9.95	16	0.05	0.34	0.03	0.38	0.11	21500	44	2.86	467
22WCRC007	74	75	228962	0.10	4.18	97	10	51	0.51	0.85	0	0.13	47200	43	143	1	109	6.72	11	0.08	0.49	0.03	0.06	0.19	22900	27	1.95	365
22WCRC007	75	76	228963	0.15	3.57	37	2	56	0.60	10.40	0	0.14	49400	29	93	0	457	5.47	12	0.05	0.66	0.05	0.22	0.21	25000	26	1.74	437
22WCRC007	76	77	228964	0.08	4.32	25	1	56	0.64	4.56	0	0.03	67200	39	132	0	310	6.00	16	0.07	0.66	0.02	0.18	0.23	36200	37	2.37	529
22WCRC007	77	78	228965	0.05	3.54	31	3	41	0.57	0.73	0	0.05	49400	32	103	1	126	5.22	14	-0.05	0.62	0.02	0.09	0.19	26700	33	1.96	380
22WCRC007	78	79	228966	0.23	3.83	42	3	39	0.40	2.82	0	0.06	60200	42	36	0	995	7.13	17	0.09	0.61	0.05	0.49	0.15	32000	19	1.29	334
22WCRC007	79	80	228967	0.84	4.65	84	8	39	0.47	34.80	0	0.64	44900	61	86	0	7560	9.43	20	0.08	0.80	0.12	3.23	0.16	24400	32	1.41	246
22WCRC007	80	81	228968	0.09	3.87	81	3	34	0.51	2.96	0	0.30	62600	53	64	0	277	7.28	19	0.09	0.86	0.09	0.14	0.15	33700	18	1.19	193
22WCRC007	81	82	228969	0.57	6.42	93	8	40	0.55	12.20	0	0.17	54400	87	63	0	5170	12.30	25	0.11	0.80	0.08	1.14	0.16	29600	43	2.11	316
22WCRC007	82	83	228970	0.52	5.13	86	3	28	0.38	4.66	0	0.17	31600	93	104	0	5330	10.10	21	0.05	0.31	0.04	0.31	0.06	16700	26	1.66	229
22WCRC007	83	84	228971	0.24	5.15	122	3	36	0.50	4.66	1	0.18	40300	103	69	0	2170	10.00	20	0.08	0.39	0.05	0.27	0.16	21000	25	1.73	348
22WCRC007	84	85	228972	0.04	5.33	113	1	32	0.52	3.69	0	0.10	47400	102	115	0	172	9.60	20	0.12	0.40	0.03	0.08	0.11	25100	27	1.92	243
22WCRC007	85	86	228973	0.02	4.26	71	-1	36	0.51	5.51	0	-0.02	42000	74	77	0	53	7.24	15	0.07	0.45	0.02	0.06	0.22	21800	29	1.70	213
22WCRC007	86	87	228976	0.04	4.05	117	2	30	0.54	6.35	0	0.06	39000	101	37	0	65	6.96	15	0.06	0.39	0.02	0.06	0.13	21200	31	1.74	228
22WCRC007	87	88	228977	0.17	6.43	143	10	27	0.53	9.17	1	0.13	33700	136	46	0	1560	11.90	26	0.09	0.38	0.05	0.84	0.10	17500	46	2.93	585
22WCRC007	88	89	228978	0.35	6.56	72	6	26	0.47	120.00	0	0.17	36200	105	66	0	1570	12.10	27	0.13	0.38	0.12	0.71	0.07	18300	42	2.77	353
22WCRC007	89	90	228979	0.03	5.95	48	1	22	0.50	2.94	0	0.04	40300	106	53	0	239	10.10	23	0.07	0.35	0.03	0.43	0.05	20800	36	2.79	301
22WCRC007	90	91	228980	0.02	3.95	30	1	28	0.47	2.02	0	0.02	52600	54	140	0	188	6.61	14	0.05	0.57	0.02	0.19	0.19	28300	26	1.64	187
22WCRC007	91	92	228981	0.03	4.27	12	-1	38	0.51	1.71	0	0.04	59100	42	13	0	69	7.09	16	0.08	0.70	0.02	0.09	0.27	31800	29	1.68	194
22WCRC007	92	93	228982	0.13	3.94	16	1	29	0.38	2.46	0	0.05	48200	40	101	0	773	6.88	15	0.06	0.54	0.02	0.28	0.19	26100	24	1.50	158
22WCRC007	93	94	228983	0.07	3.41	8	1	30	0.44	2.97	0	0.02	50400	27	12	0	283	6.02	12	0.05	0.70	0.03	0.10	0.21	27400	21	1.21	153
22WCRC007	94	95	228984	0.37	4.43	30	5	28	0.37	18.40	0	0.11	49000	44	9	0	2250	8.71	17	0.07	0.79	0.05	0.49	0.16	26400	23	1.54	280
22WCRC007	95	96	228985	0.23	3.35	23	4	29	0.41	3.78	0	0.10	63500	32	3	0	1380	6.46	13	0.08	1.00	0.06	0.26	0.18	34600	16	1.14	253
22WCRC007	96	97	228986	1.13	3.98	54	20	23	0.32	48.80	0	0.30	41600	46	7	0	5180	8.56	16	0.08	0.94	0.13	1.17	0.10	22500	17	1.29	218
22WCRC007	97	98	228987	5.23	4.70	75	35	28	0.31	316.00	0	0.49	34500	60	5	0	8890	10.70	18	0.06	0.94	0.26	2.40	0.09	18600	21	1.55	331
22WCRC007	98	99	228988	5.11	5.16	102	39	22	0.34	269.00	0	0.38	38700	102	6	0	2770	11.50	24	0.07	0.96	0.28	2.11	0.07	20900	23	1.80	262
22WCRC007	99	100	228989	0.78	4.84	36	8	25	0.43	31.70	0	0.15	46000	39	4	0	778	9.22	18	0.07	0.88	0.07	0.47	0.12	24800	22	1.73	270
22WCRC007	100	101	228990	0.15	3.70	19	1	25	0.42	3.98	0	0.04	59200	26	5	0	140	7.03	12	0.06	0.92	0.02	0.10	0.15	32000	17	1.25	191
22WCRC007	101	102	228991	0.34	4.96	30	3	25	0.41	5.93	0	0.07	54200	40	3	0	600	9.63	18	0.09	1.06	0.03	0.31	0.10	29000	19	1.71	232
22WCRC007	152	153	229045	0.04	4.00	7	-1	20	0.60	0.14	0	0.04	82500	12	7	0	7	3.00	11	0.06	1.01	0.02	0.02	0.28	44300	32	3.90	140
22WCRC007	153	154	229046	0.06	2.67	9	-1	29	0.53	0.17	0	0.03	67900	13	8	0	6	2.30	7	-0.05	1.08	0.03	0.02	0.39	36400	17	2.45	110
22WCRC007	154	155	229047	0.42	2.57	12	-1	26	0.46	0.18	0	0.07	59500	17	3	0	139	2.83	8	-0.05	1.19	0.04	0.04	0.33	32100	20	2.41	109

Hole ID	Depth From	Depth To	Sample ID	Ag ppm	Al pct	As ppm	Au ppb	Ba ppm	Be ppm	Bi ppm	Ca pct	Cd ppm	Ce ppb	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe pct	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K pct	La ppb	Li ppm	Mg pct	Mn ppm
22WCRC007	155	156	229048	0.06	2.42	8	-1	35	0.53	0.15	0	0.05	74300	12	6	0	14	1.94	7	-0.05	1.28	0.03	0.01	0.48	40100	15	2.08	155
22WCRC007	179	180	229073	0.22	1.47	8	-1	46	0.43	0.24	0	0.34	67000	10	3	0	15	2.49	5	-0.05	1.09	0.08	0.03	0.46	35700	9	1.03	110
22WCRC007	180	181	229076	0.24	1.81	9	2	43	0.47	0.14	0	0.22	62900	13	4	0	21	2.78	6	0.06	1.00	0.06	0.02	0.36	36800	6	1.27	201
22WCRC007	181	182	229077	0.34	1.53	9	1	47	0.47	0.23	0	0.96	54900	13	6	0	13	2.66	5	0.05	0.94	0.21	0.03	0.41	31400	6	0.95	131
22WCRC007	182	183	229078	0.26	2.93	10	1	39	0.48	0.10	0	1.08	52100	16	7	0	16	3.77	9	0.08	0.67	0.22	0.03	0.20	30100	13	2.44	487
22WCRC007	183	184	229079	0.32	2.31	16	3	54	0.55	0.11	0	0.82	52800	17	-2	0	23	3.13	7	-0.05	0.74	0.15	0.02	0.25	30900	12	1.78	408
22WCRC007	184	185	229080	0.16	1.65	6	-1	68	0.45	0.12	0	0.44	60600	8	-2	0	18	2.19	5	0.05	0.87	0.09	0.02	0.37	35500	7	1.16	242
22WCRC007	185	186	229081	0.17	1.29	7	-1	44	0.36	0.12	0	0.50	54600	8	3	0	17	1.93	4	-0.05	0.69	0.06	0.01	0.28	31900	4	0.84	171
22WCRC007	186	187	229082	0.36	1.37	17	1	50	0.43	0.18	0	1.15	56400	13	-2	0	23	3.02	4	-0.05	0.84	0.23	0.04	0.29	33100	7	0.84	282
22WCRC007	187	188	229083	0.69	1.76	28	2	54	0.44	0.18	0	2.94	55600	27	2	0	25	4.80	5	-0.05	0.88	0.43	0.21	0.30	32700	9	1.14	447
22WCRC007	188	189	229084	0.39	1.41	16	1	47	0.34	0.12	0	1.79	50800	16	9	0	10	3.36	4	-0.05	0.79	0.26	0.09	0.29	29200	7	0.92	312
22WCRC007	189	190	229085	0.59	1.34	16	2	63	0.43	0.28	0	5.85	54400	13	-2	0	16	3.65	4	0.05	0.95	0.70	0.14	0.38	32200	4	0.67	288

Appendix 3: cont.

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22HRC001	10	11	228223	0.30	0.05	0.13	3	150	0.00	1	27	-0.01	1	-1	0.17	0.20	8	-0.01	15	0.00	0.14	1	2	0	6	0.00	17
22HRC001	11	12	228226	0.50	0.02	0.17	2	9	0.00	-1	31	0.01	1	-1	0.06	0.20	8	-0.01	15	0.00	0.20	1	-1	0	2	0.00	13
22HRC001	12	13	228227	0.90	0.04	0.12	28	221	0.00	2	36	0.02	5	1	0.14	0.30	37	-0.01	12	0.01	0.17	2	6	1	5	0.00	18
22HRC001	13	14	228228	0.60	0.03	0.14	9	286	0.00	1	45	0.03	4	1	0.27	0.30	33	-0.01	17	0.01	0.23	2	6	1	6	0.01	11
22HRC001	14	15	228229	0.70	0.03	0.09	21	465	0.00	-1	48	0.01	5	2	0.25	0.30	42	-0.01	9	0.01	0.24	4	14	1	7	0.01	5
22HRC001	15	16	228230	1.50	0.02	0.06	27	529	0.00	1	64	0.01	27	2	0.18	0.30	37	-0.01	12	0.01	0.27	7	17	0	8	0.01	4
22HRC001	16	17	228231	0.70	0.03	0.07	14	491	0.00	1	35	0.12	4	1	0.24	0.30	28	-0.01	13	0.01	0.20	2	8	1	9	0.01	7
22HRC001	17	18	228232	2.30	0.02	0.07	24	493	0.00	-1	65	0.06	6	2	0.29	0.30	60	-0.01	8	0.01	0.33	2	15	0	6	0.01	5
22HRC001	18	19	228233	0.90	0.04	0.10	8	300	0.00	-1	30	0.01	1	1	0.20	0.30	25	-0.01	13	0.01	0.15	2	5	1	6	0.00	8
22HRC001	19	20	228234	0.70	0.04	0.11	14	495	0.00	-1	44	0.02	2	1	0.21	0.30	22	-0.01	10	0.01	0.21	3	8	1	6	0.01	9
22HRC001	20	21	228235	0.70	0.04	0.13	4	219	0.00	-1	46	0.02	1	-1	0.24	0.20	18	-0.01	11	0.01	0.22	1	3	1	6	0.00	15
22HRC001	21	22	228236	0.60	0.04	0.11	12	379	0.00	-1	44	0.02	4	-1	0.13	0.30	10	-0.01	11	0.01	0.22	2	6	1	6	0.01	9
22HRC001	22	23	228237	0.50	0.03	0.13	10	281	0.00	-1	36	0.01	5	-1	0.24	0.30	9	-0.01	15	0.01	0.23	2	3	1	6	0.00	10
22HRC001	23	24	228238	0.50	0.01	0.07	29	573	0.00	-1	67	0.03	12	2	0.23	0.30	9	-0.01	9	0.01	0.33	3	18	0	4	0.01	6
22HRC001	24	25	228239	0.80	0.02	-0.05	30	632	0.00	-1	47	0.09	16	2	0.20	0.20	64	-0.01	7	0.01	0.24	2	15	1	5	0.01	8
22HRC001	25	26	228240	5.10	0.04	-0.05	43	632	0.00	-1	54	0.07	17	3	0.18	0.20	75	-0.01	7	0.01	0.26	3	29	1	5	0.01	4
22HRC001	26	27	228241	0.60	0.06	-0.05	33	911	0.00	-1	53	0.11	3	4	0.16	0.20	72	-0.01	5	0.02	0.25	1	46	1	3	0.01	4
22HRC001	27	28	228242	0.80	0.06	-0.05	18	506	0.00	-1	39	0.02	2	2	0.15	0.10	63	-0.01	6	0.01	0.20	1	18	1	3	0.01	3
22HRC001	28	29	228243	0.60	0.04	0.05	22	510	0.00	-1	50	0.04	6	2	0.18	0.30	68	-0.01	8	0.01	0.25	3	20	1	6	0.01	5

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22HRC001	29	30	228244	0.40	0.02	-0.05	25	1190	0.00	2	78	0.04	5	3	0.17	0.50	85	-0.01	7	0.02	0.39	2	22	0	3	0.01	8
22HRC001	30	31	228245	0.60	0.03	0.12	3	101	0.00	-1	43	0.01	2	-1	0.25	0.20	79	-0.01	15	0.00	0.21	2	1	1	5	0.00	13
22HRC001	68	69	228286	0.80	0.06	0.32	2	142	0.00	-1	22	0.01	1	1	0.17	0.30	21	-0.01	16	0.00	0.11	2	1	2	5	0.00	13
22HRC001	69	70	228287	0.70	0.04	0.22	2	98	0.00	-1	29	0.07	2	-1	0.26	0.20	20	-0.01	11	0.00	0.16	4	1	2	6	0.00	11
22HRC001	70	71	228288	0.50	0.04	0.14	2	188	0.00	-1	27	0.04	1	-1	0.28	0.20	18	-0.01	14	0.00	0.13	1	2	2	5	0.00	14
22HRC001	82	83	228301	1.00	0.05	0.09	3	-5	0.00	-1	17	0.02	0	-1	0.11	0.10	21	-0.01	4	0.00	0.08	2	-1	2	2	0.00	4
22HRC001	83	84	228302	0.90	0.05	0.11	3	-5	0.00	-1	25	0.01	1	-1	0.08	0.20	18	-0.01	5	0.00	0.12	2	-1	2	2	0.00	4
22HRC001	84	85	228303	1.20	0.05	0.09	3	185	0.00	1	20	0.01	2	1	0.17	0.20	37	-0.01	9	0.00	0.10	2	2	1	5	0.00	5
22HRC001	85	86	228304	0.90	0.06	0.12	2	58	0.00	-1	13	0.02	2	-1	0.11	0.10	17	-0.01	13	0.00	0.07	5	-1	2	3	0.00	4
22HRC001	86	87	228305	1.00	0.07	0.28	3	361	0.00	-1	28	0.02	2	2	0.25	0.40	34	0.01	15	0.01	0.13	1	7	2	8	0.01	7
22HRC001	87	88	228306	0.90	0.03	0.12	2	170	0.00	2	16	0.01	1	-1	0.21	0.20	27	-0.01	13	0.00	0.08	2	2	2	4	0.00	5
22HRC001	104	105	228323	0.80	0.05	0.11	3	189	0.00	-1	29	0.01	1	-1	0.12	0.20	32	-0.01	13	0.00	0.14	2	-1	1	4	0.00	5
22HRC001	105	106	228326	1.30	0.04	0.44	2	43	0.00	1	30	0.01	1	-1	0.10	0.20	16	-0.01	10	0.00	0.14	5	-1	1	4	0.00	6
22HRC003	62	63	223801	0.20	0.00	-0.05	378	184	0.00	5	2	0.04	4	13	0.21	0.10	106	-0.01	1	0.01	0.05	0	91	0	3	0.00	4
22HRC003	63	64	223802	0.30	0.01	0.06	444	174	0.00	4	2	0.02	4	12	0.27	-0.10	98	-0.01	1	0.03	-0.02	0	102	0	3	0.01	8
22HRC003	64	65	223803	3.20	0.11	0.07	1210	531	0.00	5	37	0.10	5	23	0.49	0.50	42	0.01	2	0.12	0.22	0	151	0	5	0.02	28
22HRC003	65	66	223804	1.50	0.07	0.22	207	956	0.00	2	3	0.06	3	14	0.64	0.20	71	-0.01	2	0.21	0.02	0	106	2	8	0.01	14
22HRC003	66	67	223805	1.00	0.05	0.30	80	1200	0.00	2	4	0.07	2	12	0.64	0.30	20	-0.01	2	0.20	-0.02	0	97	1	8	0.02	11
22HRC003	67	68	223806	1.40	0.05	0.18	84	1190	0.00	2	3	0.10	2	14	0.73	0.30	37	-0.01	2	0.15	-0.02	0	124	2	10	0.02	10
22HRC003	68	69	223807	1.30	0.05	0.21	69	1170	0.00	2	1	0.05	2	14	0.69	0.20	80	-0.01	2	0.17	-0.02	0	117	1	11	0.01	10
22HRC003	69	70	223808	1.30	0.04	0.41	65	1170	0.00	2	1	0.08	2	15	0.74	0.30	108	-0.01	2	0.29	-0.02	0	119	1	12	0.01	10
22HRC003	70	71	223809	1.80	0.05	0.75	78	1200	0.00	-1	2	0.24	3	15	0.93	0.40	91	-0.01	2	0.42	0.03	0	122	3	14	0.02	18
22HRC003	71	72	223810	1.50	0.03	0.18	80	1100	0.00	2	4	0.33	3	13	0.69	0.30	86	-0.01	1	0.15	0.04	0	103	2	11	0.01	9
22HRC003	72	73	223811	1.40	0.03	0.16	64	1120	0.00	3	7	0.05	3	10	0.66	0.30	82	-0.01	2	0.14	0.05	0	85	1	11	0.01	11
22HRC003	73	74	223812	1.30	0.04	0.20	74	1150	0.00	-1	5	0.17	3	13	0.70	0.30	106	-0.01	2	0.19	0.04	0	107	2	11	0.02	12
22HRC003	74	75	223813	1.50	0.04	0.36	76	1000	0.00	3	3	0.16	3	12	0.85	0.20	125	-0.01	2	0.22	-0.02	0	96	3	10	0.02	20
22HRC003	75	76	223814	1.10	0.04	0.42	53	1130	0.00	1	3	0.16	3	13	0.78	0.20	110	-0.01	2	0.27	0.02	0	113	2	9	0.02	15
22HRC003	76	77	223815	3.90	0.02	0.25	72	797	0.00	1	15	0.06	5	6	0.55	0.20	46	-0.01	2	0.15	0.10	0	65	2	7	0.02	17
22HRC003	77	78	223816	1.40	0.02	0.24	46	1140	0.00	2	13	0.05	3	9	0.61	0.30	83	-0.01	2	0.06	0.06	0	74	1	8	0.01	10
22HRC003	78	79	223817	1.30	0.03	0.12	52	1330	0.00	-1	6	0.04	3	14	0.67	0.10	92	-0.01	2	0.03	0.03	0	112	1	9	0.02	11
22HRC003	79	80	223818	1.10	0.02	0.13	49	1250	0.00	-1	30	0.06	8	12	0.89	0.40	68	-0.01	2	0.06	0.12	0	106	0	10	0.02	23
22HRC003	80	81	223819	0.90	0.01	0.13	47	1280	0.00	1	27	0.12	7	9	0.66	0.30	97	-0.01	2	0.03	0.14	0	74	1	11	0.02	16
22HRC003	81	82	223820	1.90	0.03	0.08	43	857	0.00	-1	13	0.19	4	11	0.64	0.30	123	-0.01	2	0.06	0.06	0	83	3	7	0.01	8
22HRC003	82	83	223821	1.00	0.02	0.09	33	906	0.00	2	8	0.09	4	12	0.78	0.20	157	-0.01	2	0.06	0.06	0	73	2	10	0.01	10
22HRC003	83	84	223822	1.20	0.02	0.36	54	1040	0.00	-1	9	0.09	4	11	0.51	0.20	129	-0.01	2	0.06	0.06	0	83	2	8	0.01	8
22HRC003	84	85	223823	1.20	0.03	0.33	45	1080	0.00	-1	5	0.09	4	10	0.63	0.30	117	-0.01	2	0.18	0.07	0	90	2	11	0.01	15

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22HRC003	85	86	223826	1.40	0.03	0.09	79	1080	0.00	4	9	0.16	6	13	0.62	0.20	81	0.01	1	0.02	0.06	0	112	1	9	0.02	8
22HRC003	86	87	223827	1.30	0.03	0.07	150	882	0.00	3	15	0.13	7	12	0.71	0.20	81	0.01	1	0.01	0.08	0	89	2	9	0.01	13
22HRC003	87	88	223828	0.70	0.03	-0.05	93	619	0.00	5	8	0.04	3	9	0.39	0.10	166	-0.01	1	0.01	0.05	0	76	0	6	0.01	7
22HRC003	88	89	223829	0.80	0.03	-0.05	78	747	0.00	3	18	0.06	4	9	0.47	0.20	149	-0.01	1	0.01	0.09	0	60	1	7	0.01	8
22HRC003	89	90	223830	0.60	0.02	-0.05	75	501	0.00	2	15	0.03	2	7	0.32	-0.10	119	-0.01	1	0.01	0.07	0	48	0	5	0.01	4
22HRC003	90	91	223831	0.90	0.04	0.07	97	723	0.00	4	20	0.04	2	10	0.52	0.30	166	0.01	1	0.02	0.08	0	87	0	8	0.01	13
22HRC003	91	92	223832	1.10	0.03	0.05	76	671	0.00	3	10	0.04	2	9	0.55	0.10	168	-0.01	1	0.01	0.04	0	72	0	8	0.01	7
22HRC003	92	93	223833	1.10	0.02	0.05	87	643	0.00	5	17	0.04	2	10	0.47	0.20	171	-0.01	1	0.01	0.07	0	78	0	8	0.02	9
22HRC003	93	94	223834	0.90	0.01	-0.05	89	757	0.00	3	23	0.06	3	8	0.44	0.10	114	-0.01	1	0.01	0.10	0	65	0	7	0.02	6
22HRC003	94	95	223835	1.30	0.02	0.20	86	599	0.00	6	40	0.15	4	7	0.42	0.40	81	0.04	3	0.02	0.23	1	70	0	7	0.02	16
22HRC003	104	105	223845	0.70	0.05	0.26	16	489	0.00	2	45	0.01	4	2	0.26	0.30	55	-0.01	7	0.02	0.29	2	22	1	7	0.01	4
22HRC003	105	106	223846	0.80	0.04	0.25	15	494	0.00	-1	37	0.01	3	2	0.27	0.40	23	-0.01	6	0.01	0.22	2	16	1	6	0.01	4
22HRC003	106	107	223847	0.90	0.16	0.25	14	442	0.00	2	26	0.01	1	2	0.37	0.50	30	-0.01	7	0.02	0.16	1	17	1	9	0.01	3
22HRC003	122	123	223864	0.80	0.06	0.29	6	95	0.00	-1	17	0.01	2	1	0.24	0.20	22	-0.01	9	0.00	0.11	3	4	2	5	0.00	3
22HRC003	123	124	223865	0.60	0.04	0.26	13	408	0.00	-1	28	0.01	1	2	0.35	0.40	20	-0.01	7	0.01	0.16	3	12	1	8	0.01	4
22HRC003	124	125	223866	0.70	0.07	0.20	12	296	0.00	1	20	-0.01	3	2	0.26	0.40	16	-0.01	7	0.01	0.12	2	11	1	6	0.01	4
22HRC003	125	126	223867	0.70	0.07	1.22	18	444	0.00	-1	6	0.01	0	4	0.32	0.40	53	0.02	3	0.03	0.04	0	31	0	8	0.00	7
22HRC003	126	127	223868	0.60	0.06	0.31	9	292	0.00	1	21	0.03	1	2	0.34	0.40	21	-0.01	13	0.01	0.13	1	11	1	8	0.01	6
22HRC003	127	128	223869	0.70	0.06	0.24	12	304	0.00	2	22	0.02	1	2	0.34	0.40	25	-0.01	15	0.01	0.13	1	14	1	7	0.01	7
22HRC004	5	6	223899	0.80	0.03	0.12	55	672	0.00	1	30	-0.01	7	3	0.44	0.40	90	-0.01	7	0.01	0.25	1	22	0	8	0.02	20
22HRC004	6	7	223901	0.80	0.03	0.11	32	435	0.00	2	19	-0.01	6	2	0.51	0.30	33	-0.01	8	0.01	0.13	1	13	0	9	0.01	18
22HRC004	7	8	223902	1.60	0.02	0.24	60	874	0.00	2	45	-0.01	12	4	0.66	0.50	60	-0.01	9	0.02	0.39	1	24	1	14	0.01	42
22HRC004	8	9	223903	1.40	0.03	0.23	38	191	0.00	2	36	0.01	7	2	0.63	0.50	125	-0.01	9	0.02	0.47	1	17	0	10	0.01	38
22HRC004	9	10	223904	0.50	0.04	0.14	17	90	0.00	-1	11	0.01	4	-1	0.41	0.20	13	-0.01	5	0.01	0.07	1	3	0	6	0.00	38
22HRC004	10	11	223905	0.60	0.05	0.21	31	225	0.00	-1	22	0.01	5	1	0.46	0.50	14	-0.01	6	0.01	0.13	1	9	0	7	0.01	37
22HRC004	11	12	223906	0.90	0.02	0.21	45	251	0.00	-1	26	0.01	7	1	0.44	0.90	13	-0.01	6	0.01	0.16	1	8	0	7	0.01	36
22HRC004	12	13	223907	0.70	0.02	0.15	47	213	0.00	2	35	-0.01	6	1	0.51	0.40	21	-0.01	7	0.01	0.26	1	7	0	8	0.00	21
22HRC004	13	14	223908	0.60	0.03	0.14	43	124	0.00	2	26	-0.01	5	-1	0.50	0.30	19	-0.01	7	0.01	0.17	1	4	0	7	0.00	35
22HRC004	14	15	223909	0.40	0.03	0.18	74	643	0.00	2	31	0.01	6	2	0.66	0.40	16	-0.01	7	0.01	0.17	1	9	0	9	0.01	39
22HRC004	15	16	223910	0.80	0.02	0.13	129	472	0.00	-1	17	0.01	6	1	0.51	0.20	24	-0.01	6	0.01	0.12	1	8	0	8	0.01	31
22HRC004	16	17	223911	1.70	0.01	0.11	1130	722	0.00	6	12	0.01	202	14	0.49	0.30	27	-0.01	3	0.04	0.11	1	141	0	6	0.03	22
22HRC004	17	18	223912	0.70	0.01	0.09	1020	257	0.00	3	4	0.08	58	6	0.38	0.20	10	-0.01	1	0.02	0.10	1	81	2	6	0.01	10
22HRC004	65	66	223963	0.90	0.01	0.21	66	669	0.00	2	16	0.01	3	1	0.55	0.30	9	-0.01	6	0.02	0.11	0	8	1	7	0.01	28
22HRC004	66	67	223964	1.60	0.01	0.24	27	499	0.00	1	16	0.03	2	1	0.38	0.30	4	-0.01	5	0.02	0.11	1	6	2	6	0.01	33
22HRC004	67	68	223965	1.30	0.01	0.35	27	360	0.00	3	15	0.01	1	-1	0.48	0.40	4	-0.01	6	0.02	0.10	1	5	2	7	0.00	36
22HRC004	104	105	228005	0.20	0.22	0.47	799	263	0.00	7	127	0.02	9	15	0.55	0.70	180	0.01	2	0.35	1.50	0	144	0	10	0.01	27

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22HRC004	105	106	228006	0.10	0.15	0.27	638	243	0.00	6	101	0.02	6	15	0.28	0.50	155	0.01	2	0.27	1.48	0	148	0	5	0.01	19
22HRC004	106	107	228007	0.20	0.01	0.36	314	156	0.00	2	8	0.03	4	12	0.26	0.20	183	0.02	1	0.21	0.23	0	100	0	4	0.00	14
22HRC004	107	108	228008	0.10	0.01	0.23	244	146	0.01	4	2	0.02	2	11	0.80	-0.10	316	0.07	1	0.18	0.05	0	80	0	6	0.00	8
22HRC004	108	109	228009	-0.10	0.00	0.17	368	192	0.00	5	1	0.03	3	11	0.27	-0.10	115	-0.01	2	0.09	0.20	0	105	0	3	0.00	8
22HRC004	109	110	228010	0.30	0.00	0.11	353	210	0.00	3	1	0.02	4	13	0.19	-0.10	80	-0.01	2	0.06	0.04	0	112	0	4	0.00	11
22HRC004	110	111	228011	0.20	0.00	-0.05	410	180	0.00	5	1	0.03	4	12	0.25	0.10	112	0.02	2	0.02	0.04	0	119	0	3	0.00	4
22HRC004	111	112	228012	0.10	0.00	-0.05	371	182	0.00	6	0	0.03	6	12	0.34	-0.10	185	0.01	1	0.02	-0.02	0	108	0	4	0.00	5
22HRC004	112	113	228013	0.10	0.00	-0.05	391	200	0.00	4	1	0.03	5	11	0.26	0.10	119	-0.01	1	0.01	0.03	0	109	0	3	0.00	5
22HRC004	113	114	228014	0.20	0.00	-0.05	355	182	0.00	4	0	0.02	4	11	0.20	-0.10	145	-0.01	2	0.02	-0.02	0	108	0	4	0.00	10
22HRC004	114	115	228015	0.30	0.01	-0.05	333	139	0.00	5	1	0.03	3	10	0.25	-0.10	165	-0.01	2	0.02	0.06	0	104	0	5	0.00	9
22HRC004	115	116	228016	0.30	0.01	-0.05	364	189	0.00	5	2	0.02	3	9	0.25	-0.10	124	-0.01	2	0.01	0.04	0	114	0	4	0.00	11
22HRC004	116	117	228017	0.30	0.01	-0.05	414	200	0.00	6	3	0.02	4	9	0.26	-0.10	140	0.02	2	0.02	0.04	1	113	0	4	0.00	15
22HRC004	117	118	228018	0.10	0.00	-0.05	408	190	0.00	6	2	0.02	4	10	0.25	-0.10	123	-0.01	2	0.01	0.04	0	106	0	4	0.00	11
22HRC004	118	119	228019	0.10	0.00	-0.05	382	186	0.00	4	2	0.02	5	10	0.28	-0.10	130	-0.01	1	0.01	0.02	0	103	0	4	0.00	11
22HRC004	119	120	228020	0.10	0.00	-0.05	404	184	0.00	5	1	0.03	6	10	0.31	-0.10	108	-0.01	2	0.00	-0.02	1	106	0	4	0.00	6
22HRC004	120	121	228021	0.20	0.00	0.23	370	223	0.00	4	1	0.04	4	9	0.23	-0.10	90	-0.01	2	0.01	0.10	0	108	0	4	0.00	8
22HRC004	121	122	228022	0.20	0.01	0.10	411	214	0.00	5	3	0.02	4	11	0.32	-0.10	95	-0.01	1	0.01	0.04	0	119	0	4	0.00	9
22HRC004	122	123	228023	0.10	0.01	-0.05	382	156	0.00	3	1	0.01	5	15	0.34	-0.10	84	0.01	1	0.00	-0.02	0	105	0	4	0.00	1
22HRC004	129	130	228032	2.10	0.04	0.08	112	596	0.00	3	4	0.02	3	11	0.53	0.30	35	-0.01	1	0.02	0.03	0	114	1	6	0.01	11
22HRC004	130	131	228033	1.50	0.03	0.10	80	1090	0.00	1	9	0.30	4	15	0.71	0.40	34	-0.01	2	0.08	0.08	0	152	1	7	0.02	13
22HRC004	131	132	228034	2.40	0.04	0.11	76	1020	0.00	-1	3	0.09	3	15	0.62	0.30	37	-0.01	2	0.05	0.03	0	137	1	8	0.02	12
22HRC004	132	133	228035	1.90	0.04	0.15	78	1050	0.00	-1	3	0.02	3	13	0.61	0.20	34	-0.01	2	0.10	0.04	0	125	1	7	0.01	11
22HRC004	133	134	228036	1.90	0.03	0.15	65	934	0.00	2	4	0.02	3	12	0.58	0.30	57	-0.01	2	0.10	0.04	0	125	1	8	0.02	15
22HRC004	134	135	228037	1.30	0.04	0.16	55	1160	0.00	-1	2	0.04	3	16	0.81	0.30	75	-0.01	2	0.05	0.03	0	141	0	10	0.02	21
22HRC004	135	136	228038	1.20	0.04	0.15	57	1230	0.00	-1	2	0.03	3	15	0.74	0.20	27	-0.01	2	0.03	0.02	0	139	0	10	0.02	20
22HRC004	136	137	228039	1.90	0.01	0.18	68	1110	0.00	-1	13	0.30	8	13	0.68	0.30	31	0.01	2	0.05	0.12	0	138	0	11	0.02	19
22HRC004	137	138	228040	2.80	0.01	0.09	60	958	0.00	2	21	0.14	8	7	0.65	0.30	25	0.01	2	0.03	0.17	0	82	1	9	0.01	9
22HRC004	138	139	228041	2.50	0.01	0.09	82	1280	0.00	1	15	0.13	8	6	0.55	0.20	16	-0.01	2	0.04	0.13	0	90	1	7	0.01	9
22HRC004	139	140	228042	1.60	0.02	0.10	81	1320	0.00	4	13	0.12	7	10	0.72	0.30	18	-0.01	2	0.03	0.11	0	122	1	8	0.02	8
22HRC004	140	141	228043	1.20	0.04	0.31	42	1260	0.00	2	9	0.06	4	10	0.73	0.30	24	-0.01	2	0.09	0.08	0	114	1	10	0.01	14
22HRC004	141	142	228044	1.00	0.03	0.20	41	1210	0.00	-1	12	0.14	4	8	0.78	0.30	53	-0.01	2	0.05	0.10	0	75	1	11	0.01	14
22HRC004	142	143	228045	1.10	0.03	0.25	36	1270	0.00	1	21	0.27	11	9	0.85	0.40	45	-0.01	3	0.10	0.37	0	83	1	13	0.01	15
22HRC004	143	144	228046	1.20	0.04	0.58	44	1260	0.00	-1	13	0.09	5	9	0.78	0.40	95	-0.01	3	0.41	0.13	0	94	1	12	0.01	24
22HRC004	144	145	228047	1.20	0.04	0.83	41	1190	0.00	1	12	0.05	7	10	0.83	0.50	86	-0.01	3	0.45	0.14	0	98	1	13	0.02	29
22HRC004	145	146	228048	1.10	0.02	0.32	56	994	0.00	-1	21	0.28	10	11	0.83	0.40	131	-0.01	3	0.20	0.27	0	82	1	12	0.02	19
22HRC004	146	147	228049	1.30	0.02	0.52	47	968	0.00	1	25	0.07	8	11	0.67	0.50	173	-0.01	3	0.24	0.25	0	76	1	13	0.01	24

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22HRC004	147	148	228051	1.20	0.02	0.24	38	978	0.00	2	12	0.05	8	10	0.76	0.20	159	-0.01	2	0.14	0.14	0	61	1	14	0.02	15
22HRC004	148	149	228052	1.90	0.03	0.70	50	938	0.00	1	15	0.06	6	9	0.84	0.40	118	-0.01	3	0.40	0.20	0	74	1	10	0.01	19
22HRC004	149	150	228053	1.50	0.02	0.27	57	1040	0.00	-1	14	0.14	9	10	0.73	0.30	199	0.01	3	0.15	0.21	0	82	1	9	0.01	11
22HRC006	0	1	223256	1.30	0.07	0.36	21	53	0.00	3	16	0.01	5	2	0.49	0.50	16	-0.01	9	0.04	0.10	2	11	0	7	0.01	51
22HRC006	1	2	223257	0.80	0.05	0.52	14	64	0.00	3	12	0.01	3	2	0.31	0.40	18	-0.01	7	0.07	0.07	2	10	0	6	0.01	41
22HRC006	2	3	223258	1.50	0.03	0.19	22	59	0.00	2	12	0.01	5	2	0.37	0.30	16	-0.01	6	0.02	0.08	2	11	0	5	0.01	23
22HRC006	3	4	223259	1.30	0.03	0.15	33	71	0.00	2	15	0.01	7	2	0.25	0.30	17	-0.01	6	0.01	0.08	1	10	0	6	0.01	29
22HRC006	4	5	223260	1.90	0.03	0.15	43	100	0.00	-1	12	0.01	10	2	0.39	0.20	25	-0.01	6	0.01	0.07	1	12	0	6	0.01	23
22HRC006	5	6	223261	1.70	0.03	0.22	45	98	0.00	2	8	0.01	9	2	0.52	0.20	31	-0.01	7	0.03	0.06	2	13	0	6	0.02	26
22HRC006	6	7	223262	2.10	0.04	0.39	27	191	0.00	1	9	0.01	5	2	0.43	0.20	29	-0.01	7	0.04	0.06	1	8	1	7	0.01	30
22HRC006	7	8	223263	1.40	0.04	0.16	19	131	0.00	3	13	0.01	5	2	0.57	0.20	34	-0.01	6	0.01	0.08	1	6	1	6	0.01	22
22HRC006	8	9	223264	1.00	0.04	0.27	15	239	0.00	2	10	0.01	4	2	0.41	0.20	26	0.02	7	0.02	0.06	1	7	2	6	0.01	16
22HRC006	9	10	223265	1.30	0.02	0.16	53	108	0.00	-1	14	-0.01	9	2	0.46	0.20	26	-0.01	7	0.01	0.10	1	9	0	6	0.02	16
22HRC006	10	11	223266	0.90	0.04	0.28	19	190	0.00	4	13	-0.01	5	3	0.46	0.40	28	-0.01	8	0.03	0.11	1	8	0	7	0.01	28
22HRC006	11	12	223267	1.20	0.05	0.24	16	317	0.00	1	13	0.01	6	2	0.40	0.30	14	-0.01	7	0.01	0.08	1	7	1	7	0.01	21
22HRC006	12	13	223268	0.90	0.05	0.40	15	355	0.00	1	11	0.01	4	3	0.46	0.30	20	-0.01	7	0.04	0.06	1	8	1	7	0.01	21
22HRC006	13	14	223269	1.30	0.05	0.51	20	304	0.00	2	11	0.01	3	3	0.56	0.30	25	-0.01	7	0.06	0.07	1	8	1	8	0.01	25
22HRC006	14	15	223270	1.10	0.04	0.26	17	198	0.00	3	9	0.01	3	2	0.44	0.20	34	-0.01	6	0.02	0.06	1	9	0	6	0.01	21
22HRC006	15	16	223271	2.00	0.02	0.13	72	168	0.00	1	11	-0.01	16	2	0.46	0.10	27	-0.01	6	0.01	0.09	1	14	0	6	0.02	17
22HRC006	16	17	223272	3.90	0.02	0.12	98	132	0.00	6	14	0.01	29	2	0.65	-0.10	21	0.02	9	0.01	0.10	1	41	1	6	0.03	24
22HRC006	17	18	223273	1.70	0.03	0.19	34	281	0.00	1	14	0.01	10	3	0.52	0.20	24	-0.01	8	0.01	0.16	1	12	1	8	0.02	27
22HRC006	18	19	223276	1.30	0.04	0.22	33	314	0.00	3	12	0.01	6	3	0.88	0.30	29	-0.01	6	0.03	0.09	1	10	0	7	0.02	28
22HRC006	19	20	223277	1.20	0.05	0.51	23	417	0.00	3	10	0.01	3	3	0.53	0.40	26	-0.01	6	0.08	0.07	1	10	1	8	0.02	31
22HRC006	20	21	223278	1.10	0.04	0.23	30	322	0.00	3	13	0.01	5	3	0.54	0.40	29	-0.01	7	0.03	0.10	2	11	0	7	0.02	33
22HRC006	21	22	223279	1.20	0.05	0.31	23	356	0.00	2	9	0.01	4	3	0.38	0.30	27	-0.01	6	0.05	0.08	1	10	0	7	0.02	32
22HRC006	22	23	223280	1.00	0.05	0.19	29	502	0.00	3	14	0.01	5	3	0.79	0.40	30	-0.01	7	0.02	0.13	1	13	0	8	0.02	38
22HRC006	23	24	223281	0.90	0.05	0.15	21	492	0.00	1	12	0.02	5	2	0.69	0.30	20	-0.01	8	0.02	0.08	2	10	1	7	0.01	34
22HRC006	24	25	223282	1.20	0.04	0.11	24	365	0.00	2	8	0.01	6	2	0.56	0.20	23	-0.01	6	0.01	0.06	1	13	0	7	0.01	33
22HRC006	25	26	223283	0.90	0.03	0.11	32	416	0.00	1	16	0.01	8	2	0.51	0.20	18	-0.01	7	0.01	0.09	1	11	0	8	0.01	37
22HRC006	26	27	223284	1.20	0.02	0.09	40	292	0.00	2	19	0.02	17	1	0.66	0.20	20	-0.01	7	0.01	0.12	1	17	0	7	0.02	30
22HRC006	27	28	223285	1.90	0.02	0.13	31	478	0.00	1	39	0.01	11	2	0.62	0.40	25	-0.01	8	0.01	0.29	1	10	0	8	0.01	25
22HRC006	28	29	223286	6.20	0.01	0.10	19	695	0.00	3	27	0.04	46	1	0.63	0.20	34	-0.01	5	0.01	0.27	1	15	1	4	0.00	15
22HRC006	29	30	223287	1.30	0.03	0.11	21	548	0.00	2	14	0.14	10	2	0.59	0.20	23	-0.01	6	0.00	0.11	1	5	1	7	0.00	26
22HRC006	30	31	223288	1.10	0.05	0.18	14	531	0.00	2	15	0.09	9	2	0.60	0.30	11	-0.01	5	0.01	0.10	1	6	5	7	0.01	26
22HRC006	31	32	223289	0.80	0.05	0.15	11	541	0.00	2	15	0.04	7	2	0.63	0.30	9	-0.01	7	0.01	0.10	1	8	4	8	0.01	45
22HRC006	32	33	223290	0.70	0.04	0.12	10	611	0.00	2	19	0.06	6	1	0.13	0.30	12	-0.01	6	0.01	0.11	2	10	1	8	0.01	39

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22HRC006	33	34	223291	1.00	0.04	0.19	17	471	0.00	2	24	0.04	7	-1	0.39	0.30	9	-0.01	7	0.01	0.13	2	12	1	9	0.01	44
22HRC006	34	35	223292	0.80	0.03	0.22	33	650	0.00	2	30	0.05	9	3	0.62	0.40	12	-0.01	9	0.02	0.19	2	17	1	11	0.02	51
22HRC006	35	36	223293	1.10	0.06	0.25	11	585	0.00	1	19	0.04	6	2	0.72	0.50	15	-0.01	6	0.01	0.10	1	12	3	9	0.01	49
22HRC006	36	37	223294	0.70	0.06	0.23	10	635	0.00	2	10	0.03	5	4	0.45	0.40	14	-0.01	7	0.03	0.07	1	9	3	7	0.01	31
22HRC006	37	38	223295	0.70	0.06	0.23	9	543	0.00	2	10	0.04	6	3	0.54	0.40	11	-0.01	6	0.02	0.07	1	8	4	7	0.01	27
22HRC006	38	39	223296	0.90	0.06	0.24	8	555	0.00	1	16	0.02	5	2	0.61	0.40	10	-0.01	6	0.01	0.09	1	5	4	8	0.01	29
22HRC006	39	40	223297	1.10	0.02	0.30	9	670	0.00	4	26	0.01	4	2	0.60	0.40	14	-0.01	9	0.02	0.15	1	7	1	10	0.01	33
22HRC006	40	41	223298	1.80	0.02	0.26	24	728	0.00	2	29	0.02	5	2	0.69	0.30	11	-0.01	10	0.01	0.15	1	5	0	10	0.01	33
22HRC006	41	42	223299	1.60	0.03	0.46	28	725	0.00	2	35	0.03	7	3	0.66	0.50	12	-0.01	9	0.03	0.20	1	8	1	10	0.01	40
22HRC006	42	43	223301	0.70	0.05	0.20	12	592	0.00	3	9	0.03	5	2	0.61	0.30	11	-0.01	6	0.01	0.06	1	5	2	7	0.01	26
22HRC006	43	44	223302	0.90	0.03	0.16	29	702	0.00	1	17	0.05	5	3	0.44	0.50	11	-0.01	8	0.01	0.10	1	7	1	8	0.01	39
22HRC006	44	45	223303	0.70	0.04	0.15	22	581	0.00	1	11	0.18	6	3	0.69	0.30	10	-0.01	6	0.01	0.07	1	8	1	7	0.01	25
22HRC006	50	51	223309	0.90	0.04	0.18	20	567	0.00	2	17	0.02	5	2	0.59	0.20	10	-0.01	6	0.01	0.10	1	5	1	8	0.02	23
22HRC006	51	52	223310	1.80	0.02	0.13	17	826	0.00	2	28	0.11	6	4	0.62	0.20	18	-0.01	5	0.01	0.15	1	27	2	10	0.01	29
22HRC006	52	53	223311	1.50	0.02	0.12	13	505	0.00	1	24	0.09	6	2	0.41	0.20	8	-0.01	6	0.01	0.16	1	6	1	7	0.01	20
22HRC006	53	54	223312	1.10	0.05	0.14	16	677	0.00	3	20	0.10	2	2	0.50	0.20	12	-0.01	5	0.01	0.11	1	13	1	8	0.01	25
22HRC006	54	55	223313	0.70	0.03	0.10	12	974	0.00	2	18	0.04	3	3	0.46	0.20	17	-0.01	4	0.01	0.11	0	29	1	8	0.02	12
22HRC006	61	62	223320	0.60	0.03	0.24	10	586	0.00	2	19	0.02	2	2	0.44	0.30	9	-0.01	6	0.02	0.11	1	6	1	8	0.01	27
22HRC006	62	63	223321	0.80	0.01	0.18	63	634	0.00	-1	30	0.11	6	3	0.62	0.40	7	-0.01	7	0.01	0.19	1	10	1	9	0.01	30
22HRC006	63	64	223322	1.00	0.01	0.07	731	505	0.00	2	10	3.90	99	7	0.40	0.20	6	-0.01	3	0.01	0.63	0	65	1	5	0.01	9
22HRC006	64	65	223323	1.50	0.01	0.07	146	804	0.00	2	24	0.30	9	4	0.55	0.20	8	-0.01	5	0.01	0.18	1	16	0	8	0.01	14
22HRC006	65	66	223326	3.10	0.01	0.09	195	667	0.00	1	22	0.12	6	3	0.59	0.30	6	0.01	4	0.01	0.19	1	11	0	9	0.01	19
22HRC006	66	67	223327	2.80	0.00	0.17	406	337	0.00	4	18	0.16	5	8	0.54	0.40	4	0.07	5	0.02	0.16	1	55	0	7	0.01	29
22HRC006	67	68	223328	2.60	0.01	0.38	1040	261	0.00	5	35	0.16	169	12	0.79	0.90	5	0.09	8	0.03	0.34	1	86	0	11	0.01	42
22HRC006	68	69	223329	2.40	0.01	0.08	721	296	0.00	4	13	0.05	12	10	0.60	0.30	6	0.07	5	0.01	0.18	1	84	0	7	0.01	18
22HRC006	69	70	223330	1.50	0.00	-0.05	1380	219	0.00	4	11	0.25	4	29	0.47	0.50	6	0.06	5	0.02	0.12	1	229	0	7	0.02	23
22HRC006	70	71	223331	1.20	0.00	-0.05	1250	487	0.00	3	5	0.24	4	22	0.74	0.30	5	0.08	4	0.01	0.08	1	206	0	7	0.02	18
22HRC006	71	72	223332	0.40	0.01	0.06	1240	679	0.00	3	2	0.27	42	18	0.36	0.20	5	0.03	2	0.01	0.09	1	204	1	7	0.01	10
22HRC006	72	73	223333	0.50	0.03	0.06	1070	342	0.00	6	11	0.30	12	16	0.31	0.20	29	0.02	5	0.02	0.10	1	205	0	7	0.01	15
22HRC006	73	74	223334	0.40	0.11	-0.05	981	141	0.00	3	17	0.05	6	16	0.28	0.30	96	0.01	3	0.04	0.20	0	122	1	5	0.01	12
22HRC006	74	75	223335	0.50	0.12	0.10	1180	146	0.00	7	22	0.14	14	18	0.29	0.30	60	0.01	2	0.06	0.33	0	127	2	4	0.01	14
22HRC006	75	76	223336	0.40	0.13	0.06	1410	211	0.00	5	22	0.20	21	19	0.23	0.30	27	0.01	2	0.05	0.35	0	129	3	4	0.01	10
22HRC006	76	77	223337	0.30	0.17	0.08	1690	185	0.00	3	27	0.34	49	22	0.35	0.30	44	0.02	1	0.12	0.44	0	149	9	5	0.01	10
22HRC006	77	78	223338	0.50	0.24	0.14	1940	258	0.00	3	41	0.33	38	22	0.36	0.40	28	0.01	1	0.15	0.72	0	139	6	5	0.02	12
22HRC006	78	79	223339	0.30	0.22	0.06	1630	314	0.00	3	48	0.33	7	23	0.98	0.20	20	0.01	2	0.06	0.32	1	220	1	6	0.01	9
22HRC006	79	80	223340	0.40	0.03	-0.05	1510	522	0.00	7	8	0.31	8	20	0.69	0.30	9	0.01	2	0.01	0.19	1	202	2	7	0.01	9

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22HRC006	80	81	223341	0.80	0.00	0.06	1340	653	0.00	1	2	0.33	7	20	0.62	0.60	5	0.02	3	0.03	0.19	1	209	1	8	0.02	11
22HRC006	81	82	223342	1.00	0.00	0.06	813	125	0.00	2	1	0.25	2	11	0.13	0.40	2	0.02	4	0.02	0.04	1	179	0	4	0.02	13
22HRC006	82	83	223343	2.00	0.01	-0.05	930	438	0.00	4	8	0.55	15	13	0.83	0.40	8	0.13	3	0.01	0.20	1	150	1	5	0.01	13
22HRC006	83	84	223344	1.20	0.01	-0.05	1440	451	0.00	3	6	0.58	36	22	0.70	0.40	6	0.08	3	0.03	0.18	1	186	0	6	0.01	13
22HRC006	84	85	223345	1.60	0.01	0.06	1150	376	0.00	4	18	0.22	39	17	0.64	0.40	9	0.05	7	0.02	0.14	1	158	0	7	0.02	28
22HRC006	85	86	223346	1.90	0.00	0.05	765	373	0.00	7	26	0.19	26	8	0.50	0.30	4	0.09	7	0.01	0.16	1	99	0	7	0.01	31
22HRC006	86	87	223347	2.40	0.00	0.09	821	267	0.00	5	31	0.17	12	6	0.73	0.40	4	0.09	8	0.01	0.18	1	89	0	8	0.01	37
22HRC006	87	88	223348	0.80	0.00	-0.05	989	26	0.00	2	3	0.17	39	15	0.36	0.30	216	0.04	2	0.05	0.16	0	104	1	7	0.01	10
22HRC006	88	89	223349	0.40	0.01	-0.05	1440	131	0.00	1	2	0.13	119	19	0.45	0.20	280	0.02	1	0.03	0.11	0	133	0	6	0.01	9
22HRC006	89	90	223351	0.40	0.01	-0.05	1560	138	0.00	3	2	0.06	16	18	0.41	0.30	386	0.01	1	0.01	0.05	0	122	0	7	0.01	10
22HRC006	90	91	223352	0.50	0.01	-0.05	952	379	0.00	3	2	0.11	6	17	0.35	0.30	222	-0.01	2	0.03	0.06	0	126	0	7	0.01	10
22HRC006	91	92	223353	1.40	0.02	0.16	384	812	0.00	4	10	0.55	24	11	0.51	0.30	19	0.03	3	0.02	0.16	0	102	1	7	0.01	13
22HRC006	92	93	223354	1.00	0.02	0.08	477	705	0.00	2	3	0.35	3	17	0.45	0.20	85	0.04	1	0.02	0.06	0	127	0	7	0.01	8
22HRC006	93	94	223355	1.30	0.04	0.12	61	1160	0.00	-1	5	0.18	2	12	0.62	0.40	25	0.01	2	0.15	0.07	0	128	0	10	0.01	10
22HRC006	94	95	223356	1.60	0.05	0.12	63	1110	0.00	8	5	0.16	2	13	0.83	0.30	31	-0.01	2	0.24	0.06	0	136	0	10	0.02	10
22HRC006	95	96	223357	1.30	0.04	0.08	50	1040	0.00	-1	3	0.15	2	13	1.06	0.20	45	-0.01	2	0.14	0.03	0	141	0	10	0.01	9
22HRC006	96	97	223358	1.40	0.03	-0.05	218	826	0.00	-1	1	0.30	11	15	0.71	0.30	76	0.01	2	0.02	-0.02	0	209	1	8	0.01	11
22HRC006	97	98	223359	0.40	0.00	-0.05	602	161	0.00	6	2	0.39	2	13	0.39	0.20	334	-0.01	2	0.01	0.02	0	274	0	5	0.01	7
22HRC006	98	99	223360	0.10	0.00	-0.05	471	150	0.00	4	1	0.34	2	13	0.37	-0.10	290	0.01	2	0.01	-0.02	0	231	0	5	0.01	10
22HRC006	99	100	223361	0.20	0.00	-0.05	560	101	0.00	4	1	0.40	2	12	0.81	0.10	547	0.02	1	0.01	-0.02	0	228	0	6	0.00	6
22HRC006	100	101	223362	0.20	0.00	-0.05	417	118	0.00	3	1	0.30	2	13	0.39	-0.10	389	-0.01	2	0.01	-0.02	0	198	0	4	0.00	5
22HRC006	101	102	223363	0.10	0.01	-0.05	484	177	0.00	4	4	0.29	3	13	0.46	0.10	179	-0.01	3	0.02	0.04	0	207	0	4	0.01	5
22HRC006	102	103	223364	0.20	0.01	-0.05	620	94	0.00	4	1	0.34	2	12	0.34	-0.10	448	0.01	1	0.01	0.03	0	228	0	5	0.01	6
22HRC006	103	104	223365	0.20	0.00	-0.05	453	118	0.00	3	1	0.32	2	14	0.32	-0.10	365	0.01	1	0.00	-0.02	0	217	0	5	0.00	2
22HRC006	104	105	223366	1.70	0.00	-0.05	608	79	0.00	4	2	0.37	3	11	0.20	0.10	594	0.02	1	0.01	0.02	0	224	3	6	0.01	4
22HRC006	105	106	223367	3.30	0.01	-0.05	456	155	0.00	4	43	0.35	7	12	0.68	0.30	516	0.01	3	0.01	0.23	1	172	2	10	0.01	11
22HRC006	106	107	223368	7.70	0.01	-0.05	567	420	0.00	5	34	0.26	6	13	0.61	0.30	80	0.07	3	0.01	0.19	1	163	2	8	0.02	17
22HRC006	107	108	223369	1.70	0.01	-0.05	721	505	0.00	3	30	0.36	5	17	0.76	0.60	119	0.02	3	0.02	0.17	1	229	0	11	0.02	21
22HRC006	108	109	223370	1.60	0.01	-0.05	710	284	0.00	3	24	0.29	4	12	0.71	0.50	57	0.02	11	0.02	0.14	3	187	0	8	0.02	18
22HRC006	109	110	223371	1.50	0.00	-0.05	740	150	0.00	8	12	0.34	4	14	0.46	0.40	217	0.03	1	0.01	0.08	0	208	1	10	0.02	18
22HRC006	110	111	223372	1.40	0.01	-0.05	751	102	0.00	2	11	0.26	3	14	0.37	0.30	20	-0.01	3	0.01	0.08	0	198	1	5	0.02	13
22HRC006	111	112	223373	3.80	0.01	0.06	716	232	0.00	2	15	0.05	3	15	0.41	0.50	89	0.02	2	0.02	0.11	0	120	1	7	0.02	15
22HRC006	112	113	223376	4.50	0.01	0.06	212	864	0.00	3	18	0.11	4	13	0.39	0.30	16	-0.01	2	0.01	0.13	0	126	1	7	0.02	11
22HRC006	113	114	223377	5.40	0.05	0.09	70	1020	0.00	1	8	0.04	3	11	0.42	0.30	19	-0.01	2	0.02	0.08	0	113	3	7	0.01	13
22HRC006	114	115	223378	3.10	0.06	0.07	70	1250	0.00	-1	6	0.05	2	13	0.48	0.30	35	-0.01	1	0.02	0.04	0	134	2	8	0.02	14
22HRC006	115	116	223379	1.60	0.06	0.36	50	1130	0.00	-1	3	0.04	2	15	0.47	0.30	71	-0.01	2	0.04	0.02	0	137	1	9	0.02	16

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22HRC006	116	117	223380	1.30	0.04	0.21	43	1170	0.00	1	8	0.24	3	15	0.53	0.50	72	-0.01	2	0.03	0.08	0	130	1	9	0.02	19
22HRC006	117	118	223381	2.30	0.03	0.15	51	1040	0.00	-1	13	0.24	4	13	0.59	0.40	61	-0.01	2	0.03	0.11	0	109	2	9	0.02	13
22HRC006	118	119	223382	1.70	0.02	0.15	48	1000	0.00	1	5	0.17	3	11	0.60	0.20	75	-0.01	2	0.09	0.06	0	115	2	8	0.02	11
22HRC006	119	120	223383	1.60	0.05	0.18	36	1190	0.00	-1	8	0.10	3	12	0.64	0.40	89	-0.01	2	0.14	0.07	0	113	1	11	0.02	26
22HRC006	120	121	223384	1.30	0.03	0.15	42	1170	0.00	-1	19	0.10	4	13	0.73	0.70	52	0.02	2	0.08	0.15	0	115	1	9	0.02	18
22HRC006	121	122	223385	1.40	0.03	0.47	22	795	0.00	1	5	0.08	2	10	0.65	0.30	129	-0.01	2	0.26	0.06	0	80	3	9	0.03	14
22HRC006	122	123	223386	1.30	0.02	0.46	33	994	0.00	2	5	0.12	3	14	0.81	0.30	226	-0.01	2	0.21	0.05	0	79	2	16	0.02	17
22HRC006	123	124	223387	1.50	0.04	0.93	30	1120	0.00	-1	6	0.17	3	10	0.66	0.40	100	-0.01	2	0.42	0.07	0	93	2	11	0.02	23
22HRC006	124	125	223388	1.40	0.04	0.53	33	1210	0.00	1	11	0.05	4	11	0.67	0.40	105	-0.01	2	0.31	0.09	0	102	1	12	0.02	23
22HRC006	125	126	223389	1.10	0.03	0.15	40	1280	0.00	3	21	0.07	4	9	0.86	0.40	98	0.01	3	0.13	0.18	0	81	0	13	0.02	11
22HRC006	126	127	223390	1.50	0.04	0.29	39	1240	0.00	-1	9	0.07	4	12	0.77	0.40	165	-0.01	3	0.32	0.11	0	117	1	14	0.02	18
22HRC006	130	131	223394	1.10	0.03	0.07	119	528	0.00	-1	17	0.10	2	10	0.37	0.20	126	-0.01	1	0.05	0.10	0	95	1	6	0.01	4
22HRC006	131	132	223395	0.90	0.02	0.09	106	603	0.00	2	31	0.12	3	9	0.31	0.20	107	-0.01	1	0.05	0.17	0	92	1	7	0.02	5
22HRC006	132	133	223396	1.30	0.04	0.56	69	1100	0.00	3	13	0.12	4	7	0.95	0.40	168	-0.01	3	0.38	0.07	0	99	1	13	0.02	21
22HRC006	133	134	223397	1.30	0.05	0.54	64	1100	0.00	1	9	0.10	5	8	0.93	0.40	144	-0.01	3	0.35	0.06	0	93	2	14	0.02	24
22HRC006	134	135	223398	1.40	0.06	0.30	54	1200	0.00	2	6	0.10	4	11	1.12	0.30	141	-0.01	3	0.32	0.04	0	118	1	13	0.02	26
22HRC006	135	136	223399	2.00	0.05	0.52	67	1080	0.01	3	8	0.12	3	8	0.91	0.30	157	-0.01	3	0.35	0.05	0	97	2	11	0.03	22
22HRC006	136	137	223401	1.20	0.02	0.12	122	641	0.00	1	17	0.11	3	9	0.36	0.20	125	-0.01	2	0.02	0.12	0	92	1	6	0.01	10
22HRC006	137	138	223402	0.70	0.03	0.07	124	525	0.00	-1	20	0.13	2	10	0.40	0.10	192	-0.01	1	0.01	0.10	0	91	1	8	0.01	4
22HRC006	138	139	223403	0.90	0.03	0.06	130	562	0.00	1	26	0.11	3	10	0.62	0.20	144	-0.01	1	0.01	0.14	0	106	1	7	0.01	5
22HRC006	139	140	223404	0.80	0.03	0.07	135	548	0.00	3	18	0.12	2	13	0.40	0.20	172	-0.01	1	0.02	0.10	0	127	1	7	0.01	5
22HRC006	140	141	223405	0.60	0.04	-0.05	132	619	0.00	-1	13	0.11	2	11	0.21	0.10	205	-0.01	1	0.02	0.07	0	118	0	7	0.01	4
22HRC006	141	142	223406	0.60	0.03	0.05	186	492	0.00	-1	12	0.15	2	15	0.43	0.20	184	-0.01	1	0.02	0.07	0	158	0	6	0.01	5
22HRC006	142	143	223407	0.60	0.02	0.07	176	459	0.00	-1	16	0.16	2	10	0.52	0.20	249	-0.01	1	0.02	0.08	0	138	0	7	0.01	4
22HRC006	143	144	223408	0.60	0.02	0.09	168	414	0.00	1	16	0.16	2	10	0.67	0.20	218	-0.01	1	0.02	0.08	0	141	0	7	0.01	4
22HRC006	144	145	223409	0.70	0.01	0.06	186	440	0.00	2	20	0.17	2	10	0.56	0.20	143	-0.01	1	0.02	0.10	0	143	0	8	0.01	4
22HRC006	145	146	223410	0.70	0.01	-0.05	176	494	0.00	-1	27	0.20	3	10	0.50	0.10	73	-0.01	1	0.01	0.15	0	156	0	8	0.01	3
22HRC006	146	147	223411	0.60	0.01	0.05	186	536	0.00	2	38	0.17	3	11	0.56	0.20	133	-0.01	1	0.02	0.16	0	133	0	8	0.01	5
22HRC006	147	148	223412	0.50	0.01	0.08	123	505	0.00	10	40	0.23	4	8	0.52	0.20	31	0.01	2	0.02	0.19	0	106	0	6	0.01	10
22HRC006	148	149	223413	0.50	0.01	0.12	124	588	0.00	9	20	0.27	3	8	0.46	0.20	32	0.02	1	0.03	0.15	0	95	0	8	0.01	10
22HRC006	149	150	223414	0.40	0.02	-0.05	150	524	0.00	7	10	0.08	3	9	0.42	0.20	132	-0.01	1	0.02	0.08	0	94	0	6	0.01	8
22HRC006	150	151	223415	0.40	0.02	-0.05	139	569	0.00	5	9	0.08	2	10	0.56	0.20	227	-0.01	1	0.04	0.06	0	98	0	7	0.01	9
22HRC006	151	152	223416	0.40	0.03	-0.05	133	535	0.00	11	5	0.04	2	11	0.36	0.10	206	-0.01	1	0.02	0.04	0	105	0	7	0.01	11
22HRC006	152	153	223417	0.60	0.02	-0.05	109	587	0.00	6	7	0.23	2	9	0.55	0.10	108	0.02	1	0.02	0.05	0	99	0	6	0.01	8
22HRC006	153	154	223418	0.70	0.03	-0.05	96	692	0.00	2	8	0.22	2	10	0.51	0.20	173	-0.01	1	0.02	0.06	0	99	1	8	0.01	14
22HRC006	154	155	223419	0.60	0.03	0.08	96	695	0.00	3	18	0.22	3	8	0.55	0.20	149	0.01	2	0.02	0.13	0	76	0	8	0.01	13

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22HRC006	155	156	223420	0.60	0.03	-0.05	104	745	0.00	5	8	0.10	2	10	0.49	0.20	178	0.01	2	0.02	0.06	0	89	1	8	0.01	14
22HRC006	156	157	223421	0.60	0.03	0.07	110	625	0.00	3	18	0.15	2	8	0.43	0.20	194	0.01	1	0.03	0.07	0	90	1	8	0.01	15
22HRC006	157	158	223422	1.00	0.03	0.11	178	600	0.00	4	8	0.25	2	11	0.70	0.20	163	0.04	2	0.02	0.04	0	117	1	8	0.02	26
22HRC006	158	159	223423	0.70	0.03	0.09	130	547	0.00	4	11	0.25	2	9	0.34	0.20	178	0.08	2	0.03	0.05	0	99	1	8	0.02	21
22HRC006	159	160	223426	0.70	0.03	0.09	110	620	0.00	5	14	0.17	2	8	0.65	0.30	174	0.05	2	0.04	0.05	0	97	1	10	0.01	23
22HRC006	160	161	223427	0.90	0.02	0.07	108	565	0.00	1	9	0.16	2	8	0.83	0.20	217	0.02	2	0.02	0.04	0	86	1	9	0.01	19
22HRC006	161	162	223428	1.10	0.06	0.22	69	656	0.00	6	9	0.07	1	7	0.83	0.20	173	0.02	1	0.16	0.04	0	61	1	10	0.01	17
22HRC006	162	163	223429	0.80	0.05	0.06	74	659	0.00	1	5	0.08	1	8	0.43	0.10	166	0.04	1	0.05	0.02	0	71	1	7	0.01	8
22HRC006	163	164	223430	0.80	0.05	0.11	103	625	0.00	3	4	0.04	2	9	0.62	0.20	110	0.04	2	0.08	0.03	0	71	1	8	0.01	14
22HRC006	164	165	223431	1.10	0.04	0.07	58	811	0.00	5	13	0.06	2	6	0.91	0.20	150	0.01	2	0.04	0.08	0	45	1	9	0.01	16
22HRC006	165	166	223432	0.90	0.03	-0.05	62	885	0.00	4	16	0.25	3	7	0.60	0.20	170	-0.01	1	0.01	0.11	0	52	1	9	0.01	13
22HRC006	166	167	223433	0.90	0.03	0.17	78	907	0.00	2	15	0.26	2	9	0.77	0.20	179	-0.01	1	0.01	0.09	0	70	1	10	0.01	16
22HRC006	167	168	223434	1.00	0.03	0.16	57	866	0.00	3	32	0.16	3	7	0.66	0.30	154	-0.01	2	0.03	0.21	0	68	0	11	0.01	16
22HRC006	168	169	223435	0.80	0.03	0.08	72	740	0.00	3	32	0.16	2	5	0.84	0.20	168	-0.01	1	0.02	0.12	0	54	1	10	0.01	13
22HRC006	169	170	223436	0.50	0.03	0.10	73	691	0.00	-1	17	0.18	2	5	0.90	0.20	177	-0.01	1	0.02	0.07	0	64	1	9	0.01	15
22HRC006	170	171	223437	0.90	0.05	0.12	76	695	0.00	-1	16	0.19	2	9	0.69	0.30	210	0.02	1	0.02	0.06	0	81	1	10	0.01	20
22HRC006	171	172	223438	0.90	0.05	0.09	88	674	0.00	3	12	0.13	2	10	0.56	0.30	192	0.02	1	0.02	0.05	0	103	1	9	0.02	17
22HRC006	172	173	223439	1.10	0.05	0.12	117	635	0.00	2	10	0.21	2	11	0.57	0.40	186	0.13	2	0.02	0.05	0	112	1	9	0.01	27
22HRC006	173	174	223440	0.70	0.04	-0.05	102	731	0.00	4	3	0.29	2	13	0.59	0.20	171	0.09	2	0.02	0.03	0	116	1	8	0.01	16
22HRC006	174	175	223441	0.90	0.03	0.07	84	723	0.00	4	4	0.06	2	10	0.63	0.20	181	0.03	2	0.09	0.04	0	99	0	8	0.01	14
22HRC006	175	176	223442	0.80	0.04	0.17	85	697	0.00	6	7	0.06	2	9	0.68	0.30	197	0.04	2	0.15	0.05	0	85	0	10	0.01	21
22HRC006	176	177	223443	0.60	0.03	0.06	97	815	0.00	5	9	0.18	2	8	0.52	0.20	139	0.01	1	0.02	0.07	0	83	0	9	0.01	17
22HRC006	177	178	223444	0.50	0.05	0.10	87	724	0.00	3	18	0.17	2	8	0.60	0.30	210	0.02	1	0.02	0.08	0	86	1	10	0.01	18
22HRC006	178	179	223445	0.90	0.05	0.09	93	722	0.00	2	6	0.20	2	12	0.57	0.20	205	0.03	1	0.02	0.03	0	114	1	8	0.01	12
22HRC006	179	180	223446	1.10	0.06	0.12	110	687	0.00	5	8	0.16	2	10	0.71	0.20	185	0.02	2	0.03	0.05	0	108	1	9	0.01	20
22HRC006	180	181	223447	1.80	0.04	0.10	82	645	0.00	2	17	0.50	3	7	0.83	0.30	141	0.05	1	0.02	0.14	0	89	0	9	0.01	14
22HRC006	181	182	223448	0.90	0.05	0.11	85	616	0.00	5	12	0.17	2	8	0.75	0.20	194	-0.01	1	0.05	0.08	0	102	0	10	0.01	13
22HRC006	182	183	223449	0.80	0.06	0.11	70	589	0.00	-1	22	0.13	2	8	0.48	0.20	242	-0.01	1	0.06	0.11	0	99	0	11	0.01	12
22HRC006	183	184	223451	1.00	0.05	0.12	72	602	0.00	-1	20	0.13	1	8	0.94	0.20	211	-0.01	1	0.09	0.10	0	101	0	12	0.01	12
22HRC006	184	185	223452	0.90	0.06	0.16	80	634	0.00	5	21	0.11	1	8	0.75	0.20	203	-0.01	1	0.11	0.10	0	103	0	12	0.01	15
22HRC006	185	186	223453	0.90	0.06	0.39	75	614	0.00	3	15	0.10	1	8	0.66	0.40	185	-0.01	1	0.21	0.07	0	101	0	13	0.01	15
22HRC006	186	187	223454	1.20	0.06	0.22	85	613	0.00	4	14	0.08	1	8	0.65	0.30	206	-0.01	1	0.14	0.06	0	88	1	13	0.01	16
22HRC006	187	188	223455	1.00	0.06	0.13	69	500	0.00	2	8	0.17	2	8	0.40	0.20	247	0.01	1	0.06	0.04	0	90	0	9	0.01	19
22HRC006	188	189	223456	0.70	0.05	0.16	58	605	0.00	2	8	0.09	1	8	0.34	0.30	193	0.01	1	0.10	0.05	0	87	0	9	0.01	17
22HRC006	189	190	223457	0.80	0.06	0.15	80	634	0.00	4	7	0.11	1	10	0.43	0.30	158	0.01	1	0.17	0.04	0	108	0	11	0.01	16
22HRC006	190	191	223458	0.70	0.06	0.14	69	553	0.00	1	8	0.09	1	9	0.69	0.20	154	0.02	1	0.14	0.04	0	99	0	10	0.01	10

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22HRC006	191	192	223459	0.70	0.05	0.13	76	592	0.00	-1	4	0.11	1	10	0.88	0.20	190	0.02	1	0.11	0.03	0	115	0	12	0.01	14
22HRC006	192	193	223460	0.80	0.06	0.13	68	551	0.00	2	12	0.08	1	6	0.79	0.20	168	0.01	1	0.09	0.05	0	77	0	11	0.01	13
22HRC006	193	194	223461	0.90	0.05	0.12	76	595	0.00	8	8	0.12	1	9	0.69	0.20	158	0.01	1	0.10	0.04	0	100	0	11	0.01	12
22HRC006	194	195	223462	0.90	0.06	0.44	72	627	0.00	3	10	0.09	1	9	0.69	0.50	178	-0.01	1	0.29	0.06	0	99	1	13	0.01	13
22HRC006	195	196	223463	0.70	0.05	0.19	79	652	0.00	2	15	0.12	1	9	1.04	0.40	174	0.01	1	0.19	0.08	0	109	0	11	0.01	10
22HRC006	196	197	223464	0.90	0.07	0.51	94	597	0.00	3	15	0.10	1	8	0.48	0.40	174	-0.01	1	0.23	0.08	0	93	1	13	0.01	12
22HRC006	197	198	223465	0.70	0.05	0.35	103	545	0.00	4	21	0.10	1	7	0.30	0.30	168	0.01	1	0.16	0.11	0	85	0	13	0.01	9
22HRC007	0	1	223466	0.90	0.02	0.21	132	545	0.00	3	17	0.02	300	3	0.27	0.30	100	-0.01	5	0.03	0.15	1	29	0	10	0.01	18
22HRC007	1	2	223467	0.60	0.02	0.15	111	541	0.00	2	22	0.03	184	2	0.27	0.20	168	-0.01	5	0.01	0.23	1	14	0	7	0.01	24
22HRC007	2	3	223468	0.80	0.03	0.07	95	537	0.00	2	19	0.03	122	-1	0.20	0.10	116	-0.01	5	0.01	0.11	1	10	0	6	0.01	25
22HRC007	3	4	223469	0.60	0.04	0.10	175	555	0.00	2	22	0.02	155	1	0.17	0.20	112	-0.01	5	0.01	0.13	1	15	0	7	0.02	26
22HRC007	4	5	223470	0.70	0.04	0.08	174	1220	0.00	2	20	0.01	135	2	0.34	0.20	56	-0.01	5	0.01	0.11	1	17	0	10	0.02	26
22HRC007	5	6	223471	0.60	0.04	0.08	140	869	0.00	2	17	0.01	101	1	0.17	0.20	68	-0.01	7	0.01	0.12	1	13	0	7	0.02	27
22HRC007	6	7	223472	1.70	0.04	0.13	157	647	0.00	2	28	0.01	92	1	0.26	0.30	51	-0.01	7	0.01	0.22	1	13	0	9	0.02	29
22HRC007	7	8	223473	1.40	0.01	0.11	163	630	0.00	3	25	0.01	143	-1	0.35	0.20	34	-0.01	8	0.00	0.20	1	18	1	8	0.02	29
22HRC007	8	9	223476	1.20	0.01	0.09	175	782	0.00	2	28	-0.01	132	1	0.33	0.20	24	-0.01	8	0.01	0.23	2	22	1	8	0.02	28
22HRC007	9	10	223477	1.40	0.01	0.08	118	1170	0.01	2	25	0.02	102	-1	0.63	0.20	29	0.03	8	0.00	0.17	2	47	1	6	0.02	28
22HRC007	10	11	223478	0.80	0.01	0.07	52	560	0.00	2	29	0.01	30	-1	0.29	0.20	26	-0.01	8	0.00	0.15	1	41	1	6	0.01	25
22HRC007	11	12	223479	0.70	0.01	0.08	35	496	0.00	-1	21	0.01	18	-1	0.30	0.10	20	-0.01	8	0.00	0.12	1	29	1	5	0.01	20
22HRC007	12	13	223480	2.40	0.02	0.10	99	463	0.01	1	26	0.26	45	-1	0.36	0.10	87	0.04	8	0.00	0.20	1	56	2	7	0.01	28
22HRC007	13	14	223481	1.30	0.03	0.14	70	540	0.00	-1	19	0.08	27	-1	0.24	0.20	16	-0.01	8	0.00	0.16	1	1	4	7	0.00	52
22HRC007	14	15	223482	1.00	0.04	0.12	70	562	0.00	1	16	0.05	23	-1	0.26	0.20	16	-0.01	7	0.00	0.10	1	6	1	8	0.01	35
22HRC007	15	16	223483	1.20	0.04	0.12	66	655	0.00	-1	15	0.14	24	-1	0.36	0.20	21	0.02	7	0.00	0.09	1	7	3	7	0.00	33
22HRC007	16	17	223484	1.30	0.04	0.09	72	849	0.00	3	25	0.07	28	2	0.23	0.30	23	0.01	8	0.01	0.15	1	11	2	9	0.00	38
22HRC007	17	18	223485	1.20	0.04	0.07	88	2260	0.00	2	22	0.04	53	3	0.42	0.20	38	-0.01	6	0.01	0.11	1	8	1	18	0.00	45
22HRC007	18	19	223486	1.10	0.03	0.09	166	1720	0.00	4	28	0.06	59	4	0.50	0.30	41	-0.01	7	0.01	0.15	1	24	2	14	0.01	37
22HRC007	19	20	223487	1.00	0.04	0.10	44	483	0.00	2	20	0.09	20	2	0.42	0.20	30	-0.01	7	0.01	0.11	1	5	1	9	0.01	34
22HRC007	20	21	223488	0.80	0.03	0.17	45	365	0.00	-1	23	0.05	28	1	0.23	0.30	11	-0.01	8	0.01	0.12	1	3	1	9	0.02	40
22HRC007	21	22	223489	1.20	0.04	0.25	49	490	0.00	2	23	0.05	53	1	0.27	0.40	13	-0.01	8	0.01	0.12	1	4	2	10	0.02	43
22HRC007	22	23	223490	0.90	0.04	0.34	32	309	0.00	2	18	0.06	37	1	0.23	0.30	34	-0.01	7	0.05	0.08	1	3	2	8	0.01	35
22HRC007	23	24	223491	1.00	0.04	0.25	32	385	0.00	1	23	0.05	29	2	0.34	0.40	48	-0.01	8	0.02	0.11	2	3	2	9	0.01	48
22HRC007	24	25	223492	1.50	0.03	0.22	39	696	0.00	-1	36	0.05	28	2	0.32	0.50	63	-0.01	9	0.01	0.16	2	4	1	12	0.02	86
22HRC007	25	26	223493	1.30	0.03	0.18	42	734	0.00	2	24	0.07	28	2	0.37	0.30	48	-0.01	7	0.01	0.11	1	6	2	11	0.01	45
22HRC007	26	27	223494	1.50	0.03	0.22	17	765	0.00	1	42	0.04	19	2	0.25	0.50	37	-0.01	9	0.01	0.20	2	7	1	13	0.01	90
22HRC007	27	28	223495	1.30	0.03	0.21	13	677	0.00	1	27	0.05	16	1	0.31	0.30	70	-0.01	8	0.01	0.11	1	4	1	12	0.01	76
22HRC007	28	29	223496	0.90	0.03	0.20	11	590	0.00	1	22	0.04	13	2	0.31	0.40	46	-0.01	6	0.01	0.09	1	6	2	9	0.01	43

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22HRC007	29	30	223497	1.50	0.03	0.16	25	182	0.00	1	12	0.34	67	2	0.56	0.20	33	-0.01	6	0.01	0.06	1	3	4	7	0.01	25
22HRC007	30	31	223498	1.10	0.04	0.14	24	1030	0.00	-1	27	0.05	20	2	0.36	0.40	39	-0.01	7	0.01	0.11	1	7	2	12	0.01	68
22HRC007	31	32	223499	1.30	0.04	0.28	32	683	0.00	2	22	0.05	29	2	0.18	0.30	44	-0.01	5	0.01	0.09	1	17	4	11	0.01	34
22HRC007	32	33	223501	1.00	0.03	0.16	15	674	0.00	1	22	0.04	15	1	0.42	0.20	40	-0.01	7	0.01	0.10	1	7	2	9	0.01	31
22HRC007	33	34	223502	0.70	0.02	0.13	8	668	0.00	1	29	0.04	9	-1	0.29	0.20	26	-0.01	7	0.01	0.11	1	2	1	9	0.01	29
22HRC007	34	35	223503	0.60	0.02	0.11	18	844	0.00	1	29	0.06	16	2	0.39	0.20	52	-0.01	7	0.01	0.12	1	15	0	10	0.01	35
22HRC007	35	36	223504	1.70	0.02	0.15	14	723	0.00	2	33	0.09	13	2	0.27	0.40	45	-0.01	7	0.01	0.15	1	11	1	11	0.01	41
22HRC007	36	37	223505	0.80	0.04	0.13	18	820	0.00	1	20	0.05	17	4	0.45	0.30	69	-0.01	5	0.01	0.08	1	55	1	8	0.01	29
22HRC007	37	38	223506	0.70	0.03	0.09	14	791	0.00	-1	21	0.06	14	2	0.26	0.20	49	-0.01	7	0.01	0.09	1	11	1	9	0.01	33
22HRC007	38	39	223507	0.90	0.04	0.18	15	375	0.00	-1	14	0.05	12	2	0.17	0.20	32	-0.01	7	0.01	0.06	1	7	3	7	0.01	27
22HRC007	39	40	223508	1.40	0.04	0.22	23	386	0.00	-1	14	0.04	17	2	0.30	0.20	33	0.01	6	0.01	0.06	1	4	3	7	0.01	25
22HRC007	40	41	223509	1.10	0.04	0.24	20	349	0.00	-1	18	0.04	17	2	0.22	0.30	47	-0.01	6	0.01	0.07	1	5	3	7	0.01	32
22HRC007	41	42	223510	0.90	0.04	0.11	22	358	0.00	1	15	0.04	15	2	0.18	0.20	43	-0.01	7	0.01	0.07	1	3	2	6	0.01	24
22HRC007	42	43	223511	1.20	0.04	0.25	15	290	0.00	1	17	0.03	9	1	0.26	0.30	39	0.01	6	0.01	0.07	1	4	3	7	0.01	35
22HRC007	43	44	223512	0.90	0.04	0.45	9	314	0.00	-1	11	0.03	7	1	0.20	0.20	39	-0.01	6	0.05	0.04	1	3	3	6	0.01	27
22HRC007	44	45	223513	1.10	0.04	0.45	10	390	0.00	-1	16	0.04	12	2	0.30	0.30	42	-0.01	6	0.05	0.07	1	6	4	8	0.01	27
22HRC007	45	46	223514	1.40	0.04	0.47	11	856	0.00	-1	15	0.04	15	3	0.34	0.30	57	-0.01	6	0.08	0.07	1	14	3	9	0.01	33
22HRC007	46	47	223515	1.40	0.04	0.58	13	298	0.00	1	16	0.04	12	2	0.17	0.30	43	-0.01	8	0.07	0.07	1	4	4	7	0.01	31
22HRC007	47	48	223516	1.20	0.03	0.27	15	262	0.00	1	24	0.05	10	1	0.30	0.30	14	-0.01	7	0.01	0.11	1	3	2	7	0.00	26
22HRC007	48	49	223517	2.00	0.02	0.11	14	656	0.00	-1	37	0.04	15	-1	0.38	0.20	13	0.01	8	0.01	0.17	1	4	1	8	0.00	25
22HRC007	49	50	223518	1.60	0.03	0.26	14	237	0.00	1	42	0.02	25	1	0.46	0.40	12	0.02	9	0.01	0.18	1	2	1	9	0.00	46
22HRC007	50	51	223519	2.40	0.02	0.19	17	280	0.01	1	39	0.13	71	-1	0.32	0.30	8	0.02	6	0.01	0.21	1	3	5	8	0.05	35
22HRC007	51	52	223520	1.70	0.04	0.23	13	95	0.00	1	25	0.05	39	-1	0.13	0.30	10	0.09	7	0.01	0.12	1	-1	3	7	0.01	37
22HRC007	52	53	223521	1.70	0.05	0.23	6	148	0.00	-1	17	0.04	22	-1	0.22	0.30	20	0.03	5	0.01	0.07	1	1	4	6	0.02	30
22HRC007	53	54	223522	2.10	0.05	0.35	12	210	0.00	-1	26	0.03	17	1	0.31	0.40	19	0.02	7	0.01	0.10	1	1	1	7	0.01	36
22HRC007	54	55	223523	2.40	0.05	0.22	15	73	0.00	1	24	0.03	16	1	0.20	0.30	19	0.02	7	0.01	0.11	1	3	3	6	0.01	27
22HRC007	55	56	223526	2.50	0.06	0.62	12	130	0.00	2	15	0.02	8	2	0.21	0.40	22	-0.01	6	0.08	0.09	1	6	3	6	0.01	29
22HRC007	56	57	223527	1.30	0.05	0.40	7	25	0.00	-1	15	0.03	6	1	0.27	0.30	15	-0.01	5	0.04	0.06	1	2	4	6	0.01	40
22HRC007	57	58	223528	1.60	0.06	0.40	7	107	0.00	2	13	0.02	7	1	0.20	0.30	32	-0.01	6	0.04	0.07	1	3	4	7	0.01	51
22HRC007	58	59	223529	1.00	0.05	0.44	6	203	0.00	1	11	0.01	5	-1	0.14	0.30	18	-0.01	5	0.04	0.05	1	3	3	6	0.01	40
22HRC007	59	60	223530	1.80	0.05	0.61	11	111	0.00	-1	15	0.02	8	1	0.28	0.30	13	-0.01	6	0.05	0.06	1	3	3	8	0.01	58
22HRC007	60	61	223531	1.50	0.05	0.41	12	111	0.00	-1	21	0.02	8	1	0.23	0.40	11	-0.01	7	0.02	0.08	1	4	2	8	0.02	53
22HRC007	61	62	223532	2.60	0.05	0.53	14	456	0.00	2	18	0.04	10	1	0.27	0.30	24	0.01	7	0.05	0.09	2	2	3	9	0.01	47
22HRC007	62	63	223533	1.10	0.04	0.74	11	87	0.00	-1	16	0.04	7	1	0.44	0.30	19	-0.01	7	0.08	0.08	1	4	3	7	0.01	43
22HRC007	63	64	223534	1.40	0.06	0.29	16	97	0.00	2	17	0.02	6	2	0.34	0.30	24	-0.01	8	0.04	0.07	2	2	3	8	0.01	61
22HRC007	64	65	223535	1.30	0.02	0.06	37	158	0.00	1	31	0.01	5	1	0.44	0.40	7	0.02	16	0.01	0.11	3	3	1	16	0.00	124

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22HRC007	65	66	223536	5.40	0.03	0.13	30	157	0.00	-1	36	0.05	4	2	0.45	0.60	13	0.01	13	0.01	0.09	3	9	1	14	0.00	127
22HRC007	66	67	223537	1.00	0.05	0.23	11	129	0.00	2	9	0.08	4	3	0.22	0.20	17	0.01	6	0.04	0.04	1	7	2	6	0.01	32
22HRC007	67	68	223538	1.40	0.05	0.41	10	241	0.00	1	14	0.03	4	2	0.45	0.30	15	-0.01	6	0.07	0.08	1	8	1	7	0.01	26
22HRC007	68	69	223539	1.10	0.05	0.33	9	156	0.00	-1	16	0.03	5	2	0.30	0.30	10	-0.01	6	0.05	0.08	1	7	2	7	0.01	29
22HRC007	69	70	223540	1.00	0.05	0.36	9	170	0.00	-1	21	0.03	4	2	0.16	0.30	9	-0.01	6	0.05	0.09	1	5	2	6	0.01	31
22HRC007	70	71	223541	1.00	0.05	0.40	6	330	0.00	2	7	0.01	3	2	0.23	0.20	36	-0.01	6	0.04	0.03	1	5	2	6	0.01	37
22HRC007	71	72	223542	1.20	0.05	0.24	8	242	0.00	1	8	0.01	3	3	0.14	0.20	31	-0.01	6	0.03	0.03	1	6	2	6	0.01	37
22HRC007	72	73	223543	1.20	0.05	0.23	8	-5	0.00	-1	12	0.02	4	2	0.28	0.30	18	-0.01	7	0.03	0.05	1	6	1	6	0.01	31
22HRC007	73	74	223544	1.00	0.04	0.59	8	91	0.00	-1	12	0.01	4	3	0.25	0.30	8	-0.01	7	0.10	0.06	1	7	1	6	0.01	20
22HRC007	74	75	223545	1.70	0.05	1.03	7	206	0.00	2	16	0.03	3	3	0.15	0.50	18	-0.01	7	0.16	0.09	1	9	2	8	0.01	32
22HRC007	75	76	223546	1.20	0.04	0.32	5	258	0.00	1	15	0.01	3	2	0.29	0.30	8	-0.01	6	0.06	0.06	1	5	2	7	0.01	23
22HRC007	76	77	223547	1.20	0.05	0.40	6	447	0.00	1	13	0.02	2	3	0.13	0.40	15	-0.01	6	0.08	0.05	1	8	1	8	0.01	27
22HRC007	77	78	223548	1.40	0.05	1.52	6	396	0.00	2	12	0.01	2	3	0.27	0.70	31	-0.01	6	0.16	0.08	1	10	3	10	0.01	34
22HRC007	78	79	223549	2.10	0.05	0.93	7	455	0.00	-1	15	0.02	3	3	0.33	0.50	24	-0.01	5	0.12	0.07	1	8	2	8	0.01	28
22HRC007	79	80	223551	1.40	0.05	0.45	4	506	0.00	2	18	0.03	3	2	0.22	0.40	17	-0.01	5	0.06	0.08	1	7	5	7	0.01	32
22HRC007	80	81	223552	1.20	0.06	0.82	4	478	0.00	-1	12	0.04	2	2	0.22	0.30	21	-0.01	5	0.08	0.05	1	6	2	7	0.01	40
22HRC007	81	82	223553	2.10	0.04	0.40	7	458	0.00	1	24	0.05	2	1	0.25	0.60	34	-0.01	5	0.05	0.09	1	2	2	7	0.01	27
22HRC007	82	83	223554	1.60	0.04	0.34	7	481	0.00	-1	27	0.04	3	1	0.31	0.40	66	-0.01	7	0.05	0.09	1	5	1	9	0.01	33
22HRC007	83	84	223555	1.50	0.05	0.28	5	327	0.00	-1	23	0.03	2	1	0.24	0.30	70	-0.01	7	0.04	0.07	1	5	2	8	0.01	31
22HRC007	84	85	223556	1.20	0.03	0.59	4	364	0.00	-1	34	0.02	2	1	0.15	0.40	100	-0.01	10	0.09	0.12	1	6	1	9	0.01	51
22HRC007	85	86	223557	1.60	0.03	0.33	12	271	0.00	-1	30	0.05	2	1	0.21	0.30	96	-0.01	7	0.06	0.10	1	6	1	8	0.01	28
22HRC007	86	87	223558	3.20	0.04	0.68	12	360	0.00	-1	39	0.05	3	1	0.25	0.40	74	-0.01	8	0.11	0.14	1	7	1	8	0.01	35
22HRC007	87	88	223559	1.70	0.03	0.42	10	350	0.00	1	24	0.09	3	1	0.24	0.30	56	-0.01	6	0.06	0.09	1	3	2	8	0.01	40
22HRC007	88	89	223560	1.20	0.04	0.33	11	1430	0.00	-1	31	0.06	2	4	0.32	0.30	68	-0.01	7	0.12	0.11	1	23	2	12	0.01	40
22HRC007	89	90	223561	0.90	0.05	0.66	8	851	0.00	2	16	0.05	2	6	0.27	0.30	70	-0.01	5	0.21	0.07	1	75	4	9	0.01	34
22HRC007	90	91	223562	1.00	0.04	0.36	5	610	0.00	1	27	0.03	2	2	0.19	0.30	64	-0.01	7	0.04	0.10	1	7	1	8	0.01	43
22HRC007	91	92	223563	0.90	0.04	0.37	7	671	0.00	1	25	0.05	3	2	0.26	0.40	56	-0.01	8	0.04	0.11	1	10	2	8	0.01	52
22HRC007	92	93	223564	0.90	0.03	0.29	7	610	0.00	2	42	0.04	3	2	0.35	0.30	61	-0.01	7	0.05	0.12	1	9	1	11	0.01	40
22HRC007	93	94	223565	0.90	0.05	0.31	6	533	0.00	1	22	0.04	2	2	0.32	0.30	36	-0.01	5	0.04	0.08	1	5	2	8	0.01	34
22HRC007	94	95	223566	0.80	0.04	0.14	10	695	0.00	1	32	0.05	2	4	0.26	0.30	71	-0.01	4	0.02	0.10	1	46	2	7	0.01	21
22HRC007	95	96	223567	0.70	0.04	0.25	13	759	0.00	-1	24	0.07	3	6	0.27	0.30	89	-0.01	4	0.12	0.07	1	92	1	8	0.01	21
22HRC007	96	97	223568	1.40	0.04	0.12	9	643	0.00	-1	23	0.06	3	3	0.24	0.20	72	-0.01	5	0.02	0.07	1	28	1	8	0.01	25
22HRC007	97	98	223569	1.30	0.04	0.25	4	584	0.00	-1	18	0.01	2	1	0.27	0.40	65	-0.01	7	0.01	0.07	1	5	1	8	0.01	42
22HRC007	98	99	223570	1.20	0.03	0.17	5	469	0.00	-1	15	0.04	1	1	0.22	0.20	31	-0.01	5	0.01	0.05	1	3	0	8	0.01	30
22HRC007	99	100	223571	1.30	0.04	0.16	1	601	0.00	-1	20	0.04	2	-1	0.28	0.30	28	-0.01	7	0.01	0.09	1	2	1	9	0.01	37
22HRC007	100	101	223572	1.40	0.04	0.25	3	605	0.00	-1	21	0.11	2	2	0.24	0.40	42	-0.01	7	0.02	0.09	1	3	1	10	0.01	43

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22HRC007	101	102	223573	1.20	0.04	0.16	4	568	0.00	-1	15	0.05	1	1	0.23	0.30	33	-0.01	7	0.03	0.07	1	3	1	9	0.01	38
22HRC007	102	103	223576	1.80	0.04	0.21	5	635	0.00	2	22	0.09	1	1	0.28	0.40	21	-0.01	7	0.03	0.10	1	5	1	9	0.01	38
22HRC007	103	104	223577	1.40	0.03	0.14	6	489	0.00	2	15	0.16	1	2	0.22	0.30	11	-0.01	6	0.02	0.08	1	6	1	8	0.01	32
22HRC007	104	105	223578	1.40	0.05	0.12	9	607	0.00	-1	12	0.03	1	2	0.18	0.40	10	-0.01	6	0.01	0.05	1	6	1	8	0.01	32
22HRC007	105	106	223579	0.50	0.01	-0.05	1200	4460	0.00	3	3	0.17	8	15	0.19	0.20	24	-0.01	2	0.01	0.09	2	88	0	10	0.01	15
22HRC007	106	107	223580	1.20	0.01	-0.05	1400	405	0.00	2	2	0.32	8	13	0.30	0.20	399	0.01	1	0.02	0.02	1	92	0	6	0.01	7
22HRC007	107	108	223581	0.20	0.01	-0.05	688	214	0.00	4	1	0.32	5	13	0.18	-0.10	342	-0.01	1	0.01	-0.02	0	88	0	4	0.01	6
22HRC007	108	109	223582	0.50	0.01	-0.05	1210	224	0.00	3	1	0.32	30	14	0.25	0.10	485	-0.01	2	0.01	0.06	0	97	0	5	0.01	6
22HRC007	109	110	223583	1.50	0.00	-0.05	1150	289	0.00	4	11	0.24	4	15	0.33	0.40	60	0.02	4	0.02	0.10	1	113	0	6	0.01	12
22HRC007	110	111	223584	1.30	0.01	-0.05	406	494	0.00	2	29	0.13	4	7	0.30	0.30	31	0.05	4	0.01	0.16	1	51	0	6	0.01	15
22HRC007	111	112	223585	1.30	0.01	0.05	1330	222	0.00	5	21	0.18	59	16	0.66	0.40	16	0.11	5	0.02	0.14	1	132	0	7	0.01	24
22HRC007	112	113	223586	1.60	0.01	0.08	868	317	0.00	4	22	0.08	56	6	0.51	0.30	9	0.06	6	0.02	0.13	1	57	0	9	0.01	24
22HRC007	113	114	223587	2.10	0.01	0.09	215	741	0.00	1	33	0.08	12	2	0.30	0.30	20	-0.01	7	0.01	0.18	1	15	0	8	0.01	27
22HRC007	114	115	223588	3.30	0.01	0.09	564	477	0.00	3	21	0.13	6	6	0.31	0.20	33	0.05	4	0.01	0.12	1	50	0	6	0.01	16
22HRC007	115	116	223589	3.60	0.01	0.05	1020	257	0.00	4	19	0.18	4	14	0.30	0.30	12	0.04	4	0.01	0.12	1	115	0	7	0.01	17
22HRC007	116	117	223590	1.20	0.01	-0.05	752	202	0.00	2	3	1.06	26	7	0.59	0.10	64	0.01	2	0.01	0.32	0	88	1	22	0.00	5
22HRC007	117	118	223591	1.00	0.01	-0.05	1710	202	0.00	3	1	0.70	30	10	0.34	0.10	81	0.01	1	0.01	0.23	0	128	1	10	0.01	6
22HRC007	118	119	223592	0.70	0.01	-0.05	1860	219	0.00	4	1	0.46	35	13	0.39	0.10	162	0.01	1	0.02	0.32	0	140	0	14	0.01	5
22HRC007	119	120	223593	0.50	0.01	-0.05	1010	260	0.00	4	1	0.42	11	12	0.36	0.10	627	0.02	1	0.01	0.12	0	94	0	13	0.01	4
22HRC007	120	121	223594	0.70	0.01	-0.05	1350	351	0.00	5	1	0.37	43	15	0.24	0.20	312	0.02	2	0.01	0.17	0	112	0	8	0.01	6
22HRC007	121	122	223595	0.40	0.01	-0.05	1590	198	0.00	4	0	0.29	7	17	0.25	0.10	256	0.01	1	0.05	0.21	0	135	0	7	0.01	4
22HRC007	122	123	223596	0.40	0.01	-0.05	1400	176	0.00	4	0	0.27	5	15	0.27	0.10	354	-0.01	1	0.03	0.13	0	116	0	7	0.01	4
22HRC007	123	124	223597	0.30	0.01	0.05	1550	226	0.00	4	2	0.28	6	15	0.21	0.10	342	0.01	1	0.01	0.11	0	117	0	7	0.01	6
22HRC007	124	125	223598	0.20	0.08	-0.05	1490	230	0.00	4	16	0.27	4	16	0.19	0.10	293	-0.01	2	0.01	0.05	0	113	0	7	0.01	9
22HRC007	125	126	223599	0.20	0.21	0.06	1840	140	0.00	4	46	0.27	7	19	0.30	0.20	193	-0.01	1	0.08	0.14	0	128	0	5	0.01	11
22HRC007	126	127	223601	0.30	0.20	-0.05	1690	299	0.00	3	44	0.26	5	19	0.27	0.30	223	-0.01	1	0.10	0.14	0	129	0	5	0.01	11
22HRC007	127	128	223602	0.30	0.23	-0.05	1760	278	0.00	4	52	0.25	5	19	0.25	0.30	206	-0.01	2	0.14	0.16	0	126	0	5	0.01	12
22HRC007	128	129	223603	0.30	0.22	0.14	1870	272	0.00	4	55	0.26	4	18	0.18	0.30	213	-0.01	2	0.14	0.14	0	123	0	5	0.01	12
22HRC007	129	130	223604	0.30	0.18	0.08	1730	330	0.00	4	43	0.30	4	18	0.32	0.40	266	-0.01	3	0.11	0.16	1	122	0	5	0.01	13
22HRC007	130	131	223605	0.40	0.03	-0.05	816	395	0.00	4	7	0.27	6	15	0.21	0.20	241	-0.01	2	0.04	0.05	0	116	0	7	0.01	10
22HRC007	131	132	223606	1.50	0.03	-0.05	190	1250	0.00	-1	4	0.34	38	14	0.28	0.30	36	-0.01	2	0.02	0.03	0	162	0	8	0.02	9
22HRC007	132	133	223607	1.70	0.01	-0.05	564	205	0.00	3	2	0.34	3	15	0.25	0.10	224	-0.01	1	0.03	0.02	0	117	0	5	0.01	5
22HRC007	133	134	223608	5.20	0.00	-0.05	404	266	0.00	3	1	0.34	2	15	0.12	-0.10	147	-0.01	3	0.02	-0.02	0	122	0	4	0.01	4
22HRC007	134	135	223609	0.40	0.01	-0.05	557	215	0.00	3	1	0.31	2	11	0.21	-0.10	459	-0.01	2	0.01	0.03	0	79	0	4	0.00	5
22HRC007	135	136	223610	0.30	0.01	-0.05	624	92	0.00	4	1	0.34	2	12	0.18	0.10	359	-0.01	2	0.01	-0.02	0	87	0	5	0.00	6
22HRC007	136	137	223611	0.20	0.01	-0.05	738	119	0.00	4	1	0.42	6	12	0.37	0.10	566	0.01	2	0.01	-0.02	0	81	0	7	0.00	9

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22HRC007	137	138	223612	0.50	0.01	-0.05	627	112	0.00	3	1	0.43	2	13	0.25	-0.10	537	-0.01	1	0.01	-0.02	0	83	0	5	0.00	2
22HRC007	138	139	223613	1.50	0.02	-0.05	761	187	0.00	3	4	0.39	6	12	0.26	0.10	461	0.01	1	0.02	0.05	0	88	0	6	0.01	5
22HRC007	139	140	223614	0.80	0.02	-0.05	961	90	0.00	3	3	0.37	4	11	0.25	0.10	556	-0.01	1	0.02	0.05	0	81	0	6	0.01	7
22HRC007	140	141	223615	0.40	0.01	-0.05	573	155	0.00	2	1	0.32	3	12	0.20	-0.10	384	-0.01	1	0.01	-0.02	0	76	0	5	0.00	3
22HRC007	141	142	223616	0.30	0.01	-0.05	760	233	0.00	2	1	0.39	2	11	0.32	0.10	418	-0.01	1	0.02	0.06	0	89	0	7	0.01	7
22HRC007	142	143	223617	1.90	0.01	-0.05	819	87	0.00	2	1	0.41	2	11	0.16	0.10	394	-0.01	1	0.02	0.06	0	80	0	6	0.01	6
22HRC007	143	144	223618	1.90	0.01	-0.05	877	389	0.00	5	3	0.45	3	16	0.16	0.40	199	0.02	2	0.02	0.05	0	140	0	7	0.01	9
22HRC007	144	145	223619	1.20	0.01	-0.05	1150	125	0.00	3	1	0.51	5	13	0.39	0.20	459	0.01	1	0.01	0.17	0	91	0	6	0.01	4
22HRC007	145	146	223620	0.20	0.01	-0.05	464	98	0.00	3	1	0.26	3	12	0.12	-0.10	218	-0.01	1	0.01	-0.02	0	83	0	4	0.00	3
22HRC007	146	147	223621	0.10	0.01	-0.05	435	54	0.00	3	0	0.29	4	12	0.23	-0.10	345	-0.01	0	0.01	-0.02	0	76	0	5	0.00	2
22HRC007	147	148	223622	-0.10	0.01	-0.05	503	130	0.00	3	0	0.31	2	12	0.23	-0.10	197	-0.01	0	0.01	-0.02	0	83	0	5	0.00	2
22HRC007	148	149	223623	0.20	0.01	0.07	1330	169	0.00	4	0	0.41	2	13	0.19	-0.10	312	-0.01	1	0.01	0.09	0	81	0	7	0.00	4
22HRC007	149	150	223626	0.80	0.01	-0.05	1150	20	0.00	3	1	0.52	5	12	0.22	-0.10	602	-0.01	1	0.01	0.18	0	70	0	9	0.01	2
22HRC007B	0	1	223627	1.70	0.02	0.33	111	310	0.00	1	23	0.05	64	10	0.66	0.50	166	0.02	6	0.03	0.17	1	39	0	9	0.01	25
22HRC007B	1	2	223628	0.80	0.03	0.15	118	1060	0.00	-1	19	0.02	148	7	0.96	0.20	173	0.01	5	0.01	0.13	1	23	0	11	0.01	29
22HRC007B	2	3	223629	0.90	0.05	0.15	164	1490	0.01	1	21	0.05	98	6	1.18	0.30	158	0.01	6	0.01	0.16	2	30	0	13	0.02	38
22HRC007B	3	4	223630	1.60	0.04	0.18	173	1300	0.00	1	21	0.07	146	6	0.90	0.20	253	-0.01	7	0.01	0.19	2	47	0	10	0.01	37
22HRC007B	4	5	223631	1.30	0.04	0.21	120	783	0.00	-1	25	0.08	70	5	1.06	0.20	172	-0.01	7	0.01	0.20	2	32	0	9	0.01	34
22HRC007B	5	6	223632	0.70	0.04	0.14	86	769	0.00	1	20	0.15	33	7	0.65	0.20	276	-0.01	7	0.01	0.15	2	17	0	8	0.01	30
22HRC007B	6	7	223633	0.70	0.04	0.06	96	565	0.00	2	19	0.25	25	8	0.49	0.20	390	-0.01	5	0.00	0.11	1	20	0	5	0.01	20
22HRC007B	7	8	223634	0.90	0.03	-0.05	165	768	0.00	-1	18	0.03	40	4	0.60	0.10	129	0.02	6	0.00	0.11	1	42	0	8	0.01	28
22HRC007B	8	9	223635	0.70	0.03	0.11	184	864	0.00	4	22	0.08	55	5	0.74	0.20	115	-0.01	7	0.01	0.17	1	28	0	9	0.01	37
22HRC007B	9	10	223636	1.00	0.03	0.18	271	839	0.00	4	25	0.04	155	2	0.72	0.20	42	0.01	7	0.01	0.18	1	20	1	11	0.02	43
22HRC007B	10	11	223637	0.90	0.03	0.21	265	948	0.00	4	23	0.03	175	2	0.59	0.20	43	0.01	7	0.01	0.14	1	19	0	12	0.01	55
22HRC007B	11	12	223638	0.90	0.02	0.20	299	849	0.00	2	22	0.02	156	2	0.52	0.20	36	-0.01	8	0.01	0.14	1	14	0	12	0.01	49
22HRC007B	12	13	223639	0.90	0.02	0.17	370	943	0.00	3	26	0.08	206	3	0.75	0.20	53	-0.01	8	0.01	0.16	1	24	1	12	0.01	45
22HRC007B	13	14	223640	1.00	0.02	0.24	278	804	0.00	6	25	0.09	170	4	0.75	0.30	92	-0.01	8	0.01	0.14	1	22	1	12	0.01	53
22HRC007B	14	15	223641	1.20	0.02	0.19	239	976	0.00	2	27	0.06	151	4	0.74	0.30	79	-0.01	8	0.01	0.16	1	22	1	12	0.01	45
22HRC007B	15	16	223642	1.00	0.02	0.17	238	912	0.00	2	22	0.08	207	4	0.74	0.20	65	-0.01	6	0.01	0.14	1	37	1	11	0.02	37
22HRC007B	16	17	223643	1.00	0.03	0.21	268	1340	0.00	3	25	0.09	268	4	0.74	0.30	24	-0.01	6	0.01	0.15	1	25	0	12	0.01	43
22HRC007B	17	18	223644	1.00	0.02	0.19	231	954	0.00	1	29	0.08	180	3	0.71	0.20	20	-0.01	6	0.01	0.17	1	16	1	10	0.01	35
22HRC007B	18	19	223645	1.60	0.03	0.30	218	836	0.00	-1	28	0.06	246	3	0.49	0.30	37	0.01	6	0.01	0.15	1	17	1	11	0.01	45
22HRC007B	19	20	223646	1.40	0.03	0.17	265	1080	0.00	3	22	0.10	347	3	0.36	0.20	46	0.01	7	0.01	0.14	1	13	1	12	0.01	46
22HRC007B	20	21	223647	1.40	0.04	0.31	266	1050	0.00	4	24	0.08	388	4	0.38	0.20	103	-0.01	6	0.01	0.14	1	20	2	12	0.01	45
22HRC007B	21	22	223648	1.00	0.03	0.22	294	876	0.00	-1	23	0.11	342	4	0.51	0.20	89	0.01	6	0.01	0.13	1	20	2	11	0.01	39
22HRC007B	22	23	223649	1.30	0.04	0.30	255	1030	0.00	4	22	0.14	398	3	0.44	0.20	124	-0.01	7	0.02	0.13	1	24	2	12	0.02	45

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22HRC007B	23	24	223651	0.90	0.03	0.27	262	815	0.00	3	20	0.14	339	3	0.56	0.20	77	-0.01	7	0.02	0.13	1	17	3	10	0.01	41
22HRC007B	24	25	223652	1.00	0.03	0.19	200	776	0.00	3	14	0.11	262	2	0.52	0.20	91	-0.01	6	0.01	0.09	1	12	2	9	0.01	33
22HRC007B	25	26	223653	1.40	0.03	0.32	200	934	0.00	-1	31	0.08	172	4	0.77	0.30	70	-0.01	7	0.01	0.18	1	22	2	11	0.02	44
22HRC007B	26	27	223654	1.40	0.02	0.15	312	991	0.00	5	25	0.11	258	3	0.77	0.30	76	0.01	9	0.01	0.17	1	19	1	12	0.02	36
22HRC007B	27	28	223655	1.20	0.03	0.17	240	734	0.00	1	21	0.14	264	3	0.34	0.20	127	0.01	6	0.01	0.14	1	15	2	10	0.01	37
22HRC007B	28	29	223656	1.40	0.03	0.29	185	704	0.00	1	27	0.08	85	3	0.44	0.30	108	-0.01	6	0.01	0.15	1	11	2	11	0.01	43
22HRC007B	29	30	223657	1.20	0.03	0.28	254	827	0.00	4	27	0.12	235	4	0.44	0.30	100	0.01	6	0.01	0.16	1	17	3	11	0.01	45
22HRC007B	30	31	223658	1.50	0.05	0.18	153	1850	0.00	1	20	0.17	122	6	0.63	0.30	163	0.01	7	0.01	0.12	1	16	1	17	0.00	50
22HRC007B	31	32	223659	1.00	0.03	0.20	172	1100	0.00	2	19	0.16	49	6	0.51	0.20	118	-0.01	6	0.01	0.11	1	21	2	11	0.01	37
22HRC007B	32	33	223660	1.40	0.03	0.27	178	739	0.00	2	25	0.11	67	2	0.53	0.20	73	-0.01	7	0.01	0.14	1	14	1	11	0.01	44
22HRC007B	33	34	223661	0.90	0.04	0.27	130	601	0.00	-1	20	0.12	80	3	0.59	0.30	98	0.01	9	0.01	0.12	1	12	2	10	0.02	47
22HRC007B	34	35	223662	1.00	0.03	0.27	153	853	0.00	2	19	0.17	115	2	0.70	0.30	88	-0.01	7	0.02	0.12	1	15	2	10	0.01	42
22HRC007B	35	36	223663	1.00	0.03	0.28	162	792	0.00	1	20	0.29	115	3	0.64	0.30	89	-0.01	8	0.02	0.13	1	15	2	11	0.02	49
22HRC007B	36	37	223664	1.40	0.03	0.29	141	813	0.00	3	25	0.13	131	2	0.68	0.30	63	-0.01	8	0.01	0.15	1	11	1	10	0.01	49
22HRC007B	37	38	223665	1.10	0.03	0.31	127	709	0.00	2	24	0.10	64	2	0.58	0.30	80	-0.01	8	0.01	0.14	1	11	2	10	0.02	48
22HRC007B	38	39	223666	1.10	0.03	0.28	186	608	0.00	4	14	0.14	148	3	0.59	0.20	65	-0.01	6	0.01	0.09	1	16	3	8	0.02	37
22HRC007B	39	40	223667	1.10	0.03	0.34	127	606	0.00	-1	20	0.07	108	2	0.53	0.30	65	-0.01	8	0.01	0.12	1	8	3	10	0.01	44
22HRC007B	40	41	223668	0.90	0.03	0.30	176	717	0.00	2	17	0.11	153	2	0.52	0.20	77	-0.01	7	0.01	0.11	1	12	2	9	0.01	44
22HRC007B	41	42	223669	1.00	0.04	0.33	202	921	0.00	4	26	0.11	179	3	0.58	0.30	79	-0.01	7	0.01	0.15	1	14	2	10	0.02	45
22HRC007B	42	43	223670	0.90	0.03	0.33	143	726	0.00	2	30	0.09	125	2	0.63	0.40	61	-0.01	8	0.01	0.18	1	10	2	11	0.01	53
22HRC007B	43	44	223671	0.90	0.04	0.30	121	728	0.00	-1	36	0.10	53	2	0.59	0.40	63	-0.01	8	0.01	0.19	1	10	2	11	0.00	54
22HRC007B	44	45	223672	0.70	0.03	0.26	112	614	0.00	1	21	0.10	40	2	0.58	0.30	73	-0.01	6	0.01	0.12	1	11	2	9	0.01	40
22HRC007B	45	46	223673	1.20	0.03	0.14	169	1070	0.00	2	24	0.11	69	2	0.78	0.20	65	-0.01	7	0.01	0.15	1	12	1	11	0.01	39
22HRC007B	46	47	223676	2.60	0.03	0.26	109	640	0.00	2	24	0.08	53	2	0.44	0.30	58	-0.01	7	0.01	0.14	1	3	2	10	0.00	44
22HRC007B	47	48	223677	1.30	0.04	0.35	39	516	0.00	2	15	0.06	15	2	0.41	0.20	86	-0.01	6	0.01	0.09	1	2	3	9	0.00	41
22HRC007B	48	49	223678	1.20	0.02	0.26	136	662	0.00	2	25	0.07	95	2	0.43	0.20	59	0.01	7	0.01	0.15	1	9	1	11	0.01	55
22HRC007B	49	50	223679	1.20	0.03	0.33	190	630	0.00	1	30	0.11	161	3	0.49	0.40	91	0.01	7	0.01	0.17	1	13	2	11	0.02	58
22HRC007B	50	51	223680	0.90	0.03	0.22	175	541	0.00	-1	15	0.09	113	2	0.37	0.20	99	-0.01	6	0.01	0.09	1	16	3	9	0.02	45
22HRC007B	51	52	223681	0.90	0.03	0.25	132	653	0.00	1	23	0.15	68	2	0.30	0.30	120	-0.01	8	0.01	0.15	1	6	1	11	0.01	67
22HRC007B	52	53	223682	1.10	0.04	0.25	130	573	0.00	4	16	0.15	57	2	0.40	0.20	113	-0.01	6	0.01	0.10	1	11	3	9	0.01	44
22HRC007B	53	54	223683	1.20	0.04	0.30	174	669	0.00	1	17	0.11	128	3	0.39	0.30	108	-0.01	6	0.01	0.11	1	11	2	10	0.02	45
22HRC007B	54	55	223684	1.30	0.04	0.21	140	812	0.00	2	21	0.16	98	3	0.38	0.30	119	-0.01	7	0.01	0.13	1	11	2	11	0.02	55
22HRC007B	55	56	223685	1.70	0.04	0.26	142	761	0.00	2	31	0.11	40	3	0.58	0.40	79	-0.01	8	0.01	0.18	2	12	1	12	0.01	47
22HRC007B	56	57	223686	1.20	0.02	0.26	50	743	0.00	1	26	0.10	9	2	0.46	0.30	47	-0.01	6	0.01	0.17	1	6	1	10	0.00	47
22HRC007B	57	58	223687	0.80	0.02	0.26	36	631	0.00	3	23	0.05	3	2	0.56	0.30	77	-0.01	7	0.01	0.13	1	7	1	10	0.00	45
22HRC007B	58	59	223688	1.60	0.02	0.24	56	628	0.00	-1	23	0.07	9	2	0.67	0.30	70	-0.01	6	0.01	0.13	1	9	1	10	0.00	43

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22HRC007B	59	60	223689	2.00	0.02	0.25	51	678	0.00	1	27	0.07	4	2	0.58	0.20	59	-0.01	6	0.01	0.15	1	6	0	10	0.00	49
22HRC007B	60	61	223690	1.30	0.02	0.36	89	933	0.00	-1	51	0.13	8	3	0.79	0.50	59	-0.01	10	0.01	0.28	1	12	1	14	0.01	57
22HRC007B	61	62	223691	1.50	0.02	0.27	150	871	0.00	2	39	0.10	14	3	0.68	0.40	45	-0.01	8	0.01	0.22	1	17	1	12	0.01	48
22HRC007B	62	63	223692	1.10	0.03	0.17	159	858	0.00	3	20	0.11	46	3	0.60	0.20	68	-0.01	6	0.01	0.11	1	12	2	9	0.00	36
22HRC007B	63	64	223693	0.80	0.03	0.17	99	1020	0.00	-1	18	0.07	32	3	0.54	0.20	78	-0.01	6	0.01	0.11	1	11	2	10	0.01	40
22HRC007B	64	65	223694	52.60	0.04	0.16	122	736	0.00	2	15	0.09	78	2	0.48	0.20	73	-0.01	6	0.01	0.08	1	6	2	9	0.01	38
22HRC007B	65	66	223695	2.40	0.04	0.21	370	1970	0.00	4	19	0.12	324	5	1.09	0.40	115	0.01	7	0.01	0.17	1	20	2	15	0.01	63
22HRC007B	66	67	223696	1.30	0.02	0.22	188	797	0.00	1	31	0.13	54	4	0.77	0.40	57	-0.01	8	0.01	0.27	1	19	1	9	0.01	41
22HRC007B	67	68	223697	0.70	0.03	0.15	94	678	0.00	1	16	0.10	16	2	0.62	0.20	70	-0.01	7	0.01	0.15	1	7	1	8	0.01	35
22HRC007B	68	69	223698	0.80	0.04	0.16	82	507	0.00	-1	16	0.07	11	2	0.56	0.30	69	-0.01	8	0.01	0.15	1	7	2	8	0.00	39
22HRC007B	69	70	223699	0.80	0.03	0.23	93	524	0.00	-1	20	0.12	10	2	0.62	0.40	56	-0.01	8	0.01	0.18	1	8	2	9	0.00	47
22HRC007B	71	72	223702	1.80	0.02	0.39	48	475	0.00	2	28	0.11	12	2	0.47	0.30	76	-0.01	6	0.01	0.16	1	1	1	10	0.01	41
22HRC007B	72	73	223703	4.30	0.01	0.26	62	471	0.00	-1	32	0.11	4	2	0.38	0.20	67	-0.01	6	0.01	0.18	1	2	1	10	0.01	37
22HRC007B	73	74	223704	1.00	0.04	0.26	49	471	0.00	3	23	0.09	8	1	0.45	0.30	49	-0.01	6	0.01	0.16	1	4	2	8	0.01	35
22HRC007B	74	75	223705	5.20	0.02	0.24	41	436	0.00	4	31	0.09	4	2	0.36	0.30	52	-0.01	7	0.01	0.18	1	11	1	8	0.01	32
22HRC007B	75	76	223706	1.10	0.04	0.30	64	552	0.00	1	32	0.10	8	2	0.35	0.40	78	-0.01	9	0.01	0.20	1	5	1	11	0.01	49
22HRC007B	76	77	223707	0.80	0.02	0.23	86	539	0.00	1	24	0.12	11	2	0.42	0.20	68	-0.01	7	0.01	0.13	1	4	1	8	0.01	35
22HRC007B	77	78	223708	1.00	0.04	0.26	53	538	0.00	3	18	0.08	8	1	0.25	0.30	66	-0.01	7	0.01	0.12	1	14	2	8	0.01	31
22HRC007B	78	79	223709	0.90	0.04	0.33	54	290	0.00	2	18	0.04	11	2	0.33	0.30	74	-0.01	8	0.01	0.11	1	10	2	8	0.01	44
22HRC007B	79	80	223710	1.20	0.03	0.26	83	532	0.00	5	18	0.05	7	2	0.64	0.20	72	-0.01	7	0.01	0.12	1	4	1	9	0.01	43
22HRC007B	80	81	223711	1.50	0.03	0.21	89	592	0.00	-1	16	0.14	18	2	0.53	0.30	59	-0.01	7	0.01	0.14	1	8	3	8	0.01	41
22HRC007B	81	82	223712	1.10	0.03	0.16	91	831	0.00	1	18	0.12	13	3	0.81	0.30	64	-0.01	7	0.01	0.15	1	10	3	9	0.00	45
22HRC007B	82	83	223713	0.90	0.02	0.18	73	715	0.00	1	15	0.15	14	3	0.71	0.30	60	-0.01	7	0.01	0.13	1	12	2	8	0.00	42
22HRC007B	83	84	223714	2.10	0.02	0.19	63	560	0.00	-1	25	0.09	6	2	0.61	0.30	40	-0.01	7	0.01	0.21	1	6	2	8	0.00	47
22HRC007B	84	85	223715	0.90	0.03	0.20	142	808	0.00	-1	13	0.12	91	3	0.77	0.20	80	-0.01	7	0.01	0.12	1	12	1	8	0.01	46
22HRC007B	85	86	223716	1.10	0.03	0.28	151	657	0.00	1	12	0.16	68	3	0.64	0.30	81	-0.01	7	0.03	0.12	1	16	3	8	0.01	41
22HRC007B	86	87	223717	1.30	0.03	0.28	123	1680	0.00	-1	14	0.12	27	4	0.68	0.30	96	-0.01	8	0.02	0.15	1	14	2	11	0.02	53
22HRC007B	87	88	223718	0.80	0.02	0.22	91	651	0.00	2	14	0.09	14	3	0.56	0.30	77	-0.01	8	0.01	0.13	1	12	2	8	0.01	40
22HRC007B	88	89	223719	1.10	0.02	0.24	131	754	0.00	-1	21	0.11	18	3	0.79	0.30	71	-0.01	8	0.01	0.18	1	13	2	9	0.01	50
22HRC007B	89	90	223720	1.10	0.04	0.29	100	648	0.00	2	24	0.10	11	3	0.65	0.40	62	-0.01	7	0.01	0.20	1	14	2	9	0.01	50
22HRC007B	90	91	223721	1.20	0.03	0.23	102	701	0.00	2	13	0.10	21	2	0.58	0.30	61	-0.01	7	0.01	0.11	1	10	3	8	0.01	45
22HRC007B	91	92	223722	1.10	0.04	0.34	111	630	0.00	-1	15	0.11	34	3	0.56	0.40	77	-0.01	8	0.01	0.14	1	15	2	9	0.02	50
22HRC007B	92	93	223723	1.00	0.04	0.31	92	459	0.00	-1	10	0.11	27	3	0.47	0.30	57	-0.01	7	0.01	0.09	1	8	3	7	0.01	46
22HRC007B	93	94	223726	1.20	0.04	0.39	109	282	0.00	1	7	0.14	36	2	0.52	0.20	64	-0.01	7	0.01	0.07	1	5	4	6	0.01	42
22HRC007B	94	95	223727	1.50	0.04	0.40	87	337	0.00	1	13	0.15	20	3	0.48	0.40	65	-0.01	8	0.01	0.11	1	7	4	8	0.02	51
22HRC007B	95	96	223728	1.30	0.05	0.31	61	385	0.00	-1	21	0.12	24	3	0.63	0.40	66	-0.01	8	0.01	0.18	1	8	3	8	0.01	53

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22HRC007B	96	97	223729	0.50	0.03	0.26	16	230	0.00	-1	25	0.14	4	1	0.36	0.20	23	-0.01	20	0.01	0.22	1	3	1	5	0.00	11
22HRC007B	97	98	223730	1.00	0.03	0.35	16	248	0.00	-1	24	0.07	6	1	0.34	0.30	20	-0.01	21	0.01	0.22	1	3	2	5	0.00	10
22HRC007B	98	99	223731	0.80	0.03	0.27	11	157	0.00	1	23	0.04	3	-1	0.26	0.20	12	-0.01	19	0.00	0.20	1	4	2	4	0.00	7
22HRC007B	99	100	223732	0.90	0.03	0.20	10	377	0.00	1	26	0.03	3	1	0.33	0.20	16	-0.01	13	0.00	0.22	1	3	1	5	0.01	4
22HRC007B	100	101	223733	0.80	0.04	0.20	7	460	0.00	-1	23	0.02	3	1	0.26	0.20	17	-0.01	9	0.01	0.21	1	3	1	5	0.01	3
22HRC007B	101	102	223734	1.70	0.04	0.24	8	397	0.00	1	21	0.02	2	1	0.26	0.20	16	-0.01	11	0.00	0.17	1	4	1	4	0.01	4
22HRC008	5	6	223006	1.60	0.04	0.26	33	132	0.00	2	6	0.01	3	2	0.46	0.30	34	-0.01	7	0.02	0.06	1	9	2	5	0.01	29
22HRC008	6	7	223007	3.50	0.05	0.37	46	128	0.00	3	12	0.01	4	3	0.56	0.50	42	-0.01	8	0.03	0.09	2	11	1	7	0.01	41
22HRC008	7	8	223008	1.50	0.05	0.27	38	325	0.00	2	11	-0.01	3	3	0.43	0.40	21	-0.01	8	0.02	0.09	1	9	1	7	0.01	45
22HRC008	8	9	223009	1.60	0.06	0.27	58	373	0.00	3	11	0.02	5	3	0.60	0.40	23	-0.01	8	0.02	0.09	1	8	1	8	0.01	48
22HRC008	9	10	223010	1.50	0.05	0.41	38	394	0.00	3	5	0.04	3	2	0.44	0.30	20	-0.01	7	0.03	0.05	1	8	2	6	0.01	39
22HRC008	10	11	223011	1.30	0.04	0.29	53	338	0.00	1	6	0.01	5	2	0.45	0.20	22	-0.01	7	0.02	0.06	1	9	1	6	0.01	35
22HRC008	11	12	223012	1.80	0.04	0.33	35	326	0.00	2	7	0.03	4	2	0.38	0.30	18	-0.01	7	0.02	0.07	1	6	2	6	0.01	39
22HRC008	12	13	223013	1.20	0.05	0.22	39	369	0.00	1	10	0.01	4	2	0.51	0.30	20	-0.01	7	0.01	0.07	1	6	1	6	0.01	37
22HRC008	13	14	223014	1.30	0.04	0.23	39	495	0.00	-1	8	0.02	4	2	0.36	0.30	15	-0.01	7	0.02	0.06	1	7	2	7	0.01	34
22HRC008	14	15	223015	2.40	0.03	0.21	91	264	0.01	1	10	0.01	11	2	0.58	0.30	36	-0.01	9	0.01	0.11	1	11	1	7	0.02	39
22HRC008	15	16	223016	1.10	0.04	0.19	48	248	0.00	-1	9	-0.01	6	2	0.48	0.20	35	-0.01	8	0.01	0.07	1	9	0	7	0.01	40
22HRC008	16	17	223017	1.40	0.05	0.24	30	437	0.00	3	10	-0.01	6	2	0.51	0.30	16	-0.01	7	0.01	0.06	1	7	1	7	0.01	47
22HRC008	17	18	223018	1.20	0.03	0.18	29	337	0.00	-1	8	-0.01	4	1	0.43	0.20	17	-0.01	7	0.01	0.07	1	5	1	7	0.01	37
22HRC008	18	19	223019	1.10	0.05	0.22	23	438	0.00	3	9	0.01	3	2	0.45	0.20	20	-0.01	7	0.01	0.08	1	5	1	7	0.01	43
22HRC008	19	20	223020	1.10	0.04	0.19	21	450	0.00	3	10	-0.01	3	2	0.52	0.20	22	-0.01	7	0.01	0.08	1	6	1	7	0.01	36
22HRC008	20	21	223021	1.60	0.03	0.18	42	310	0.00	5	13	0.01	8	2	0.42	0.30	50	-0.01	7	0.01	0.16	1	8	0	7	0.01	36
22HRC008	21	22	223022	1.90	0.02	0.17	51	393	0.00	1	15	-0.01	10	1	0.45	0.20	37	-0.01	8	0.00	0.20	1	8	0	7	0.01	30
22HRC008	22	23	223023	3.40	0.02	0.17	58	483	0.01	7	13	0.01	20	1	0.51	0.20	76	-0.01	7	0.01	0.40	1	13	1	6	0.02	29
22HRC008	23	24	223026	3.60	0.01	0.18	32	368	0.00	3	16	0.51	19	-1	0.36	0.20	19	-0.01	6	0.00	0.17	1	12	5	4	0.01	20
22HRC008	24	25	223027	1.50	0.02	0.11	14	402	0.00	1	15	0.86	8	-1	0.37	0.10	12	-0.01	5	0.00	0.14	1	2	2	4	0.00	19
22HRC008	31	32	223034	1.50	0.04	0.24	31	508	0.00	2	8	0.06	2	3	0.91	0.30	9	-0.01	5	0.02	0.07	1	10	2	8	0.01	33
22HRC008	32	33	223035	1.10	0.04	0.22	25	535	0.00	3	7	0.04	3	2	0.51	0.20	8	-0.01	5	0.01	0.06	1	6	3	7	0.01	26
22HRC008	33	34	223036	0.90	0.05	0.64	22	531	0.00	-1	6	0.04	3	2	0.38	0.20	9	-0.01	5	0.04	0.05	1	4	3	7	0.01	27
22HRC008	34	35	223037	1.40	0.05	0.39	20	538	0.00	2	7	0.03	2	2	0.42	0.20	9	-0.01	5	0.01	0.05	0	4	4	7	0.01	27
22HRC008	46	47	223049	0.90	0.05	0.24	18	568	0.00	3	8	0.03	2	2	0.46	0.30	9	-0.01	5	0.01	0.06	1	6	2	7	0.01	27
22HRC008	47	48	223051	0.90	0.04	0.27	17	504	0.00	3	7	0.03	2	2	0.44	0.20	9	-0.01	5	0.01	0.06	1	6	3	7	0.01	30
22HRC008	48	49	223052	1.00	0.03	0.22	14	499	0.00	2	10	0.04	3	2	0.39	0.20	7	-0.01	5	0.01	0.08	1	5	2	7	0.01	30
22HRC008	49	50	223053	0.90	0.03	0.18	19	516	0.00	2	10	0.02	2	1	0.46	0.20	9	-0.01	6	0.01	0.08	1	6	1	7	0.01	31
22HRC008	50	51	223054	1.00	0.03	0.14	23	792	0.00	2	20	0.03	5	3	0.56	0.30	13	-0.01	5	0.01	0.15	1	28	1	8	0.00	33
22HRC008	57	58	223061	1.20	0.02	0.16	14	657	0.00	3	12	0.05	3	2	0.41	0.20	9	-0.01	6	0.01	0.09	1	7	0	9	0.00	40

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22HRC008	58	59	223062	0.70	0.02	0.11	14	650	0.00	-1	12	0.02	2	1	0.57	0.20	10	-0.01	6	0.01	0.09	1	6	0	8	0.00	29
22HRC008	59	60	223063	0.70	0.02	0.23	13	699	0.00	4	18	0.02	3	1	0.68	0.30	9	-0.01	8	0.01	0.14	1	5	0	12	0.00	53
22HRC008	60	61	223064	1.10	0.03	0.21	11	773	0.00	1	30	0.03	7	2	0.64	0.50	14	-0.01	10	0.02	0.18	1	11	1	10	0.00	49
22HRC008	61	62	223065	1.70	0.03	0.17	10	713	0.00	2	18	0.05	5	1	0.55	0.40	11	-0.01	8	0.01	0.11	1	4	1	8	0.00	47
22HRC008	62	63	223066	1.30	0.06	0.24	7	599	0.00	3	13	0.05	3	2	0.51	0.40	11	-0.01	7	0.01	0.09	1	6	2	7	0.00	41
22HRC008	63	64	223067	3.70	0.04	0.18	8	578	0.00	2	15	0.06	3	1	0.50	0.30	9	-0.01	6	0.01	0.09	1	6	4	7	0.00	33
22HRC008	64	65	223068	2.20	0.04	0.13	6	561	0.00	-1	15	0.02	2	-1	0.38	0.30	9	-0.01	5	0.01	0.10	0	5	3	6	0.00	26
22HRC008	65	66	223069	1.10	0.03	0.18	11	706	0.00	2	19	0.02	3	2	0.52	0.40	12	-0.01	8	0.01	0.12	1	7	1	9	0.01	50
22HRC008	76	77	223082	3.70	0.04	0.13	13	493	0.00	1	12	0.05	2	2	0.55	0.30	8	-0.01	5	0.02	0.08	1	9	2	6	0.01	32
22HRC008	77	78	223083	1.50	0.03	0.20	11	511	0.00	1	8	0.07	2	2	0.51	0.40	9	-0.01	5	0.02	0.07	1	8	3	7	0.01	35
22HRC008	78	79	223084	4.80	0.03	0.14	11	483	0.00	3	9	0.13	5	2	0.57	0.30	8	-0.01	5	0.01	0.08	0	8	3	6	0.00	27
22HRC008	79	80	223085	1.90	0.04	0.17	10	514	0.00	2	10	0.04	2	2	0.41	0.30	8	0.02	5	0.02	0.08	0	22	2	6	0.01	32
22HRC008	80	81	223086	1.40	0.03	0.15	10	457	0.00	2	3	0.01	1	2	0.43	0.20	8	-0.01	4	0.01	0.03	0	10	4	6	0.00	30
22HRC008	91	92	223097	1.70	0.04	0.24	10	455	0.00	-1	9	0.05	1	1	0.44	0.50	6	0.01	5	0.03	0.06	1	8	2	8	0.00	49
22HRC008	92	93	223098	2.10	0.02	0.13	20	432	0.00	-1	9	0.04	1	-1	0.46	0.20	6	-0.01	5	0.01	0.06	1	5	2	6	0.00	32
22HRC008	93	94	223099	3.10	0.03	0.10	49	734	0.00	-1	11	0.06	1	1	0.49	0.20	10	0.02	5	0.01	0.08	0	8	1	6	0.00	21
22HRC008	94	95	223101	1.30	0.05	0.09	25	767	0.00	1	2	0.01	1	2	0.44	0.10	9	-0.01	3	0.01	-0.02	0	14	1	5	0.01	18
22HRC008	95	96	223102	1.10	0.03	-0.05	355	954	0.00	5	7	0.03	1	17	0.50	0.30	19	0.02	4	0.01	0.05	1	172	1	7	0.01	25
22HRC008B	27	28	223157	1.50	0.02	0.10	53	255	0.00	2	17	0.01	8	2	0.56	0.20	30	-0.01	7	0.00	0.11	1	7	0	5	0.01	23
22HRC008B	28	29	223158	1.90	0.02	0.10	48	207	0.00	3	23	0.01	5	2	0.58	0.30	31	-0.01	7	0.00	0.13	1	11	0	7	0.01	28
22HRC008B	29	30	223159	1.60	0.03	0.14	40	136	0.00	1	16	0.03	6	2	0.49	0.20	13	-0.01	7	0.01	0.10	1	7	2	6	0.01	28
22HRC008B	30	31	223160	1.20	0.04	0.19	31	92	0.00	2	11	0.04	6	2	0.48	0.20	13	-0.01	6	0.01	0.07	1	7	3	6	0.01	33
22HRC008B	31	32	223161	1.30	0.05	0.23	33	212	0.00	4	10	0.05	6	2	0.57	0.30	11	-0.01	6	0.01	0.06	1	7	8	6	0.01	37
22HRC008B	32	33	223162	1.40	0.05	0.19	20	175	0.00	2	15	0.05	4	2	0.72	0.30	10	-0.01	7	0.01	0.09	1	7	6	6	0.01	37
22HRC008B	33	34	223163	1.40	0.03	0.16	17	151	0.00	2	23	0.04	4	1	0.64	0.30	11	-0.01	7	0.01	0.12	1	7	4	7	0.00	43
22HRC008B	34	35	223164	1.50	0.04	0.20	37	141	0.00	-1	15	0.06	9	2	0.58	0.30	10	-0.01	7	0.01	0.09	1	8	4	6	0.01	40
22HRC008B	35	36	223165	1.40	0.04	0.20	58	175	0.00	-1	10	0.06	19	2	0.36	0.20	10	-0.01	6	0.01	0.06	1	5	5	6	0.01	28
22HRC008B	40	41	223170	1.20	0.03	0.15	32	87	0.00	3	21	0.02	14	2	0.69	0.40	15	0.14	7	0.00	0.12	1	5	2	7	0.00	35
22HRC008B	41	42	223171	0.90	0.02	0.10	12	118	0.00	-1	20	0.01	6	1	0.41	0.20	16	0.01	6	0.00	0.10	0	4	1	5	0.00	25
22HRC008B	42	43	223172	5.30	0.01	0.19	58	228	0.00	1	30	0.04	10	2	0.76	0.30	27	0.02	8	0.01	0.14	1	11	0	7	0.01	33
22HRC008B	43	44	223173	0.90	0.03	0.14	48	587	0.00	1	20	0.05	15	3	1.12	0.30	27	0.02	7	0.01	0.11	1	18	1	8	0.01	28
22HRC008B	56	57	223188	0.80	0.02	0.22	96	403	0.00	2	28	0.04	31	2	0.96	0.30	26	-0.01	9	0.01	0.15	1	10	0	8	0.00	32
22HRC008B	57	58	223189	1.10	0.01	0.12	81	720	0.01	2	24	0.15	36	1	0.99	0.20	20	0.01	6	0.00	0.22	1	8	1	5	0.01	18
22HRC008B	58	59	223190	1.10	0.00	0.11	113	355	0.00	-1	31	0.01	66	1	0.39	0.20	24	-0.01	11	0.00	0.25	1	8	1	4	0.01	15
22HRC008B	59	60	223191	0.70	0.00	0.16	49	196	0.00	-1	31	0.05	29	-1	0.36	0.10	13	-0.01	13	0.00	0.22	1	6	1	3	0.00	11
22HRC008B	60	61	223192	0.90	0.01	0.12	52	187	0.00	1	29	0.02	13	2	0.25	0.10	18	-0.01	15	0.00	0.21	1	7	1	4	0.00	9

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22HRC008B	61	62	223193	1.00	0.02	0.18	45	213	0.00	3	33	0.05	18	1	0.44	0.20	29	-0.01	13	0.00	0.18	1	11	2	5	0.00	8
22HRC008B	62	63	223194	1.10	0.02	0.12	93	438	0.00	2	27	0.10	30	2	0.40	0.10	30	-0.01	10	0.00	0.14	1	10	3	7	0.01	19
22HRC008B	63	64	223195	1.10	0.02	0.24	137	480	0.01	1	39	0.10	63	2	0.78	0.20	25	0.01	10	0.01	0.20	1	12	2	8	0.03	24
22HRC008B	64	65	223196	2.60	0.03	0.22	110	468	0.01	-1	26	0.08	58	2	0.46	0.20	29	0.01	12	0.01	0.14	1	11	3	7	0.02	17
22HRC008B	65	66	223197	2.40	0.02	0.17	83	366	0.01	2	26	0.06	32	2	0.49	0.20	16	0.01	12	0.00	0.13	1	10	2	6	0.02	13
22HRC008B	66	67	223198	1.00	0.01	0.15	73	255	0.01	-1	35	0.05	27	-1	0.50	0.20	6	-0.01	15	0.00	0.18	2	8	1	5	0.01	14
22HRC008B	67	68	223199	0.70	0.01	0.08	25	145	0.00	-1	31	0.02	5	1	0.22	0.10	4	-0.01	17	0.00	0.15	1	6	1	4	0.00	5
22HRC008B	73	74	223206	0.90	0.03	0.17	43	157	0.00	-1	23	0.03	10	1	0.31	0.20	6	-0.01	16	0.00	0.12	1	6	2	4	0.01	6
22HRC008B	74	75	223207	0.80	0.03	0.14	65	121	0.00	-1	24	0.03	14	1	0.38	0.20	5	-0.01	17	0.00	0.12	1	8	2	4	0.02	7
22HRC008B	75	76	223208	0.90	0.01	0.12	117	195	0.02	3	33	0.58	25	-1	0.55	0.10	4	0.02	16	0.00	0.22	1	10	2	4	0.00	10
22HRC008B	76	77	223209	0.80	0.01	0.11	85	176	0.01	2	34	0.08	20	1	0.30	0.10	5	-0.01	15	0.00	0.19	1	8	1	4	0.00	10
22HRC008B	77	78	223210	1.10	0.01	0.11	45	191	0.04	1	28	1.72	36	-1	0.45	0.10	5	0.02	16	0.00	0.33	1	5	3	3	0.01	6
22HRC008B	78	79	223211	1.30	0.01	0.15	73	209	0.08	2	35	1.56	79	1	0.56	0.20	5	0.03	14	0.00	0.37	1	9	2	4	0.01	8
22HRC008B	85	86	223218	0.60	0.01	0.09	26	114	0.00	3	24	0.34	10	1	0.37	-0.10	4	-0.01	20	0.00	0.17	1	3	2	3	0.00	7
22HRC008B	86	87	223219	0.90	0.01	0.12	75	306	0.00	4	38	1.35	27	-1	0.55	0.20	6	0.02	11	0.01	0.30	1	10	3	5	0.00	17
22HRC008B	87	88	223220	1.00	0.01	0.11	90	362	0.00	3	46	0.19	8	1	0.68	0.20	6	-0.01	12	0.01	0.22	1	12	2	7	0.00	18
22HRC008B	88	89	223221	1.30	0.01	0.09	56	303	0.00	2	44	0.13	9	1	0.55	0.20	7	-0.01	12	0.01	0.21	1	12	2	6	0.00	16
22HRC008B	89	90	223222	1.50	0.01	0.11	85	302	0.00	-1	38	0.12	11	1	0.51	0.20	6	0.02	13	0.00	0.18	1	7	2	5	0.00	17
22HRC008B	90	91	223223	1.50	0.02	0.16	233	613	0.00	-1	32	0.13	76	2	0.79	0.20	26	0.03	11	0.01	0.16	1	16	2	9	0.00	26
22HRC008B	96	97	223231	0.80	0.03	0.21	85	395	0.00	-1	24	0.07	7	1	0.71	0.30	32	0.01	10	0.01	0.13	1	16	2	8	0.02	31
22HRC008B	97	98	223232	1.00	0.03	0.13	45	226	0.00	2	19	0.07	3	-1	0.68	0.20	17	-0.01	12	0.00	0.09	1	11	2	5	0.01	11
22HRC008B	98	99	223233	1.30	0.02	0.14	41	397	0.00	2	35	0.07	3	1	0.54	0.30	14	-0.01	14	0.01	0.17	1	12	2	6	0.00	14
22HRC008B	103	104	223238	1.20	0.02	0.15	9	108	0.00	2	26	0.03	1	-1	0.42	0.20	6	-0.01	14	0.00	0.12	1	5	3	4	0.00	4
22HRC008B	104	105	223239	0.80	0.03	0.16	7	170	0.00	2	27	0.02	1	-1	0.26	0.20	6	-0.01	16	0.00	0.11	1	5	3	3	0.00	4
22HRC008B	105	106	223240	0.60	0.03	0.26	9	152	0.00	1	25	0.05	1	-1	0.13	0.20	6	-0.01	23	0.00	0.12	2	4	3	4	0.00	5
22HRC008B	106	107	223241	0.80	0.04	0.16	9	225	0.00	-1	27	0.04	1	-1	0.21	0.20	8	-0.01	16	0.00	0.12	1	4	3	4	0.00	5
22HRC010	95	96	228442	0.70	0.05	0.05	43	1110	0.00	-1	77	0.07	4	4	0.29	0.30	77	-0.01	5	0.02	0.39	2	38	3	6	0.01	3
22HRC010	96	97	228443	0.70	0.05	-0.05	42	1030	0.00	-1	65	0.05	2	4	0.28	0.30	97	-0.01	4	0.01	0.30	1	35	0	7	0.01	3
22HRC010	97	98	228444	0.70	0.05	-0.05	39	843	0.00	1	67	0.02	2	4	0.13	0.30	82	-0.01	6	0.02	0.33	2	34	0	5	0.01	3
22HRC010	98	99	228445	0.70	0.06	0.11	10	365	0.00	-1	29	0.02	1	1	0.15	0.30	39	-0.01	5	0.01	0.16	2	11	1	5	0.01	5
22HRC010	99	100	228446	0.60	0.05	-0.05	32	739	0.00	-1	65	0.01	1	3	0.12	0.30	66	-0.01	4	0.01	0.34	1	26	0	4	0.01	2
22HRC010	120	121	228468	0.90	0.04	-0.05	55	767	0.00	-1	49	0.01	5	4	0.12	0.30	54	-0.01	5	0.01	0.25	3	38	0	4	0.01	3
22HRC010	121	122	228469	0.60	0.04	0.05	24	790	0.01	-1	72	0.02	2	3	0.26	0.40	107	-0.01	7	0.01	0.38	2	23	0	8	0.01	5
22HRC010	122	123	228470	0.60	0.04	-0.05	25	899	0.01	1	55	0.02	1	3	0.22	0.30	45	-0.01	7	0.01	0.28	1	21	1	6	0.02	3
22HRC010	123	124	228471	0.50	0.05	-0.05	25	729	0.00	-1	76	0.08	1	3	0.19	0.30	47	-0.01	6	0.02	0.32	1	26	1	6	0.01	3
22HRC010	124	125	228472	1.10	0.06	0.13	8	279	0.00	1	19	0.10	1	2	0.24	0.40	22	-0.01	12	0.01	0.09	1	14	3	6	0.01	8

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22HRC010	125	126	228473	0.80	0.05	0.14	12	333	0.00	1	23	0.04	1	1	0.23	0.30	23	-0.01	16	0.01	0.12	2	11	2	6	0.01	9
22HRC010	126	127	228476	0.70	0.06	0.09	4	185	0.00	-1	12	0.05	2	1	0.18	0.10	23	-0.01	18	0.00	0.06	1	7	2	4	0.00	12
22HRC010	127	128	228477	1.00	0.04	0.10	22	429	0.01	-1	31	0.02	1	2	0.27	0.40	28	-0.01	12	0.01	0.15	5	16	1	6	0.02	6
22HRC010	128	129	228478	1.20	0.05	0.19	5	129	0.01	-1	20	0.05	1	1	0.15	0.40	15	-0.01	21	0.00	0.09	4	8	3	5	0.00	11
22HRC010	129	130	228479	1.20	0.05	0.11	2	148	0.00	-1	14	0.19	1	-1	0.17	0.30	14	-0.01	26	0.00	0.07	2	8	4	5	0.00	11
22HRC010	162	163	228513	0.70	0.03	0.06	26	498	0.01	-1	39	0.01	3	2	0.18	0.30	40	-0.01	10	0.01	0.19	3	12	0	7	0.01	5
22HRC010	163	164	228514	0.60	0.04	0.05	10	513	0.00	-1	43	0.01	1	2	0.31	0.30	134	-0.01	10	0.01	0.24	3	7	1	15	0.01	6
22HRC010	164	165	228515	0.70	0.03	0.10	14	473	0.00	-1	54	0.01	2	2	0.32	0.30	43	-0.01	12	0.01	0.23	3	9	1	9	0.01	8
22HRC010	165	166	228516	1.00	0.08	1.27	7	116	0.00	-1	31	0.02	1	2	0.11	0.70	23	-0.01	5	0.01	0.17	5	5	1	5	0.00	5
22HRC010	166	167	228517	0.90	0.03	0.19	18	502	0.00	-1	40	-0.01	2	1	0.09	0.20	49	-0.01	6	0.01	0.22	2	11	1	4	0.01	3
22HRC010	167	168	228518	1.00	0.04	0.15	10	466	0.00	-1	37	0.10	1	2	0.19	0.40	22	-0.01	9	0.01	0.18	3	11	2	7	0.01	6
22HRC010	168	169	228519	0.90	0.04	0.11	26	584	0.00	-1	45	0.02	2	2	0.25	0.40	43	-0.01	11	0.01	0.22	2	14	1	8	0.01	6
22HRC010	169	170	228520	1.10	0.04	0.13	9	417	0.00	-1	40	0.10	1	1	0.23	0.30	35	-0.01	18	0.01	0.19	2	10	2	7	0.01	7
22HRC010	170	171	228521	0.80	0.03	0.12	8	503	0.00	-1	33	0.03	1	1	0.18	0.30	25	-0.01	17	0.01	0.21	2	9	1	6	0.01	10
22HRC010	171	172	228522	1.20	0.04	0.27	5	230	0.00	-1	25	0.01	1	-1	0.17	0.20	20	-0.01	14	0.00	0.14	8	3	1	7	0.01	10
22HRC010	172	173	228523	0.70	0.04	0.21	2	13	0.00	-1	22	-0.01	1	-1	-0.05	0.20	6	-0.01	6	0.00	0.12	5	-1	1	4	0.00	4
22HRC010	173	174	228526	1.40	0.04	0.22	3	43	0.00	2	22	-0.01	1	-1	0.08	0.20	10	-0.01	9	0.00	0.11	9	-1	1	5	0.00	7
22HRC010	174	175	228527	0.60	0.02	0.14	39	781	0.00	1	84	0.01	2	3	0.29	0.50	68	-0.01	6	0.01	0.43	5	18	0	12	0.01	3
22HRC010	175	176	228528	0.80	0.02	0.07	45	736	0.00	-1	68	-0.01	2	3	0.19	0.30	73	-0.01	5	0.01	0.35	4	20	0	7	0.01	3
22MCRC003A	104	105	229835	2.10	0.03	0.12	226	278	0.16	3	35	0.14	89	1	0.63	0.60	12	-0.01	6	0.01	0.53	5	14	2	8	0.43	52
22MCRC003A	105	106	229836	7.90	0.03	0.11	264	347	0.08	3	21	0.13	163	1	0.62	0.30	12	0.01	5	0.01	0.26	4	7	4	8	0.24	40
22MCRC003A	106	107	229837	3.70	0.03	0.14	290	369	0.42	3	26	0.23	78	1	0.97	0.40	13	-0.01	6	0.01	0.31	3	5	5	8	0.91	45
22MCRC003A	107	108	229838	3.50	0.01	0.15	209	411	0.34	1	24	0.18	44	-1	1.07	0.30	11	0.01	6	0.01	0.32	3	6	2	9	0.28	53
22MCRC003A	108	109	229839	2.20	0.02	0.16	62	290	0.07	5	20	0.07	21	-1	0.47	0.20	42	-0.01	6	0.01	0.22	4	6	4	8	0.16	39
22MCRC003A	109	110	229840	1.70	0.01	0.14	35	154	0.99	1	20	0.44	72	-1	0.61	0.20	13	-0.01	3	0.01	0.22	3	3	5	5	2.11	27
22MCRC003A	110	111	229841	1.60	0.02	0.12	16	197	0.76	-1	14	0.40	37	-1	0.60	0.20	9	-0.01	4	0.01	0.15	2	8	6	5	1.87	27
22MCRC003A	111	112	229842	1.30	0.02	0.10	25	301	0.04	1	20	0.06	8	1	0.36	0.20	14	-0.01	6	0.01	0.19	2	7	3	7	0.23	32
22MCRC003A	112	113	229843	1.40	0.01	0.10	22	306	0.03	1	21	0.02	5	-1	0.33	0.20	7	-0.01	4	0.01	0.18	2	1	4	6	0.09	28
22MCRC003A	113	114	229844	1.60	0.01	0.15	17	276	0.24	1	28	0.16	11	1	0.78	0.30	9	-0.01	5	0.01	0.29	2	7	3	6	0.45	29
22MCRC003A	114	115	229845	1.20	0.00	0.14	18	201	0.49	2	15	0.13	14	-1	0.40	0.20	12	-0.01	3	0.00	0.14	1	4	7	4	0.49	19
22MCRC003A	115	116	229846	2.20	0.01	0.15	15	162	0.54	3	14	0.15	48	-1	0.51	0.20	16	-0.01	3	0.00	0.16	1	3	6	5	0.54	21
22MCRC003A	116	117	229847	1.60	0.01	0.18	16	146	0.88	1	13	0.35	103	-1	1.07	0.20	10	-0.01	2	0.00	0.14	1	4	6	4	1.62	18
22MCRC003A	117	118	229848	2.30	0.00	0.14	19	198	0.81	2	12	0.34	268	-1	1.37	0.20	16	-0.01	2	0.00	0.15	1	6	11	4	1.63	16
22MCRC003A	118	119	229849	2.00	0.00	0.15	35	200	0.27	3	15	0.83	121	-1	1.57	0.40	1	0.01	3	0.01	0.17	1	6	10	4	5.11	14
22MCRC003A	119	120	229851	2.70	0.01	0.20	36	268	0.04	3	18	0.40	28	-1	0.78	0.40	5	-0.01	4	0.01	0.24	1	4	5	5	1.92	18
22MCRC003A	120	121	229852	2.10	0.00	0.23	49	343	0.12	5	23	0.55	10	1	0.83	0.40	6	-0.01	5	0.01	0.26	1	11	4	6	2.92	24

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22MCRC003A	121	122	229853	1.80	0.00	0.21	30	202	0.11	1	18	0.48	12	-1	0.51	0.30	10	-0.01	4	0.01	0.24	1	7	6	4	2.25	18
22MCRC003A	122	123	229854	1.10	0.00	0.16	27	236	0.53	1	19	0.55	14	-1	0.56	0.20	12	-0.01	4	0.01	0.22	1	4	3	5	2.45	17
22MCRC003A	123	124	229855	1.60	0.00	0.16	21	185	0.18	3	17	0.45	7	-1	0.43	0.20	6	-0.01	4	0.01	0.22	1	7	4	4	2.22	17
22MCRC003A	124	125	229856	1.90	0.00	0.21	20	274	0.19	4	20	0.73	8	-1	0.94	0.20	4	-0.01	5	0.01	0.23	1	-1	5	5	3.89	23
22MCRC003A	125	126	229857	1.60	0.00	0.21	36	360	0.15	3	23	0.84	7	-1	0.83	0.30	9	-0.01	5	0.01	0.27	1	10	5	6	3.89	28
22MCRC003A	126	127	229858	1.80	0.01	0.32	42	355	0.02	-1	25	0.44	5	-1	0.64	0.30	8	-0.01	6	0.01	0.27	1	4	3	8	2.55	35
22MCRC003A	127	128	229859	3.30	0.00	0.24	48	381	0.03	2	22	0.64	16	1	0.82	0.40	10	-0.01	5	0.01	0.49	1	15	3	6	2.67	25
22MCRC003A	128	129	229860	0.90	0.01	0.15	95	495	0.02	3	29	0.16	11	2	0.54	0.30	15	-0.01	7	0.01	0.34	1	11	1	9	0.17	41
22MCRC003A	168	169	229903	3.10	0.01	0.19	90	545	0.13	6	33	0.42	72	2	0.73	0.30	92	-0.01	7	0.01	0.30	2	4	1	9	0.22	43
22MCRC003A	169	170	229904	1.40	0.01	0.20	107	467	0.37	1	30	0.23	89	3	0.58	0.30	70	-0.01	5	0.01	0.24	2	15	4	8	0.52	36
22MCRC003A	170	171	229905	0.90	0.01	0.11	95	589	0.09	5	34	0.11	65	4	0.47	0.30	93	-0.01	6	0.01	0.28	2	17	1	10	0.37	35
22MCRC003A	171	172	229906	1.40	0.01	0.12	170	478	0.11	3	23	0.18	97	2	0.49	0.20	61	-0.01	4	0.01	0.18	2	12	2	8	0.87	31
22MCRC003A	172	173	229907	1.40	0.01	0.18	123	537	0.06	2	33	0.11	33	3	0.46	0.30	62	-0.01	6	0.01	0.26	2	19	2	9	0.27	41
22MCRC003A	173	174	229908	1.10	0.01	0.14	91	466	0.03	2	23	0.13	17	1	0.28	0.30	34	-0.01	6	0.01	0.19	3	4	2	8	0.24	32
22MCRC003A	174	175	229909	1.50	0.01	0.17	90	485	0.06	1	22	0.16	8	-1	0.46	0.20	41	-0.01	6	0.01	0.18	2	8	3	9	0.47	44
22MCRC003A	175	176	229910	1.20	0.01	0.13	206	507	0.20	2	20	0.30	29	6	0.68	0.30	53	-0.01	5	0.01	0.16	1	49	1	8	0.63	30
22MCRC003A	176	177	229911	1.60	0.01	0.12	259	419	0.18	5	4	0.33	26	7	0.56	0.20	21	-0.01	4	0.01	0.04	1	57	1	6	0.82	27
22MCRC003A	177	178	229912	1.20	0.01	0.13	225	384	0.03	3	14	0.19	21	6	0.45	0.30	42	-0.01	4	0.01	0.13	1	40	1	8	0.08	28
22MCRC003A	178	179	229913	1.30	0.01	0.19	219	452	0.02	7	7	0.13	8	7	0.40	0.50	12	-0.01	5	0.02	0.06	1	50	1	8	0.09	37
22MCRC003A	179	180	229914	1.10	0.01	0.15	226	435	0.02	3	17	0.38	41	8	0.63	0.40	74	-0.01	4	0.01	0.16	1	44	1	9	0.06	24
22MCRC003A	180	181	229915	0.80	0.01	0.12	256	267	0.01	9	14	0.10	121	9	0.48	0.20	142	-0.01	3	0.01	0.13	1	82	0	7	0.08	15
22MCRC003A	181	182	229916	1.30	0.01	0.08	485	330	0.07	9	14	0.38	391	-1	0.85	0.20	100	0.02	4	0.01	0.13	1	65	0	7	0.55	21
22MCRC003A	189	190	229926	0.40	0.00	-0.05	291	137	0.00	5	14	0.16	37	12	0.24	0.10	202	-0.01	1	0.01	0.11	0	141	0	6	0.01	4
22MCRC003A	190	191	229927	0.40	0.00	-0.05	360	147	0.00	6	18	0.17	56	15	0.15	0.10	299	-0.01	1	0.01	0.11	0	163	0	5	0.01	6
22MCRC003A	191	192	229928	0.40	0.00	-0.05	318	112	0.00	9	6	0.23	38	17	0.24	-0.10	361	-0.01	1	0.01	0.04	0	176	0	6	0.01	5
22MCRC003A	192	193	229929	7.10	0.00	0.10	207	344	0.01	6	7	0.45	25	6	0.37	0.30	34	0.01	3	0.01	0.08	0	91	1	5	0.02	16
22MCRC003A	193	194	229930	9.20	0.00	0.14	218	388	0.01	3	12	0.26	14	5	0.42	0.40	25	-0.01	4	0.01	0.10	1	71	1	6	0.02	22
22MCRC003A	194	195	229931	5.40	0.01	0.15	176	406	0.02	3	13	0.59	25	4	0.46	0.40	16	-0.01	4	0.01	0.12	2	66	1	7	0.02	25
22MCRC003A	195	196	229932	5.60	0.01	0.17	160	466	0.02	-1	12	0.62	22	3	0.59	0.50	4	-0.01	5	0.02	0.10	2	64	1	9	0.02	32
22MCRC003A	196	197	229933	4.20	0.00	0.20	113	340	0.05	2	17	0.54	25	2	0.32	0.40	4	-0.01	4	0.01	0.19	2	38	3	6	0.01	24
22MCRC003A	197	198	229934	2.10	0.00	0.11	209	352	0.03	3	27	0.38	12	8	0.42	0.30	122	0.01	3	0.01	0.19	1	90	1	7	0.02	21
22MCRC003A	198	199	229935	1.20	0.01	0.13	62	350	0.01	2	51	0.14	5	3	0.58	0.40	32	-0.01	9	0.01	0.34	2	26	0	10	0.01	34
22MCRC003A	199	200	229936	1.30	0.01	0.11	37	337	0.01	-1	76	0.11	8	3	0.58	0.60	35	-0.01	12	0.01	0.52	2	18	0	8	0.00	27
22MCRC003A	200	201	229937	1.30	0.03	0.19	41	304	0.00	-1	55	0.13	5	3	0.58	0.50	21	-0.01	11	0.01	0.50	2	23	2	8	0.01	42
22MCRC003A	201	202	229938	0.90	0.01	0.14	18	377	0.00	2	36	0.04	2	2	0.60	0.30	30	-0.01	11	0.01	0.38	2	20	0	8	0.01	31
22MCRC003A	202	203	229939	1.00	0.02	0.17	22	389	0.00	1	28	0.06	3	1	0.48	0.30	23	-0.01	10	0.01	0.29	2	21	0	9	0.01	38

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22MCRC003A	214	215	229952	1.10	0.01	0.18	52	301	0.03	2	43	0.10	6	2	0.75	0.30	19	-0.01	17	0.01	0.44	7	5	1	14	0.23	117
22MCRC004A	144	145	222821	1.40	0.03	0.21	241	490	0.00	2	17	0.21	230	2	0.69	0.20	39	-0.01	6	0.01	0.34	3	12	3	10	0.01	40
22MCRC004A	145	146	222822	0.70	0.04	0.24	125	481	0.00	1	19	0.02	83	2	0.53	0.30	40	-0.01	6	0.01	0.27	2	7	1	9	0.01	42
22MCRC004A	146	147	222823	1.10	0.03	0.21	176	449	0.01	3	21	0.04	162	2	0.38	0.20	38	-0.01	7	0.01	0.29	3	7	1	9	0.03	45
22MCRC004A	147	148	222826	1.20	0.01	0.19	198	513	0.00	3	23	0.34	46	3	0.61	0.30	60	-0.01	5	0.01	0.55	2	2	2	11	0.01	39
22MCRC004A	148	149	222827	5.90	0.01	0.18	172	581	0.09	2	22	0.37	29	2	0.96	0.40	36	-0.01	4	0.01	0.39	1	14	1	10	0.12	25
22MCRC004A	149	150	222828	24.10	0.01	0.21	112	393	0.05	1	17	0.46	20	3	1.79	0.50	10	-0.01	6	0.01	0.37	2	20	1	9	0.03	31
22MCRC004A	150	151	222829	9.00	0.01	0.18	98	387	0.14	3	16	0.54	25	2	2.86	0.80	21	-0.01	9	0.01	0.28	4	11	3	11	0.15	38
22MCRC004A	151	152	222830	4.70	0.01	0.25	101	362	0.16	5	16	0.28	14	3	1.63	0.50	13	-0.01	11	0.01	0.22	4	18	1	11	0.28	48
22MCRC004A	152	153	222831	3.50	0.01	0.17	69	400	0.08	4	24	0.21	16	2	0.51	0.30	44	-0.01	9	0.00	0.28	4	4	1	10	0.20	35
22MCRC004A	153	154	222832	1.90	0.01	0.12	120	518	0.05	6	21	0.10	7	3	0.56	0.30	32	0.01	7	0.01	0.24	3	15	2	10	0.27	30
22MCRC004A	154	155	222833	2.10	0.01	0.11	74	414	0.15	1	21	0.18	21	2	0.55	0.30	26	-0.01	7	0.01	0.22	3	7	7	9	0.57	29
22MCRC004A	192	193	222872	0.90	0.02	0.15	59	376	0.01	1	40	0.26	13	3	0.55	0.30	21	-0.01	13	0.01	0.59	3	23	0	9	0.01	50
22MCRC004A	193	194	222873	0.70	0.03	0.16	47	315	0.01	2	46	0.20	14	3	0.70	0.40	22	-0.01	14	0.01	0.67	3	26	0	10	0.02	63
22MCRC004A	194	195	222876	1.10	0.02	0.14	44	255	0.01	1	56	0.27	6	3	0.48	0.50	21	-0.01	10	0.01	0.74	2	23	2	7	0.02	38
22MCRC004A	195	196	222877	40.70	0.01	0.25	118	477	0.07	3	34	1.64	59	3	0.60	0.70	6	-0.01	7	0.02	0.87	2	40	2	9	0.07	40
22MCRC004A	196	197	222878	32.10	0.01	0.25	125	301	0.19	-1	25	2.63	543	2	0.52	0.80	6	-0.01	5	0.01	1.00	1	27	2	6	0.19	29
22MCRC004A	197	198	222879	14.60	0.01	0.29	143	340	0.13	-1	24	2.30	209	3	0.51	0.70	5	-0.01	5	0.02	1.02	1	34	3	7	0.14	31
22MCRC004A	198	199	222880	15.00	0.01	0.28	174	423	0.15	1	22	2.23	133	4	0.51	0.80	5	-0.01	5	0.02	0.89	1	44	3	8	0.28	35
22MCRC004A	199	200	222881	10.90	0.01	0.35	139	437	0.70	3	39	2.71	293	3	0.53	0.80	5	-0.01	4	0.02	0.95	1	27	4	7	2.06	32
22MCRC004A	200	201	222882	3.70	0.02	0.16	42	399	0.17	1	96	1.84	36	4	0.68	1.00	36	-0.01	10	0.02	2.16	3	19	2	9	0.60	41
22MCRC004A	201	202	222883	2.70	0.02	0.15	29	357	0.28	3	75	1.51	26	3	0.58	0.70	28	-0.01	8	0.02	1.92	2	15	4	8	0.80	35
22MCRC004A	202	203	222884	2.70	0.02	0.18	24	324	0.53	2	76	3.39	31	3	0.65	0.70	20	-0.01	9	0.02	1.88	2	12	5	8	1.90	39
22MCRC004A	203	204	222885	1.60	0.03	0.14	36	333	0.05	-1	156	0.80	24	5	0.71	1.10	61	-0.01	15	0.02	2.01	3	32	2	10	0.17	57
22MCRC004A	204	205	222886	1.50	0.02	0.16	28	305	0.01	-1	122	0.32	18	4	0.82	1.00	55	-0.01	14	0.03	1.31	3	31	1	11	0.07	56
22MCRC004A	205	206	222887	1.50	0.02	0.15	13	367	0.01	1	83	0.14	6	4	0.83	0.70	35	-0.01	13	0.02	0.95	3	25	1	11	0.05	49
22MCRC004A	206	207	222888	1.70	0.02	0.17	25	275	0.01	-1	107	0.20	7	4	0.76	0.90	30	-0.01	15	0.03	1.08	4	23	1	9	0.07	60
22MCRC004A	207	208	222889	1.90	0.03	0.19	22	302	0.01	-1	102	0.15	6	4	0.63	0.90	28	-0.01	14	0.03	0.99	5	23	1	10	0.04	62
22MCRC004A	208	209	222890	1.40	0.02	0.16	22	334	0.00	-1	85	0.07	3	3	0.60	0.70	21	-0.01	11	0.03	0.80	4	24	0	8	0.01	47
22MCRC004A	209	210	222891	1.40	0.02	0.18	22	308	0.00	-1	93	0.08	4	4	0.61	0.80	26	-0.01	13	0.03	0.88	4	24	0	9	0.01	52
22MCRC004A	210	211	222892	1.60	0.02	0.16	46	261	0.01	-1	63	0.15	4	3	0.53	0.50	18	-0.01	7	0.02	0.65	5	19	3	7	0.01	39
22MCRC004A	211	212	222893	1.50	0.02	0.21	51	269	0.01	-1	52	0.13	7	2	0.52	0.40	18	-0.01	4	0.01	0.57	3	19	2	6	0.02	30
22MCRC004A	212	213	222894	1.50	0.02	0.25	40	249	0.01	-1	62	0.23	9	2	0.53	0.50	17	-0.01	5	0.02	0.70	2	17	1	6	0.04	31
22MCRC004A	213	214	222895	2.20	0.02	0.20	62	274	0.01	1	75	0.80	13	2	0.49	0.60	13	-0.01	5	0.02	0.95	2	16	4	5	0.06	33
22MCRC004A	214	215	222896	1.50	0.02	0.15	88	325	0.00	-1	70	0.76	18	2	0.58	0.50	8	-0.01	6	0.02	0.76	2	14	2	6	0.01	33
22MCRC004A	215	216	222897	2.30	0.03	0.21	38	294	0.02	-1	62	0.45	12	3	0.53	0.60	15	-0.01	8	0.02	0.82	2	16	3	7	0.11	38

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22MCRC004A	216	217	222898	1.80	0.03	0.25	20	321	0.00	-1	81	0.32	4	4	0.66	0.90	16	-0.01	11	0.03	0.97	2	21	4	9	0.02	51
22MCRC004A	217	218	222899	1.50	0.02	0.32	21	319	0.00	-1	105	0.21	4	4	0.68	1.00	17	-0.01	11	0.05	1.02	2	24	1	9	0.01	50
22MCRC004A	218	219	222901	1.80	0.02	0.35	19	344	0.01	2	89	1.18	8	4	0.83	0.90	21	-0.01	12	0.04	1.22	3	23	1	10	0.05	56
22MCRC004A	219	220	222902	1.40	0.02	0.32	36	303	0.00	-1	79	0.53	6	3	0.65	1.10	18	-0.01	12	0.04	0.97	3	22	1	9	0.01	50
22MCRC004A	77	78	227751	1.80	0.04	0.19	13	72	0.00	2	25	0.05	4	-1	0.15	0.20	10	-0.01	11	0.01	0.19	1	5	6	3	0.01	12
22MCRC004A	78	79	227752	1.50	0.03	0.13	20	74	0.00	1	40	0.07	6	-1	0.35	0.30	8	-0.01	15	0.01	0.28	1	6	6	4	0.01	15
22MCRC004A	79	80	227753	1.60	0.03	0.16	42	108	0.00	-1	48	0.15	14	2	0.46	0.50	9	-0.01	13	0.02	0.37	2	12	5	8	0.01	35
22MCRC004A	80	81	227754	1.70	0.04	0.20	61	82	0.00	1	60	0.15	38	3	0.52	0.60	11	-0.01	7	0.03	0.42	2	15	4	8	0.02	47
22MCRC004A	81	82	227755	1.60	0.04	0.15	61	74	0.00	-1	43	0.09	34	2	0.57	0.40	23	-0.01	6	0.02	0.35	2	15	3	8	0.01	45
22MCRC004A	82	83	227756	1.60	0.04	0.12	65	90	0.00	1	46	0.14	37	3	0.56	0.40	13	-0.01	6	0.03	0.35	2	14	3	7	0.01	42
22MCRC004A	83	84	227757	1.90	0.03	0.14	72	192	0.00	2	40	0.13	31	2	0.52	0.40	15	-0.01	6	0.02	0.33	2	14	4	8	0.01	42
22MCRC004A	84	85	227758	1.60	0.04	0.13	71	330	0.00	-1	42	0.12	40	3	0.59	0.40	10	-0.01	6	0.02	0.36	2	15	3	8	0.01	42
22MCRC004A	85	86	227759	1.10	0.03	0.12	78	370	0.00	2	40	0.12	49	3	0.55	0.40	10	-0.01	6	0.02	0.35	2	16	3	8	0.01	41
22MCRC004A	86	87	227760	2.30	0.03	0.18	82	343	0.01	2	43	0.16	58	3	0.43	0.50	18	-0.01	6	0.02	0.37	2	17	6	7	0.03	40
22MCRC004A	87	88	227761	2.90	0.03	0.17	220	371	0.12	-1	47	0.46	217	3	0.49	0.80	19	0.01	6	0.02	0.35	2	20	5	8	0.27	43
22MCRC004A	88	89	227762	5.50	0.03	0.15	272	412	0.37	-1	34	0.62	306	2	0.67	0.60	16	-0.01	5	0.02	0.28	2	16	7	8	0.60	36
22MCRC004A	89	90	227763	6.90	0.04	0.16	276	449	0.76	2	32	0.82	347	2	1.03	0.90	19	0.02	5	0.02	0.29	2	16	7	8	0.74	37
22MCRC004A	102	103	227778	2.30	0.01	0.31	30	197	0.08	-1	20	0.24	4	-1	0.21	0.50	3	-0.01	3	0.01	0.25	1	11	5	4	0.33	14
22MCRC004A	115	116	227791	2.20	0.01	0.18	72	414	0.36	3	22	0.34	94	-1	0.80	0.20	34	-0.01	6	0.00	0.26	3	11	4	10	1.35	43
22MCRC004A	116	117	227792	2.50	0.01	0.17	96	278	0.43	-1	23	0.36	87	3	0.72	0.30	51	-0.01	5	0.01	0.28	2	14	5	8	1.53	31
22MCRC004A	117	118	227793	2.20	0.01	0.15	101	276	0.35	3	21	0.26	138	2	0.60	0.20	29	-0.01	5	0.00	0.24	2	5	5	7	1.07	35
22MCRC004A	118	119	227794	2.40	0.01	0.18	143	371	0.65	1	25	0.46	190	1	0.78	0.20	37	-0.01	5	0.01	0.29	2	6	4	9	1.92	37
22MCRC004A	119	120	227795	2.10	0.01	0.19	82	405	1.36	-1	23	0.89	79	-1	0.97	0.30	28	-0.01	5	0.01	0.29	2	3	3	9	4.17	40
22MCRC004A	120	121	227796	1.40	0.03	0.17	66	489	1.37	2	20	0.76	91	-1	0.73	0.20	43	-0.01	5	0.00	0.25	1	8	7	10	3.83	42
22MCRC004A	121	122	227797	1.70	0.02	0.19	97	511	1.69	2	23	0.79	214	1	0.92	0.30	39	-0.01	5	0.01	0.30	1	12	7	12	3.79	48
22MCRC004A	122	123	227798	2.00	0.03	0.21	60	498	0.13	3	21	0.11	28	2	0.67	0.30	54	-0.01	7	0.01	0.27	2	10	2	12	0.37	50
22MCRC004A	21	22	229991	1.50	0.04	0.07	98	508	0.00	4	0	0.12	4	11	0.51	0.20	50	0.01	5	0.01	0.02	1	97	1	9	0.01	34
22MCRC004A	22	23	229992	3.30	0.05	0.11	54	725	0.00	2	0	0.22	3	7	0.81	0.30	17	0.02	8	0.01	0.02	1	67	4	11	0.01	40
22MCRC004A	23	24	229993	2.10	0.05	0.12	59	668	0.00	5	0	0.47	4	7	0.74	0.20	26	0.01	7	0.01	0.03	1	66	3	11	0.01	46
22MCRC004A	24	25	229994	2.30	0.04	0.08	137	591	0.00	9	0	0.11	4	13	0.57	0.30	76	0.03	5	0.01	0.02	1	102	2	10	0.01	30
22MCRC004A	25	26	229995	1.70	0.03	0.11	114	450	0.00	6	3	0.14	15	13	0.36	0.50	47	0.03	4	0.01	0.04	1	96	3	8	0.01	26
22WCR005A	8	9	228623	2.00	0.04	0.07	161	66	0.00	3	13	0.04	2	6	0.63	0.20	12	0.04	9	0.01	0.12	1	73	0	7	0.05	14
22WCR005A	9	10	228626	2.00	0.04	0.10	151	56	0.00	3	14	0.04	2	5	0.51	0.20	11	0.03	8	0.01	0.12	1	69	0	6	0.05	13
22WCR005A	10	11	228627	2.00	0.04	0.08	176	72	0.01	6	13	0.04	5	7	0.49	0.20	14	0.06	7	0.01	0.12	1	80	0	6	0.10	13
22WCR005A	19	20	228636	1.10	0.02	-0.05	152	68	0.03	5	12	0.04	6	3	0.16	1.20	8	0.01	6	0.00	0.16	1	82	0	4	0.13	8
22WCR005A	20	21	228637	7.60	0.02	0.06	152	123	0.47	4	9	0.21	14	5	1.05	3.30	7	0.13	7	0.00	0.17	2	501	1	5	0.60	10

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22WCRC005A	21	22	228638	6.50	0.02	0.11	119	69	2.73	2	2	4.06	39	4	2.98	6.80	11	0.04	3	0.00	0.18	4	59	2	2	2.96	6
22WCRC005A	22	23	228639	2.60	0.04	0.08	7	59	0.78	3	10	0.22	31	2	1.45	6.10	19	0.06	3	0.00	0.29	1	28	1	2	0.05	6
22WCRC005A	23	24	228640	1.90	0.05	-0.05	140	104	0.19	4	15	1.61	14	3	0.99	2.20	21	0.03	5	0.00	0.35	1	34	0	5	0.46	10
22WCRC005A	32	33	228649	1.70	0.01	0.06	193	325	0.00	4	7	0.34	3	9	0.88	1.30	5	0.10	4	0.01	0.10	1	117	0	4	0.07	11
22WCRC005A	33	34	228651	1.90	0.01	0.06	186	313	0.01	3	5	0.30	3	8	1.10	1.10	3	0.12	5	0.01	0.07	1	106	0	4	0.05	10
22WCRC005A	34	35	228652	2.10	0.01	-0.05	188	317	0.00	3	5	0.29	6	8	2.41	1.10	2	0.09	4	0.01	0.06	1	107	0	4	0.05	9
22WCRC005A	35	36	228653	2.70	0.01	0.06	222	372	0.00	4	7	0.11	3	10	1.54	0.60	2	0.10	5	0.01	0.08	1	124	0	6	0.02	12
22WCRC005A	36	37	228654	3.10	0.01	0.06	213	328	0.00	1	5	0.08	2	11	1.11	0.30	2	0.12	5	0.01	0.05	1	136	0	6	0.01	10
22WCRC005A	37	38	228655	4.30	0.01	0.07	181	405	0.00	2	5	0.11	3	12	0.88	0.40	2	0.15	5	0.01	0.05	1	141	0	6	0.01	14
22WCRC006A	6	7	228564	5.50	0.01	0.05	206	397	0.00	4	4	0.11	1	13	0.52	0.40	1	0.09	5	0.01	0.03	1	164	0	7	0.01	11
22WCRC006A	7	8	228565	6.90	0.01	0.06	209	362	0.00	6	6	0.09	1	10	0.62	0.50	2	0.08	5	0.01	0.05	1	142	0	7	0.01	13
22WCRC006A	8	9	228566	7.30	0.01	0.06	211	371	0.00	6	5	0.10	1	11	0.41	0.40	2	0.08	5	0.01	0.04	1	149	0	6	0.01	13
22WCRC006A	12	13	228570	8.40	0.01	0.07	154	213	0.00	2	5	0.13	1	10	0.80	0.60	3	0.11	3	0.01	0.04	1	126	0	4	0.01	10
22WCRC006A	13	14	228571	5.80	0.01	0.05	159	282	0.00	2	5	0.08	1	8	0.42	0.40	1	0.04	3	0.01	0.03	1	112	1	4	0.00	8
22WCRC006A	14	15	228572	0.80	0.04	0.09	198	60	0.03	5	16	0.04	9	4	0.46	2.00	14	0.04	8	0.01	0.25	1	60	0	5	0.01	10
22WCRC006A	15	16	228573	0.80	0.03	0.11	190	68	0.05	6	10	0.04	12	3	0.44	1.20	13	0.06	8	0.01	0.15	1	53	0	4	0.01	8
22WCRC006A	21	22	228581	0.50	0.04	0.06	171	77	0.04	5	10	0.05	6	4	0.34	0.20	14	0.03	7	0.00	0.16	1	64	0	4	0.02	9
22WCRC006A	22	23	228582	1.20	0.04	0.05	180	58	0.03	5	10	0.05	9	4	0.41	0.20	22	0.03	7	0.00	0.19	1	66	0	4	0.03	8
22WCRC006A	23	24	228583	1.00	0.05	0.07	191	105	0.05	4	12	0.05	7	4	0.35	0.20	23	0.03	7	0.00	0.34	1	72	0	5	0.02	9
22WCRC006A	24	25	228584	1.40	0.06	0.05	200	71	0.02	2	15	0.05	5	5	0.34	0.20	16	0.03	7	0.01	0.30	1	76	0	5	0.03	11
22WCRC006A	25	26	228585	0.60	0.04	0.07	209	63	0.01	4	13	0.05	2	4	0.21	0.20	11	0.03	7	0.00	0.20	1	68	0	4	0.02	9
22WCRC006A	32	33	228592	4.20	0.03	0.09	206	118	0.06	2	11	0.06	11	7	0.59	0.40	9	0.12	7	0.01	0.21	2	96	0	6	0.06	11
22WCRC006A	33	34	228593	3.90	0.02	-0.05	202	104	0.07	3	11	0.04	11	4	0.38	0.30	8	0.11	8	0.00	0.22	1	61	0	4	0.04	10
22WCRC006A	34	35	228594	1.00	0.03	-0.05	207	98	0.02	4	15	0.04	5	4	0.43	0.30	8	0.06	8	0.00	0.25	1	59	0	5	0.02	12
22WCRC007	27	28	228912	0.90	0.01	-0.05	235	443	0.02	2	15	0.14	3	7	1.33	0.20	4	0.05	5	0.01	0.17	1	83	0	6	0.51	21
22WCRC007	28	29	228913	0.70	0.02	0.05	228	419	0.02	3	20	0.13	5	7	0.88	0.20	5	0.05	5	0.01	0.21	1	82	0	6	0.40	25
22WCRC007	29	30	228914	1.40	0.01	-0.05	213	438	0.04	3	17	0.14	5	8	1.90	0.20	5	0.06	5	0.01	0.20	2	83	0	6	0.44	22
22WCRC007	30	31	228915	2.00	0.01	-0.05	189	497	0.05	-1	15	0.12	7	6	1.58	0.10	3	0.07	5	0.01	0.15	1	62	0	5	0.38	16
22WCRC007	31	32	228916	1.40	0.01	-0.05	218	467	0.05	5	17	0.14	12	8	1.61	0.20	4	0.10	5	0.01	0.18	1	84	0	6	0.14	21
22WCRC007	32	33	228917	1.30	0.02	-0.05	202	471	0.04	4	16	0.13	15	8	1.96	0.20	4	0.09	5	0.01	0.17	1	82	0	6	0.13	23
22WCRC007	33	34	228918	1.10	0.01	-0.05	187	462	0.02	4	18	0.14	16	7	0.49	0.20	3	0.11	4	0.01	0.17	1	76	0	6	0.08	20
22WCRC007	34	35	228919	2.30	0.01	0.05	124	350	0.02	2	22	0.08	10	4	0.40	0.20	12	0.04	8	0.01	0.20	1	30	0	7	0.14	21
22WCRC007	50	51	228937	1.10	0.01	-0.05	210	437	0.03	1	15	0.25	4	8	1.49	0.30	3	0.05	4	0.01	0.12	1	91	0	6	0.16	16
22WCRC007	51	52	228938	1.10	0.01	0.06	262	400	0.02	2	20	0.18	7	6	0.86	0.40	2	0.08	5	0.01	0.15	1	72	0	7	0.15	26
22WCRC007	52	53	228939	1.80	0.01	0.05	240	373	0.03	5	21	0.23	7	7	1.87	0.40	5	0.07	5	0.01	0.15	1	80	0	7	0.17	25
22WCRC007	53	54	228940	1.30	0.01	-0.05	212	395	0.10	3	16	0.30	6	6	1.56	0.70	2	0.10	5	0.01	0.12	1	76	0	7	0.40	20

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22WCRC007	54	55	228941	2.10	0.01	-0.05	208	341	0.15	2	12	0.39	2	7	2.31	1.00	2	0.08	5	0.01	0.11	1	78	0	7	0.66	18
22WCRC007	55	56	228942	1.90	0.01	0.06	196	331	0.01	1	10	0.85	32	7	2.35	1.10	2	0.04	6	0.01	0.08	1	82	0	6	0.77	16
22WCRC007	56	57	228943	1.60	0.01	0.07	229	380	0.01	3	12	0.55	12	10	3.61	1.70	2	0.12	5	0.01	0.08	1	99	0	6	0.06	19
22WCRC007	57	58	228944	1.80	0.02	-0.05	209	356	0.00	3	18	0.18	2	7	0.87	0.80	3	0.06	7	0.01	0.13	1	74	0	5	0.02	16
22WCRC007	58	59	228945	1.30	0.01	0.06	194	389	0.00	2	15	0.23	2	9	1.12	0.50	2	0.07	5	0.01	0.11	1	97	0	5	0.02	22
22WCRC007	59	60	228946	1.30	0.01	0.05	172	344	0.00	1	10	0.19	1	8	0.47	0.30	2	0.03	6	0.01	0.07	1	75	0	6	0.01	25
22WCRC007	60	61	228947	1.50	0.01	0.06	220	412	0.00	2	14	0.22	1	11	1.07	0.50	2	0.05	5	0.01	0.09	1	113	0	6	0.01	19
22WCRC007	61	62	228948	1.20	0.01	-0.05	206	422	0.00	3	8	0.24	2	9	2.12	0.40	1	0.09	4	0.01	0.05	1	100	0	7	0.01	15
22WCRC007	62	63	228949	1.30	0.01	0.08	218	370	0.00	3	9	0.21	2	10	1.69	0.40	1	0.06	5	0.01	0.06	1	102	0	7	0.01	19
22WCRC007	63	64	228951	1.30	0.01	0.06	187	358	0.00	3	8	0.16	1	9	0.28	0.30	1	0.06	5	0.01	0.05	1	96	0	6	0.01	16
22WCRC007	64	65	228952	5.50	0.01	0.09	223	364	0.00	3	15	0.14	2	7	0.47	0.60	3	0.48	6	0.01	0.10	1	76	0	8	0.01	25
22WCRC007	65	66	228953	1.90	0.01	0.09	146	356	0.00	1	7	0.16	1	7	0.41	0.40	2	0.07	6	0.01	0.04	1	68	0	7	0.01	27
22WCRC007	66	67	228954	1.40	0.01	0.09	198	343	0.00	4	7	0.17	1	10	0.21	0.40	1	0.10	4	0.01	0.04	1	107	0	6	0.01	16
22WCRC007	67	68	228955	4.40	0.01	0.07	174	321	0.00	5	11	0.16	1	8	0.16	0.50	2	0.15	6	0.01	0.06	1	87	0	6	0.01	20
22WCRC007	68	69	228956	5.40	0.00	0.08	182	435	0.00	2	5	0.21	1	13	0.28	0.40	2	0.06	4	0.01	0.03	1	119	0	5	0.01	15
22WCRC007	69	70	228957	7.60	0.00	-0.05	183	269	0.00	1	3	0.24	1	12	0.64	0.60	1	0.07	4	0.01	0.02	1	115	0	4	0.01	13
22WCRC007	70	71	228958	9.30	0.01	0.05	179	556	0.00	2	4	0.26	1	10	2.25	0.90	1	0.16	4	0.01	0.03	1	100	0	4	0.01	12
22WCRC007	71	72	228959	5.20	0.00	0.07	163	273	0.00	3	6	0.18	2	10	0.54	0.50	1	0.12	4	0.01	0.03	1	96	0	5	0.01	16
22WCRC007	72	73	228960	1.50	0.01	0.11	165	319	0.00	3	6	0.16	2	9	0.27	0.60	1	0.06	5	0.01	0.05	1	92	0	5	0.01	19
22WCRC007	73	74	228961	1.70	0.01	0.05	165	371	0.00	2	5	0.24	6	10	2.47	0.90	1	0.08	4	0.01	0.03	1	97	0	5	0.02	16
22WCRC007	74	75	228962	2.40	0.01	0.14	108	256	0.00	1	9	0.33	5	5	0.48	0.50	3	0.05	5	0.01	0.20	1	44	2	5	0.02	24
22WCRC007	75	76	228963	3.60	0.01	0.09	45	234	0.00	2	9	0.11	5	3	0.79	1.10	2	0.04	7	0.01	0.06	2	19	1	7	0.01	32
22WCRC007	76	77	228964	3.70	0.01	0.08	62	336	0.00	2	8	0.12	2	4	0.46	0.90	3	0.04	8	0.01	0.04	2	24	1	8	0.01	27
22WCRC007	77	78	228965	3.40	0.01	-0.05	45	244	0.00	-1	6	0.11	2	2	-0.05	0.90	4	0.04	8	0.01	0.05	2	18	1	5	0.01	23
22WCRC007	78	79	228966	3.80	0.01	0.12	28	329	0.00	1	5	0.31	5	2	0.97	1.70	1	0.11	6	0.01	0.07	1	12	3	7	0.01	24
22WCRC007	79	80	228967	3.70	0.01	0.12	48	271	0.01	1	4	0.76	21	5	2.35	6.60	2	0.23	8	0.01	0.07	2	36	2	7	0.03	31
22WCRC007	80	81	228968	2.50	0.00	0.15	40	274	0.00	-1	5	0.19	10	4	0.63	0.80	0	0.06	9	0.01	0.06	3	22	3	7	0.02	33
22WCRC007	81	82	228969	6.60	0.01	0.17	49	383	0.01	1	3	0.77	9	9	1.29	4.00	1	0.12	9	0.01	0.07	3	64	4	8	0.01	29
22WCRC007	82	83	228970	2.90	0.00	0.09	62	485	0.00	1	3	0.60	9	12	0.92	2.70	2	0.06	6	0.01	0.04	1	142	2	7	0.01	11
22WCRC007	83	84	228971	4.00	0.00	0.14	69	357	0.00	2	5	0.42	15	12	1.03	2.20	6	0.07	7	0.01	0.06	2	139	2	8	0.01	15
22WCRC007	84	85	228972	2.70	0.01	0.13	99	441	0.00	1	4	0.24	26	12	0.73	0.70	1	0.04	7	0.01	0.04	2	137	1	7	0.01	16
22WCRC007	85	86	228973	2.10	0.01	0.08	72	475	0.00	1	6	0.20	17	9	0.40	0.60	2	0.02	7	0.01	0.04	1	114	1	7	0.01	17
22WCRC007	86	87	228976	1.80	0.01	0.10	51	544	0.00	1	4	0.25	16	10	0.29	0.60	2	0.02	6	0.01	0.04	1	127	1	6	0.01	14
22WCRC007	87	88	228977	7.40	0.01	0.12	50	534	0.00	2	2	0.62	16	25	0.92	1.70	8	0.03	6	0.02	0.10	1	246	1	8	0.01	14
22WCRC007	88	89	228978	7.20	0.01	0.13	70	710	0.01	1	2	0.66	34	23	1.68	2.60	3	0.04	5	0.02	0.04	1	242	2	8	0.01	15
22WCRC007	89	90	228979	1.20	0.00	0.07	65	530	0.00	2	2	0.18	4	20	0.38	0.50	2	0.01	5	0.02	-0.02	1	208	0	9	0.01	14

Hole ID	Depth From	Depth To	Sample ID	Mo ppm	Na pct	Nb ppm	Ni ppm	P ppm	Pb pct	Pt ppb	Rb ppm	S pct	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Te ppm	Th ppm	Ti pct	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn pct	Zr ppm
22WCRC007	90	91	228980	2.10	0.01	0.09	83	340	0.00	2	5	0.11	21	6	0.25	0.50	3	0.01	8	0.01	0.04	2	56	2	7	0.01	21
22WCRC007	91	92	228981	2.90	0.01	0.10	25	343	0.00	-1	7	0.09	2	4	0.18	0.50	2	-0.01	9	0.01	0.05	2	40	1	8	0.01	27
22WCRC007	92	93	228982	1.90	0.01	0.10	54	411	0.00	2	5	0.14	13	4	0.52	0.70	2	0.02	7	0.01	0.04	2	39	2	7	0.01	21
22WCRC007	93	94	228983	3.80	0.01	0.30	12	250	0.00	1	5	0.08	3	2	0.45	0.60	1	0.01	9	0.01	0.05	4	14	3	8	0.01	24
22WCRC007	94	95	228984	2.90	0.01	0.24	8	244	0.00	2	4	0.34	8	4	0.71	1.20	1	0.05	8	0.01	0.05	3	11	2	9	0.01	30
22WCRC007	95	96	228985	3.00	0.01	0.16	6	260	0.00	2	6	0.20	5	3	1.14	1.10	2	0.03	9	0.01	0.05	2	7	3	10	0.01	38
22WCRC007	96	97	228986	6.40	0.00	0.17	9	222	0.01	2	3	0.69	16	4	2.06	2.70	1	0.08	6	0.01	0.08	2	9	6	9	0.01	32
22WCRC007	97	98	228987	5.10	0.00	0.16	8	199	0.04	3	3	1.25	87	5	3.43	4.20	1	0.30	6	0.01	0.14	2	10	3	9	0.02	33
22WCRC007	98	99	228988	9.10	0.00	0.13	13	329	0.03	1	2	1.44	96	6	5.25	3.00	1	0.35	6	0.01	0.15	2	12	2	9	0.01	36
22WCRC007	99	100	228989	4.30	0.00	0.11	6	266	0.01	2	3	0.29	15	5	0.85	1.10	2	0.05	7	0.01	0.04	2	9	2	9	0.01	33
22WCRC007	100	101	228990	1.90	0.01	0.12	8	279	0.00	4	4	0.19	4	3	0.07	0.40	0	-0.01	8	0.01	0.04	2	9	1	10	0.01	36
22WCRC007	101	102	228991	3.60	0.00	0.13	7	242	0.00	2	3	0.33	4	6	0.32	0.50	1	0.01	8	0.01	0.03	2	11	2	11	0.01	41
22WCRC007	152	153	229045	1.30	0.01	-0.05	6	387	0.00	1	7	0.35	1	2	0.18	0.10	4	-0.01	9	0.01	0.41	2	8	0	9	0.01	38
22WCRC007	153	154	229046	1.50	0.01	-0.05	5	354	0.00	4	10	0.43	1	1	0.19	0.10	5	-0.01	10	0.01	0.42	3	4	1	9	0.01	43
22WCRC007	154	155	229047	1.80	0.01	-0.05	6	350	0.00	1	10	0.83	19	-1	0.23	0.10	5	-0.01	9	0.00	0.53	2	4	1	9	0.01	44
22WCRC007	155	156	229048	1.60	0.01	-0.05	6	369	0.00	4	13	0.32	1	1	-0.05	0.20	6	-0.01	10	0.01	0.43	3	4	2	11	0.01	48
22WCRC007	179	180	229073	1.90	0.01	0.07	3	511	0.01	3	12	0.89	1	-1	-0.05	0.20	4	-0.01	11	0.00	0.24	3	2	2	10	0.03	40
22WCRC007	180	181	229076	2.10	0.01	0.16	5	400	0.01	2	15	0.80	1	-1	0.11	0.20	4	-0.01	11	0.02	0.27	3	5	3	10	0.02	43
22WCRC007	181	182	229077	1.90	0.01	0.11	4	354	0.02	-1	17	0.97	2	-1	0.31	0.20	3	-0.01	10	0.01	0.32	3	4	4	10	0.08	42
22WCRC007	182	183	229078	5.90	0.01	0.10	11	361	0.02	-1	9	0.69	1	2	0.76	0.20	3	-0.01	8	0.01	0.19	2	11	1	8	0.10	27
22WCRC007	183	184	229079	5.90	0.01	0.09	11	344	0.01	2	13	0.51	2	1	0.61	0.20	5	-0.01	8	0.01	0.20	2	7	2	9	0.06	32
22WCRC007	184	185	229080	1.90	0.01	0.10	4	370	0.01	-1	16	0.32	1	-1	0.54	0.20	8	-0.01	9	0.01	0.20	3	6	2	10	0.04	40
22WCRC007	185	186	229081	1.60	0.01	0.08	4	354	0.01	2	11	0.37	1	-1	0.53	0.10	3	-0.01	9	0.00	0.20	2	3	1	8	0.03	28
22WCRC007	186	187	229082	5.20	0.01	0.09	8	350	0.02	1	12	0.90	3	-1	3.57	0.20	3	-0.01	12	0.00	0.29	2	3	2	9	0.07	34
22WCRC007	187	188	229083	7.70	0.01	0.12	10	296	0.03	1	13	1.86	4	-1	7.06	0.20	6	-0.01	11	0.01	0.40	2	7	3	9	0.12	36
22WCRC007	188	189	229084	4.90	0.02	0.07	7	291	0.03	-1	11	1.17	2	-1	4.78	0.20	5	-0.01	13	0.00	0.32	2	4	3	8	0.07	30
22WCRC007	189	190	229085	8.40	0.02	0.13	8	247	0.05	1	16	1.48	2	-1	4.38	0.30	5	-0.01	13	0.01	0.44	3	3	4	8	0.23	38

JORC 2012 TABLE 1

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
TECHNIQUES	<ul style="list-style-type: none"> Nature and quality of sampling (e.g., cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g., 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> RC drill chip samples were collected at 1m intervals for every hole, using a cyclone separator on the Schramm 685 RC drill rig to generate a representative sample of each metre drilled. Samples ranged in volume from 1 to 3 kg. A handheld GPS was used to determine drill collar location. A Gyro was used to determine dip and azimuth changes every 50m downhole. RC chip samples that were observed to contain sulphides were sent to LabWest in Perth for drying and crushing preparation, followed by aqua regia microwave digest and ICP-MS analysis for gold and a suite of 50 elements, including base metals. Suitable standard reference materials were incorporated at regular intervals in the sampling.
DRILLING TECHNIQUES	<ul style="list-style-type: none"> Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.). 	<ul style="list-style-type: none"> Reverse circulation drilling was completed using standard 6m rods with stabilisers as required, and 140mm diameter bit. The resulting hole diameter was 145mm. Drill holes were located using a handheld GPS and orientation defined using a compass. This was verified with a rig-mounted gyro which measured the changes to dip and azimuth at 50m intervals downhole.
DRILL SAMPLE RECOVERY	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> Drilling to date has demonstrated excellent recoveries of close to 100% in diamond drilling. RC recoveries could not be measured. The driller reported voids where they occurred, otherwise it was assumed that 100% drill chip recovery was achieved.
LOGGING	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography. The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> Drill chips were geologically logged to a high standard. This is a qualitative assessment. Geotechnical logging is not possible with RC chips. One drill log was recorded per metre of drilling.
SUB-SAMPLING	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. 	<ul style="list-style-type: none"> Partial analysis results are included in this announcement.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
TECHNIQUES AND SAMPLE PREPARATION	<ul style="list-style-type: none"> ▪ If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry. ▪ For all sample types, the nature, quality and appropriateness of the sample preparation technique. ▪ Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. ▪ Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. ▪ Whether sample sizes are appropriate to the grain size of the material being sampled. 	<ul style="list-style-type: none"> • Drill samples were split from the rig cyclone from which approximately 1-3kg was sent for analysis at LabWest. • Appropriate duplicate samples were collected. Certified reference standards and blanks have been provided to the lab for use at regular 50m intervals during analysis. • Rock chip samples were collected from outcrop wherever possible. If rock samples could not be confirmed as in situ samples, they were recorded as "float".
QUALITY OF ASSAY DATA AND LABORATORY TESTS	<ul style="list-style-type: none"> ▪ The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. ▪ For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. ▪ Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established. 	<ul style="list-style-type: none"> • LabWest is NATA accredited and provides an aqua regia microwave digest preparation with ICP/MS or OES analysis suitable for processing RC drill chips, generating a broad suite of 50 elements. • The handheld Garmin Map62 GPS used for drill hole location was considered appropriate for exploration drilling and locating surface samples, with an accuracy of ~3m. A topographical survey of recent RC drill holes will be undertaken in the event that drill hole data is needed for resource classification purposes.
VERIFICATION OF SAMPLING AND ASSAYING	<ul style="list-style-type: none"> ▪ The verification of significant intersections by either independent or alternative company personnel. ▪ The use of twinned holes. ▪ Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. ▪ Discuss any adjustment to assay data. 	<ul style="list-style-type: none"> • Verification of soil anomalies by rock chip sampling has been completed for some soil geochemical targets and this work will be ongoing during the 2022 field season. • No twin holes have been drilled during this programme. • Partial analysis results from the drilling have been reported. • Assay data supplied by LabWest was sent directly to Mitchell River Group for inclusion in the Anax drilling database..
LOCATION OF DATA POINTS	<ul style="list-style-type: none"> ▪ Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. ▪ Specification of the grid system used. ▪ Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> • No Mineral Resource estimation was referenced in this announcement. • The grid system used for the location of the surface samples was, UTM GDA94, Zone 50. • Topographic records from handheld GPS are not considered sufficiently accurate, having a variability of ~5m.
DATA SPACING AND DISTRIBUTION	<ul style="list-style-type: none"> ▪ Data spacing for reporting of Exploration Results. ▪ Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. ▪ Whether sample compositing has been applied. 	<ul style="list-style-type: none"> • The nominal spacing of RC drill lines at HLF was 100m, perpendicular to the dominant structural direction – NE. This is considered suitable for first pass gold exploration drilling in this geological environment. • Continuity of mineralisation is yet to be determined with further drilling and rock chip sampling. • Structural disruption is evident in Figure 3, where magnetic anomalism is offset along a NE trending structure, correlating well with GSWA 1:100,000 mapped structures. Rock chip

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<p>sampling has verified in situ mineralisation. Early drill assay results confirm mineralisation. Further drilling assay results are awaited.</p> <ul style="list-style-type: none"> No compositing of drill samples is planned for HLF RC drilling for gold. Composite samples may be used for analysis of RC chips in exploration drill holes for base metals.
ORIENTATION OF DATA IN RELATION TO GEOLOGICAL STRUCTURE	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> All assays of RC drill samples received to date are included in this announcement RC drilling along lines spaced 100m apart, perpendicular to the dominant structural direction. The dominant structural direction is NE-SW. The nature and continuity of mineralisation has not yet been determined.
SAMPLE SECURITY	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> Following collection, sample bags were carefully packed into polyweave bags and stacked on pallets at the mine site office. From there, samples were securely transported via CTI Logistics, to LabWest in Perth for analysis. Following analysis, sample pulps were stored at LabWest. Long term storage of sample pulps and rejects is facilitated at SuperEasy storage in Malaga.
AUDITS OR REVIEWS	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> Historical drilling has been verified in order to include it in the JORC-2012 Resources defined at 4 prospects across the Project, which are not referenced in this announcement.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
MINERAL TENEMENT AND LAND TENURE STATUS	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> Anax has entered into a JV with Develop Global Limited over the Whim Creek Project and earned 80% ownership of the tenure through its operation of the Project. The tenements under exploration were M47/443, M47/236, M47/237, M47/238, M47/1455 and all tenements are in good standing. An Environmental Protection Notice is current for parts of tenements M47/236, M47/237, M47/238, M47/443 and E47/3495, which Anax is managing through its operations. The tenements lie within the granted Ngarluma Native Title Claim. There are 4 registered Aboriginal heritage sites within the above-named tenure and 1 site of historical significance. One Aboriginal heritage site overlaps the Mons Cupri Resource for which Section 18 Approval was granted in 1996. The tenements are subject to third-party royalties.
EXPLORATION DONE BY	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> Since 1968, exploration has been conducted by Texas Gulf Australia, Dominion Mining Limited, Straits Resources Limited and Venturex Resources (now Develop Global Limited). Venturex's exploration was of most relevance to Anax's work as Venturex defined JORC 2012

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
OTHER PARTIES		<i>Resources at the Project (not discussed here). Venturex maintained the historical geochemical databases and reported their exploration work to a high standard.</i>
GEOLOGY	<ul style="list-style-type: none"> ▪ <i>Deposit type, geological setting and style of mineralisation.</i> 	<ul style="list-style-type: none"> • <i>The Archean-age Whim Creek Greenstone Belt is a granite-greenstone terrane considered prospective for gold mineralisation. Resources have been defined for hydrothermal (or VMS) copper-zinc-lead deposits and further prospectivity remains for these commodities. Additionally, the presence of layered mafic intrusives suggests potential for nickel-cobalt and platinum mineralisation, as confirmed by recent soil and rock chip sampling.</i>
DRILL HOLE INFORMATION	<ul style="list-style-type: none"> ▪ <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> <ul style="list-style-type: none"> ▪ <i>easting and northing of the drill hole collar.</i> ▪ <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar.</i> ▪ <i>dip and azimuth of the hole.</i> ▪ <i>down hole length and interception depth</i> ▪ <i>hole length.</i> ▪ <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i> 	<ul style="list-style-type: none"> ▪ <i>Exploration RC drill results received to date have been included in this announcement. Drilling is complete and the details of the drill holes are listed in Appendix 1 above. GPS results for RL are considered to be of low accuracy. A detailed survey of the completed RC drill holes will follow in due course.</i> ▪ <i>The RC drill holes are not intended to inform resource modelling and therefore the RL data is not critical at present. Detailed surveying will be undertaken for any RC drill holes that generate results that may form part of future resource estimates.</i>
DATA AGGREGATION METHODS	<ul style="list-style-type: none"> ▪ <i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</i> ▪ <i>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i> ▪ <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i> 	<ul style="list-style-type: none"> • <i>Resources are not referenced in this announcement.</i> • <i>Rock chip sampling results and RC drill chip assays have verified that the UltraFine+™ gold-in-soil anomaly at HLF Prospect is in situ.</i> • <i>RC chip samples are being analysed at 1 metre intervals. Further RC drilling results are awaited which will verify mineralisation continuity at depth and along strike.</i> • <i>XRF analysis of drill chip trays was completed by Minalyze. Every compartment (representing 1m interval) was scanned twice. This data was calibrated using the array results and provides infill geochemistry for the intervals not assayed at Labwest.</i> • <i>No metal equivalent values are used here.</i>
RELATIONSHIP BETWEEN MINERALISATION WIDTHS AND	<ul style="list-style-type: none"> ▪ <i>These relationships are particularly important in the reporting of Exploration Results.</i> ▪ <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i> 	<ul style="list-style-type: none"> • <i>Mineralisation widths are recorded as downhole widths and not true widths, and all assay results received to date are included.</i>

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
INTERCEPT LENGTHS	<ul style="list-style-type: none"> If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known'). 	
DIAGRAMS	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> Figure 4 illustrates the cross section of the HLF drilling Figure 5 illustrates the HLF soil sampling anomalies identified in relation to drill hole traces, 2007 aeromagnetics and surface structural mapping of felsic intrusives. Figure 3 illustrates the location of HLF, Whim Creek and Mons Cupri drill holes in relation to existing infrastructure and UltraFine+™ sample anomalies.
BALANCED REPORTING	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> All drill chip assay results received to date and not previously reported are reported here.
OTHER SUBSTANTIVE EXPLORATION DATA	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> GSWA regional geology (1:100k, 2020 version, downloaded from DMIRS Data Centre) and major structures (GSWA, 1:100k, 2020 version downloaded from DMIRS Data Centre) lacked sufficient detail to illustrate the geology associated with the surface anomalism at HLF. Surface mapping was carried out to illustrate the outcrop of altered felsic volcanics (Figure 4). Straits Resources collected aeromagnetic data over the Whim Creek Project in 2007, which defined an aeromagnetic anomaly targeted in the recent drilling at HLF. Detailed GSWA geological relationships, provided in Sherlock 1:100k geology was referred to in defining the prospective geology associated with mineralisation.
FURTHER WORK	<ul style="list-style-type: none"> The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> Further work will consist of ongoing analysis of drill chips, extensions to the soil sampling areas and further verification rock chip sampling of outcrop. Further drilling to follow. Figure 5 illustrates the extent of geochemical anomalism in soils and rocks at HLF and as well as aeromagnetic anomalism that could have a bearing on mineralisation. The soil sampling programmes were limited in extent to within the tenement boundaries. Geochemical anomalies may continue across tenement boundaries. Anax will continue to investigate the sources of the anomalism and potential extensions within the boundaries of its tenure. Exploration will continue during the 2023 field season and beyond.